AL-KO

QUALITY FOR LIFE







GARDEN AND WATER TECHNOLOGY 2026

MADE FOR YOUR GARDEN



CONTENTS

FOREWORD	**3**	Shredders	**114**
SMART GARDENING	**6**	Chainsaws	**116**
BATTERY TECHNOLOGY	**8**	Wood splitters	**122**
LAWN CARE		**WATER TECHNOLOGY**	**126**
Robolinho® robotic lawnmowers	**30**	Clean water submersible pumps	**128**
Lawnmowers	**40**	Wastewater submersible pumps	**130**
Hand lawnmowers	**70**	Combi universal submersible pumps	**134**
Mulch mowers	**72**	Submersible pressure and deep-well pumps	**136**
Tractors	**74**	Garden pumps	**138**
Scarifiers	**80**	Domestic water pumps	**140**
Scythe mower	**84**	Domestic water systems	**142**
GARDENING		Petrol engine pumps	**144**
Trimmers, brushcutters & multi-cutter	**86**	Pump accessories	**146**
Multi-tools	**96**	Power generators	**148**
Leaf blowers & leaf vacuums	**100**	Snowblowers	**150**
Hedge trimmers	**104**	For kids	**154**
Cultivators	**108**	**TECHNICAL DATA**	**156**
Lawn roller	**112**	**SPARE PARTS**	**162**
Composters	**113**		

WHICH CATEGORY IS RIGHT FOR ME?

The right tools for every gardener: Choose for yourself which requirements and features are most important for your products. We differentiate between **EASY**, **COMFORT**, and **PREMIUM** to make comparison easier.





EASY

We recommend these products for when you want solid gardening tools that you can use to just get the job done reliably. The products identified with the **EASY** label are ideal for smaller gardens. They are lightweight, manoeuvrable and easy to store away. Our more basic equipment still ensures the best possible quality.

- Quality for life at an affordable price
- Perfect for first-time users
- User-friendly tools
- Lightweight and easy-to-store appliances
- Ideal for smaller gardens

COMFORT

AL-KO quality for more stringent standards. Ideal for medium-sized to large gardens – because when there's much to be done, the ease of use, versatility and innovative features that make your work easier are what really counts. With our **COMFORT** class machines, you are always equipped to make your garden stunning.

- High level of comfort and user-friendliness
- Particularly versatile and functional
- A wide range of features and high durability
- Beautiful gardening, the effortless and effective way
- Perfect for medium-sized to large gardens





PREMIUM

The **PREMIUM** label represents only the best of the best from the AL-KO brand, for equipment that will give you the most beautiful garden in the neighbourhood.

- Innovative products and features
- Optimum comfort and user-friendliness
- Features developed for use in the most demanding applications
- For use in demanding tasks multiple times a week
- High-performance tools for large gardens

OUR HISTORY
QUALITY SINCE 1931



AL-KO

QUALITY FOR LIFE

AL-KO Gardentech is one of the global players of German SMEs. The modern yet long-established company, headquartered in Kötz near Augsburg, employs around 700 people and operates in more than 17 locations worldwide. In 2024, the company generated a turnover of around 250 million euros.

Since producing our first lawnmower in 1966, we have grown into a leading garden technology brand. Our products have always been manufactured with a high degree of care, creativity and technical perfection. The brand promise “QUALITY FOR LIFE” continues to stand for AL-KO's unique product and service quality.

More at **www.alko-garden.com**



Member of DAYE

AL-KO Gardentech has been part of Ningbo Daye Garden Machinery Co. Ltd. since 2025 – a leading international company in the gardening industry. As a publicly traded global player and China’s number one in the development, manufacture and distribution of innovative lawnmowers, DAYE stands for the highest quality, state-of-the-art technology, and a genuine passion for gardening.

More than 1,200 employees work day in, day out, at the headquarters in Yuyao, China, to create leading solutions for perfect green spaces. With a total of 24 locations in 20 countries, the DAYE Group has a global presence, combining international strength with regional proximity – for boundless gardening enjoyment.



ENGINEERED IN GERMANY
MADE IN AUSTRIA

QUALITY FOR LIFE AL-KO appliances are developed with precision in Kötz, in the Swabian region of Bavaria, and subjected to rigorous testing. Since 1966, most of our gardening tools have been manufactured in the tranquil town of Obdach in the Austrian province of Styria. With the flexibility and security of an owner-managed company, our goal is to meet the requirements of our customers every time. With typical German efficiency, our research and development engineers create pioneering garden tools from hundreds of individual parts.

HIGHEST STANDARDS Materials of the highest quality, ingenious technology, perfect ergonomics and a sure feel for form and detail are the unmistakable hallmarks of our garden tools. The rigorous quality requirement that characterises the AL-KO brand is guaranteed through our comprehensive range of technologies that is consistently designed and implemented by AL-KO development engineers, designers and technicians – from the initial design and prototype construction right through to the end product. Here, we are placing particular emphasis on digital solutions, in order to intelligently connect a wide range of processes.



OUR CORE VALUES

WE FOCUS ON THE USER

- Ease of use
- Customer satisfaction
- Solution-based

WE ARE A STRONG PARTNER

- Durable
- Professional
- Trustworthy

WE ARE ALWAYS ONE STEP AHEAD

- Smartness
- Innovative technology
- Continuous progress

SMART GARDENING WITH AL-KO inTOUCH®





APP FEATURES

Our AL-KO inTOUCH® Smart Garden App optimises tasks, automates routines to suit your preferences, and can be operated any time, from anywhere.

+ SMART WAY TO REGISTER A PRODUCT

In the AL-KO inTOUCH® Smart Garden app, you can manage all your AL-KO garden tools – even those with no connectivity – giving you an overview of all your tool information in one place.

SMART SUPPORT

For example, to start the machine or receive instructions on the correct use of the product. Supports you with questions and allows remote access by your service partner.

SPARE PARTS SERVICE

Don't waste time searching for spare/wear parts and accessories, they can be ordered directly and without complications from the webshop.

SHARE DEVICES

On your holidays? Not a problem. Share your machine with friends, family or your service partner.

UPDATES

Keep your appliance up-to-date – regular updates are the convenient way to update and remotely maintain your smart-connected appliance.



intouch*

GET IT ON Google Play

Download on the App Store

*Incl. WiFi (2.4 GHz) connection with AL-KO inTOUCH® app (available for iOS and Android), Google Home, Alexa, IFTTT, Home Assistant, IoT API

Our **AL-KO inTOUCH® APP** will continue to be developed in 2026 and continually updated with new features.

APPLIANCE-SPECIFIC FEATURES

ALL AL-KO DEVICES

- Tips and instructions relating to installation, operation and service
- Display and purchase of accessories
- 2 year warranty + optional extension



SMART COCKPIT

- Device-specific dashboard for smart lawn mowers
- Direct information display for the lawn mower in real time
- Link to IFTTT for definition smart scenarios



SMART CONTROL

- Automatic and manual control of mowing
- Smartly define mowing areas, track Robolinho® on a map, view and configure mowing path planning (for RTK models)
- Monitor device activity
- Share your device with friends, Family and Service Partner
- Firmware Updates



SMART POWER

- View battery-specific values such as temperature and operating time
- Smart charger: Push notifications for different charge levels (60%, 80% and 100%)
- Smart battery: Reporting of cell voltages



SMART HOME INTEGRATIONS

- Configure interactions between smart appliances
- Automatic processes across appliances
- Option of direct access to the AL-KO Gardentech IoT API to interact with the devices

FURTHER INFORMATION ON SMART GARDEN





API

works with Google Home**

works with alexa***

Works with IFTTT

**Google and Google Home are trademarks of Google LLC.
***Amazon, Alexa and all related logos are trademarks of Amazon.com, Inc. or its affiliates.
See www.alko-garden.com/robolinho for a list of Alexa compatible robotic mowers.



BATTERY TECHNOLOGY

WHICH BATTERY RANGE SUITS ME BEST?

Whether mowing your lawn, trimming hedges or blowing leaves – with our two battery ranges AL-KO 18 V / 36 V (1 Battery / 2 Voltages) and AL-KO 36 V, you can always be sure that you are choosing the right battery for your application needs. And best of all, all battery lawnmowers also come with a battery and a charger. So you can simply buy other AL-KO battery-operated tools affordably without an additional battery. Our batteries fit all tools of the AL-KO 18 V / 36 V (1 Battery / 2 Voltages) or AL-KO 36 V ranges.

AL-KO 18 V / 36 V 1 BATTERY 2 VOLTAGES

FOR EVERY GARDEN

The AL-KO 18 V / 36 V (1 Battery / 2 Voltages) range offers utmost versatility. Suitable for small to medium-sized gardens.

- High level of working comfort
- Extremely flexible
- One battery for many devices

AL-KO 36 V

READY FOR ANYTHING

The AL-KO 36 V range is perfect for all garden enthusiasts with a medium to large garden.

- Long operating times
- Robust design
- Extremely powerful

TIP OPTIMUM BATTERY STORAGE

The battery should be stored in a dry and frost-free place. Remember to check the battery charge level after extended storage (every 1-2 months). Lithium-ion batteries can discharge fully when not used and should therefore be charged on a regular basis.



AL-KO 18 V / 36 V 1 BATTERY 2 VOLTAGES

The AL-KO 18 V / 36 V (1 Battery / 2 Voltages) battery range lets you enjoy unlimited freedom in the garden. Thanks to a single, flexible battery technology that can be used in numerous high-quality garden tools, you are perfectly equipped for every challenge – from precise lawn mowing to powerful tree care to thorough cleaning. For maximum performance, complete independence and the pure joy of gardening.



AL-KO 36 V

The wide variety of the AL-KO 36 V battery range provides the perfect support for ambitious amateur gardeners looking for a wide range of tools with a powerful battery system. All 36 V devices from AL-KO and solo® by AL-KO can be operated with the same battery.



DISCOVER THE ENTIRE AL-KO 18 V / 36 V 1 BATTERY 2 VOLTAGES RANGE



ONE BATTERY SYSTEM TWO POWER-LEVELS ENDLESS POSSIBILITIES

THE BATTERY THAT THINKS FOR ITSELF

SMART TECHNOLOGY THAT ADAPTS ITS ENERGY IN A UNIQUE WAY

- Ensures optimal performance and runtime
- Works with all AL-KO 18 V and 36 V (1 Battery / 2 Voltages) devices
- Full flexibility in choosing the right tool: 18 V for lighter gardening work, 36 V for challenging tasks
- No pre-determined voltage class
- Saves money on battery and charger



An 18 V device uses both battery packs in parallel for more capacity

A 36 V device uses both battery packs in series for more power





NEW

18 V POWER STARTER SET
With 1x battery B50.6 Li (2,5 Ah) and 1x charger C40.6 Li (1 A)
EAN no. 400 371 806 7415
Art. no. 114 193



NEW

BATTERY B160.6 Li
Li-ion 18 V / 36 V (8.0 Ah / 4.0 Ah)
1 Battery / 2 Voltages
with charge level indicator
EAN no. 400 371 806 6432
Art. no. 114 128



NEW

BATTERY B100.6 Li
Li-ion 18 V / 36 V (5.0 Ah / 2.5 Ah)
1 Battery / 2 Voltages
with charge level indicator
EAN no. 400 371 806 6425
Art. no. 114 127



NEW

BATTERY B75.6 Li
Li-ion 18 V / 36 V (4.0 Ah / 2.0 Ah)
1 Battery / 2 Voltages
with charge level indicator
EAN no. 400 371 806 6418
Art. no. 114 126



NEW

BATTERY B50.6 Li
Li-ion 18 V Power (2.5 Ah)
with charge level indicator
EAN no. 400 371 806 6401
Art. no. 114 125



NEW

BATTERY B40.6 Li
Li-ion 18 V Power (2.0 Ah)
with charge level indicator
EAN no. 400 371 806 6395
Art. no. 114 124



NEW

DOUBLE CHARGER C300.6 Li
Li-ion 18 V / 36 V (2x 4 A)
1 Battery / 2 Voltages
with charge level indicator
EAN no. 400 371 806 6470
Art. no. 114 132



NEW

CHARGER C150.6 Li
Li-ion 18 V / 36 V (4 A)
1 Battery / 2 Voltages
with charge level indicator
EAN no. 400 371 806 6463
Art. no. 114 131



NEW

CHARGER C100.6 Li
Li-ion 18 V / 36 V (2.4 A)
1 Battery / 2 Voltages
with charge level indicator
EAN no. 400 371 806 7460
Art. no. 114 198



NEW

CHARGER C40.6 Li
Li-ion 18 V / 36 V (1 A)
1 Battery / 2 Voltages
with charge level indicator
EAN no. 400 371 806 6456
Art. no. 114 130

AL-KO 18 V / 36 V 1 BATTERY 2 VOLTAGES





	Robolinho® 500 VISION	Robolinho® 1000 VISION
	EASY	COMFORT
Cutting width	20 cm	21 cm
For lawns up to*	500 m²	1,000 m²
Power	AL-KO 18 V / 36 V 1 BATTERY 2 VOLTAGES Li-ion 18 V / 2.5 Ah	AL-KO 18 V / 36 V 1 BATTERY 2 VOLTAGES Li-ion 18 V / 36 V 5.0 Ah / 2.5 Ah
Boundary	Virtual, detected by VISION	Virtual, detected by VISION
Object recognition	Bumper and VISION	Bumper and VISION
EAN no.	400 371 806 7385	400 371 806 7392
Art. no.	114 169	114 163

FURTHER INFORMATION CAN BE FOUND ON PAGES 32–37.



	34.6 Li	38.6 Li	43.6 Li	46.6 Li SP	51.6 Li SP
	COMFORT	COMFORT	COMFORT	COMFORT	COMFORT
Cutting width	34 cm	38 cm	43 cm	46 cm	51 cm
For lawns up to*	400 m²	500 m²	650 m²	800 m²	800 m²
Cutting height / height adjustment	25–75 mm / central, 5-stage	25–75 mm / central, 5-stage	25–75 mm / central, 5-stage	25–75 mm / central, 6-stage	25–75 mm / central, 6-stage
SET INCL. BATTERIES AND CHARGER – Included in delivery**	2x B50.6 Li (2.5 Ah) 1x C300.6 Li (2x 4 A)	2x B75.6 Li (4.0 Ah / 2.0 Ah) 1x C300.6 Li (2x 4 A)	2x B100.6 Li (5.0 Ah / 2.5 Ah) 1x C300.6 Li (2x 4 A)	2x B100.6 Li (5.0 Ah / 2.5 Ah) 1x C300.6 Li (2x 4 A)	2x B160.6 Li (8.0 Ah / 4.0 Ah) 1x C300.6 Li (2x 4 A)
SET INCL. BATTERIES AND CHARGER – EAN no.	400 371 806 6913	400 371 806 6920	400 371 806 6937	400 371 806 6944	400 371 806 6951
SET INCL. BATTERIES AND CHARGER – Art. no.	114 170	114 171	114 172	114 173	114 174

FURTHER INFORMATION CAN BE FOUND ON PAGES 42–43.

*The maximum area coverage depends on the layout and special conditions of the garden as well as the battery capacity.
**Batteries/chargers supplied may vary from the models shown in the catalogue due to availability.

Scarifier 38.6 Li Combi Care

COMFORT

Working width / scarifying roller		38 cm / 14 steel blades
Working depth		+6 to -14 mm
For lawns up to		400 m²*
WITHOUT BATTERY OR CHARGER	EAN no.	400 371 806 5367
	Art. no.	114 041
SET INCL. BATTERY AND CHARGER	Included in delivery**	2x B100.6 Li (5.0 Ah / 2.5 Ah) 1x C300.6 Li (2x 4 A)
	EAN no.	400 371 806 6883
	Art. no.	114 177

FURTHER INFORMATION CAN BE FOUND ON PAGE 82.

AL-KO 18 V / 36 V 1 BATTERY 2 VOLTAGES

All **AL-KO 18 V / 36 V (1 BATTERY / 2 VOLTAGES)** garden tools can be used with the batteries and chargers listed on **page 11**.





	Trimmer GTD 1830 GREENLINE	Trimmer GTD 1833 GREENLINE
	EASY	PREMIUM
Cutting width	30 cm	33 cm
Line type	100% biodegradable line, Ø 1.6 mm	100% biodegradable double line, Ø 2.0 mm
WITHOUT BATTERY OR CHARGER – EAN no.	400 371 806 6616	400 371 806 6630
WITHOUT BATTERY OR CHARGER – Art. no.	114 145	114 147
SET INCL. BATTERY AND CHARGER – Included in delivery**	1x B40.6 Li (2.0 Ah) 1x C40.6 Li (1 A)	1x B50.6 Li (2.5 Ah) 1x C40.6 Li (1 A)
SET INCL. BATTERY AND CHARGER – EAN no.	400 371 806 6623	400 371 806 6647
SET INCL. BATTERY AND CHARGER – Art. no.	114 146	114 148

FURTHER INFORMATION CAN BE FOUND ON PAGE 88–89.

AL-KO 18 V / 36 V
1 BATTERY / 2 VOLTAGES

All **AL-KO 18 V / 36 V (1 BATTERY / 2 VOLTAGES)** garden tools can be used with the batteries and chargers listed on **page 11**.

NEW



Hand lawnmower Razor Cut 38.6 Li HM Comfort

COMFORT

Cutting width	38 cm
For lawns up to*	300 m²
Power	Li-ion 18 V / 36 V 2.0 Ah / 2.5 Ah / 4.0 Ah / 5.0 Ah / 8.0 Ah
Cutting cylinder	128 mm / 5 steel blades
Blade technology	Cylinder, contactless
Wheel diameter	220 mm
Cutting height / height adjustment	14–38 mm / 4-stage
Grass collector volume / material	Optional accessories 50 l / fabric (art. no 113 868)
LED battery indicator	✓
Collapsible handlebar	✓
Approx. weight	11.8 kg

WITHOUT BATTERY OR CHARGER	**EAN no.**	400 371 806 6500
	Art. no.	**114 134**
SET INCL. BATTERY AND CHARGER	**Included in delivery****	1x B75.6 Li (4.0 Ah / 2.0 Ah) 1x C150.6 Li (4 A)
	EAN no.	400 371 806 6906
	Art. no.	**114 176**

FURTHER INFORMATION CAN BE FOUND ON PAGES 70–71.

NEW



Mulching mower 22.6 Li MULCH & GROW

COMFORT

Cutting width	22 cm
For lawns up to*	50–150 m²
Power	Li-ion 18 V / 36 V 2.0 Ah / 2.5 Ah / 4.0 Ah / 5.0 Ah / 8.0 Ah
Brushless motor	✓
Wheel diameter, front / rear	140 / 70 mm
Cutting height / height adjustment	30 mm, 40 mm, 50 mm / 3-stage
LED battery indicator	✓
180° handlebar with locking button	✓
Ergonomic handle	✓
Space-saving storage	✓
Included in delivery	Cleaning scraper
Approx. weight	4.8 kg

WITHOUT BATTERY OR CHARGER	**EAN no.**	400 371 806 6494
	Art. no.	**114 133**
SET INCL. BATTERY AND CHARGER	**Included in delivery****	1x B50.6 Li (2.5 Ah) 1x C40.6 Li (1 A)
	EAN no.	400 371 806 6890
	Art. no.	**114 175**



REPLACEMENT BLADE 22 CM
For 22.6 Li MULCH & GROW
EAN no. 400 371 806 5039
Art. no. 114 043

*The maximum area coverage depends on the layout and special conditions of the garden as well as the battery capacity.
**Batteries/chargers supplied may vary from the models shown in the catalogue due to availability.

NEW



Cultivator TL 1820

COMFORT

Working width	20 cm
Working depth	70 mm
Cultivator blades	4 x 4 robust metal blades
Power	Li-ion 18 V / 36 V 2.0 Ah / 2.5 Ah / 4.0 Ah / 5.0 Ah / 8.0 Ah
Speed	250 rpm
LED battery indicator	✓
Detachable shaft	✓
Approx. weight	3.5 kg

WITHOUT BATTERY OR CHARGER	**EAN no.**	400 371 806 6692
	Art. no.	**114 153**
SET INCL. BATTERY AND CHARGER	**Included in delivery****	1x B50.6 Li (2.5 Ah) 1x C40.6 Li (1 A)
	EAN no.	400 371 806 6708
	Art. no.	**114 154**

NEW



Lawn aerator AR 1835

COMFORT

Working width	35 cm
Working depth	20 mm
Scarifying roller	24 steel spring tines
Power	Li-ion 18 V / 36 V 2.0 Ah / 2.5 Ah / 4.0 Ah / 5.0 Ah / 8.0 Ah
Speed	250 rpm
LED battery indicator	✓
Detachable shaft	✓
Approx. weight	4.8 kg

WITHOUT BATTERY OR CHARGER	**EAN no.**	400 371 806 6555
	Art. no.	**114 139**
SET INCL. BATTERY AND CHARGER	**Included in delivery****	1x B50.6 Li (2.5 Ah) 1x C40.6 Li (1 A)
	EAN no.	400 371 806 6562
	Art. no.	**114 140**

AL-KO 18 V / 36 V
1 BATTERY 2 VOLTAGES



NEW

Chainsaw CSD 1825

COMFORT

Bar length		25 cm
Power		Li-ion 18 V / 36 V 2.0 Ah / 2.5 Ah / 4.0 Ah / 5.0 Ah / 8.0 Ah
Tank oil volume		100 ml
Saw chain		3/8" / 90PX040X
Chain tension		Without tools
Chain lubrication		Automatic
Chain brake		✓
Rail protection		✓
Approx. weight		3 kg
WITHOUT BATTERY OR CHARGER	EAN no.	400 371 806 6517
	Art. no.	**114 135**
SET INCL. BATTERY AND CHARGER	Included in delivery*	1x B50.6 Li (2.5 Ah) 1x C40.6 Li (1 A)
	EAN no.	400 371 806 6524
	Art. no.	**114 136**

FURTHER INFORMATION CAN BE FOUND ON PAGE 118.



NEW

Mini chainsaw CSMD 1815

COMFORT

Bar length		15 cm
Power		Li-ion 18 V / 36 V 2.0 Ah / 2.5 Ah / 4.0 Ah / 5.0 Ah / 8.0 Ah
Chain speed		7.4 m/s
Extension shaft		Opt. accessories (art. no. 114 215)
WITHOUT BATTERY OR CHARGER	EAN no.	400 371 806 6753
	Art. no.	**114 159**
SET INCL. BATTERY AND CHARGER	Included in delivery*	1x B50.6 Li (2.5 Ah) 1x C40.6 Li (1 A)
	EAN no.	400 371 806 6760
	Art. no.	**114 160**



NEW

Handsaw PSD 1815

COMFORT

Bar length		15 cm
Power		Li-ion 18 V / 36 V 2.0 Ah / 2.5 Ah / 4.0 Ah / 5.0 Ah / 8.0 Ah
Stroke rate		3400 per min.
WITHOUT BATTERY OR CHARGER	EAN no.	400 371 806 6593
	Art. no.	**114 143**
SET INCL. BATTERY AND CHARGER	Included in delivery*	1x B40.6 Li (2.0 Ah) 1x C40.6 Li (1 A)
	EAN no.	400 371 806 6609
	Art. no.	**114 144**



REPLACEMENT SAW BLADES
For PSD 1815, set of 3
(1x wood, 1x metal, 1x plastic)
EAN no. 400 371 806 3134
Art. no. 113 968

*Due to availability, batteries/chargers included may vary from the models shown in the catalogue.



NEW

Pruning shears PRSD 1828

COMFORT

Max. tooth gap		28 mm
Power		Li-ion 18 V / 36 V 2.0 Ah / 2.5 Ah / 4.0 Ah / 5.0 Ah / 8.0 Ah
Extension shaft		Opt. accessories (art. no. 114 215)
WITHOUT BATTERY OR CHARGER	EAN no.	400 371 806 5404
	Art. no.	**114 067**
SET INCL. BATTERY AND CHARGER	Included in delivery*	1x B40.6 Li (2.0 Ah) 1x C40.6 Li (1 A)
	EAN no.	400 371 806 5626
	Art. no.	**114 068**



NEW

Compressor ACD 1810

COMFORT

Pressure range		0.2 – 10.3 bar
Power		Li-ion 18 V / 36 V 2.0 Ah / 2.5 Ah / 4.0 Ah / 5.0 Ah / 8.0 Ah
Emergency light		✓
WITHOUT BATTERY OR CHARGER	EAN no.	400 371 806 6739
	Art. no.	**114 157**
SET INCL. BATTERY AND CHARGER	Included in delivery*	1x B40.6 Li (2.0 Ah) 1x C40.6 Li (1 A)
	EAN no.	400 371 806 6746
	Art. no.	**114 158**

AL-KO 18 V / 36 V
1 BATTERY 2 VOLTAGES

All **AL-KO 18 V / 36 V (1 BATTERY / 2 VOLTAGES)** garden tools can be used with the batteries and chargers listed on **page 11**.



NEW

High-pressure cleaner PWD 1845

COMFORT

Max. pressure		35 bar
Max. flow rate		240 l/h
Power		Li-ion 18 V / 36 V 2.0 Ah / 2.5 Ah / 4.0 Ah / 5.0 Ah / 8.0 Ah
ECO function		✓
Included in delivery		5-in-1 water nozzle, soap container with spray nozzle, Suction hose (4 m)
Approx. weight		1.8 kg
WITHOUT BATTERY OR CHARGER	EAN no.	400 371 806 6715
	Art. no.	**114 155**
SET INCL. BATTERY AND CHARGER	Included in delivery*	1x B40.6 Li (2.0 Ah) 1x C40.6 Li (1 A)
	EAN no.	400 371 806 6722
	Art. no.	**114 156**

AL-KO 18 V / 36 V
1 BATTERY 2 VOLTAGES





Hedge trimmer HTD 1855

COMFORT

Blade length	55 cm
Max. tooth gap	20 mm
Power	Li-ion 18 V / 36 V 2.0 Ah / 2.5 Ah / 4.0 Ah / 5.0 Ah / 8.0 Ah
Stroke rate	2600 per min.
Blade type	Diamond-ground
Approx. weight	2.7 kg

WITHOUT BATTERY OR CHARGER	**EAN no.**	400 371 806 6531
	Art. no.	**114 137**
SET INCL. BATTERY AND CHARGER	**Included in delivery***	1x B40.6 Li (2.0 Ah) 1x C40.6 Li (1 A)
	EAN no.	400 371 806 6548
	Art. no.	**114 138**

FURTHER INFORMATION CAN BE FOUND ON PAGE 106.



Leaf blower LBD 1880

COMFORT

Power	Li-ion 18 V / 36 V 2.0 Ah / 2.5 Ah / 4.0 Ah / 5.0 Ah / 8.0 Ah
Air speed	130 km/h
Flow rate	520 m³/h
Control	ECO mode, Power mode
Speed control	✓
Approx. weight	2.6 kg

WITHOUT BATTERY OR CHARGER	**EAN no.**	400 371 806 6579
	Art. no.	**114 141**
SET INCL. BATTERY AND CHARGER	**Included in delivery**	1x B50.6 Li (2.5 Ah) 1x C40.6 Li (1 A)
	EAN no.	400 371 806 6586
	Art. no.	**114 142**

FURTHER INFORMATION CAN BE FOUND ON PAGE 102.



*Due to availability, batteries/chargers included may vary from the models shown in the catalogue.

AL-KO 18 V / 36 V (1 BATTERY / 2 VOLTAGES)

All **AL-KO 18 V / 36 V (1 BATTERY / 2 VOLTAGES)** garden tools can be used with the batteries and chargers listed on **page 11**.





Long reach hedge trimmer HTAD 1845

COMFORT

Pruner CSAD 1820

COMFORT

Blade length		45 cm	20 cm
Max. tooth gap		15 mm	-
Power		Li-ion 18 V / 36 V 2.0 Ah / 2.5 Ah / 4.0 Ah / 5.0 Ah / 8.0 Ah	Li-ion 18 V / 36 V 2.0 Ah / 2.5 Ah / 4.0 Ah / 5.0 Ah / 8.0 Ah
Saw chain		-	91P033X
Shaft tube		Telescopic (210 – 260 cm)	Telescopic (210 – 260 cm)
Pivoting head		✓	-
Approx. weight		3.1 kg	3.1 kg
WITHOUT BATTERY OR CHARGER	**EAN no.**	400 371 806 6654	400 371 806 6678
	Art. no.	**114 149**	**114 151**
SET INCL. BATTERY AND CHARGER	**Included in delivery***	1x B40.6 Li (2.0 Ah) 1x C40.6 Li (1 A)	1x B40.6 Li (2.0 Ah) 1x C40.6 Li (1 A)
	EAN no.	400 371 806 6661	400 371 806 6685
	Art. no.	**114 150**	**114 152**

AL-KO 18 V / 36 V
1 BATTERY 2 VOLTAGES

OPERATING TIMES

APPLICATIONS	NAME	ART. NO.	CATEGORY	2x battery B160.6 Li (8.0 Ah / 4.0 Ah)	2x battery B100.6 Li (5.0 Ah / 2.5 Ah)	2x battery B75.6 Li (4.0 Ah / 2.0 Ah)	2x battery B50.6 Li (2.5 Ah)	2x battery B40.6 Li (2.0 Ah)
LAWNMOWERS								
Mowing	34.6 Li	114 170	COMFORT	40 min.	25 min.	20 min.	15 min.*	-
Mowing	38.6 Li	114 171	COMFORT	40 min.	25 min.	20 min.*	15 min.	-
Mowing	43.6 Li	114 172	COMFORT	40 min.	25 min.*	20 min.	-	-
Mowing	46.6 Li SP	114 173	COMFORT	40 min.	25 min.*	20 min.	-	-
Mowing	51.6 Li SP	114 174	COMFORT	40 min.*	25 min.	20 min.	-	-
SCARIFIERS								
Scarifying, aerating and collecting	38.6 Li Combi Care	114 177	COMFORT	40 min.	30 min.*	20 min.	12 min.	10 min.

APPLICATIONS	NAME	ART. NO.	CATEGORY	1x battery B160.6 Li (8.0 Ah / 4.0 Ah)	1x battery B100.6 Li (5.0 Ah / 2.5 Ah)	1x battery B75.6 Li (4.0 Ah / 2.0 Ah)	1x battery B50.6 Li (2.5 Ah)	1x battery B40.6 Li (2.0 Ah)
ROBOLINHO®								
Mowing	500 VISION	114 169	EASY	-	-	-	54 min.*	-
Mowing	1000 VISION	114 163	COMFORT	-	108 min.*	-	-	-
TRIMMER								
Trimming	GTD 1830 GREENLINE	114 146	EASY	130 min.	80 min.	65 min.	40 min.	32 min.*
Trimming	GTD 1833 GREENLINE	114 148	PREMIUM	130 min.	80 min.	65 min.	40 min.*	32 min.
HAND LAWNMOWERS								
Mowing	38.6 Li HM Comfort	114 176	COMFORT	40 min.	25 min.	20 min.*	15 min.	10 min.
MULCH MOWERS								
Mowing	22.6 Li MULCH & GROW	114 175	COMFORT	40 min.	25 min.	20 min.	15 min.*	10 min.
CULTIVATOR								
Cultivating soil	TLD 1820	114 154	COMFORT	60 min.	40 min.	30 min.	20 min.*	15 min.
LAWN AERATOR								
Aerating	ARD 1835	114 140	COMFORT	80 min.	50 min.	40 min.	25 min.*	20 min.
CHAINSAW AND PRUNING SHEARS								
Sawing logs	CSD 1815	114 136	COMFORT	120 cuts	75 cuts	60 cuts	40 cuts*	30 cuts
Sawing logs	CSMD 1815	114 160	COMFORT	86 cuts	54 cuts	43 cuts	27 cuts*	21 cuts
Sawing logs	PSD 1815	114 144	COMFORT	290 cuts	180 cuts	145 cuts	90 cuts	72 cuts*
Cutting wood (Ø 20 mm)	PRSD 1828	114 068	COMFORT	3,040 cuts	1,900 cuts	1,520 cuts	950 cuts	760 cuts*
HIGH-PRESSURE CLEANER								
Cleaning	PWD 1845	114 156	COMFORT	70 min.	40 min.	35 min.	20 min.	17 min.*
HEDGE TRIMMER								
Hedge trimming	HTD 1855	114 138	COMFORT	180 min.	110 min.	90 min.	55 min.	45 min.*
LEAF BLOWERS								
Blowing	LBD 1880	114 142	COMFORT	64 min.	40 min.	32 min.	20 min.*	16 min.
LONG REACH HEDGE TRIMMERS AND PRUNERS								
Pruning	HTAD 1845	114 150	COMFORT	130 min.	80 min.	65 min.	40 min.	32 min.*
Pruning	CSAD 1820	114 152	COMFORT	90 cuts	55 cuts	45 cuts	26 cuts	22 cuts*

The specified battery operating times are based on the maximum working time including work performed and basic maintenance work, which is required for general use. The values are guidelines, which may vary based on use and material cut.
*Included in delivery.

CHARGING TIMES



2x 4 A
DOUBLE BATTERY CHARGER C300.6 Li
Art. no. 114 132



4 A
CHARGER C150.6 Li
Art. no. 114 131



2.4 A
CHARGER C100.6 Li
Art. no. 114 198



1 A
CHARGER C40.6 Li
Art. no. 114 130



8.0 Ah / 4.0 Ah
BATTERY B160.6 Li
Art. no. 114 128



5.0 Ah / 2.5 Ah
BATTERY B100.6 Li
Art. no. 114 127



4.0 Ah / 2.0 Ah
BATTERY B75.6 Li
Art. no. 114 126



2.5 Ah
BATTERY B50.6 Li
Art. no. 114 125



2.0 Ah
BATTERY B40.6 Li
Art. no. 114 124

8.0 Ah / 4.0 Ah	5.0 Ah / 2.5 Ah	4.0 Ah / 2.0 Ah	2.5 Ah	2.0 Ah	2x 4 A	4 A	2.4 A	1 A
135 min.	80 min.	65 min.	50 min.	40 min.				
210 min.	128 min.	105 min.	67 min.	55 min.				
500 min.	310 min.	250 min.	155 min.	125 min.				

DISCOVER THE ENTIRE AL-KO 36 V RANGE



NEW

AL-KO 36 V STARTER SET
With 1x battery B 160 Li (4.0 Ah)
and 1x charger C130 Li (3 A)
EAN no. 400 371 806 0973
Art. no. 113 803



BATTERY B 800 Li Bluetooth®
Li-ion 36 V 8.0 Ah,
Bluetooth® connectivity
EAN no. 400 371 806 3950
Art. no. 114 017



NEW

BATTERY B 200.5 Li Bluetooth®
Li-ion 36 V 5.0 Ah,
Bluetooth® connectivity
EAN no. 400 371 806 6821
Art. no. 114 161



NEW

FAST CHARGER FC 1200 Li
Li-ion 36 V
Charging current for 8.0 Ah battery with 5 A,
Charging current for 5.0 Ah battery with 12 A,
Charging current for 4.0 Ah battery with 5 A,
Charging current for 2.5 Ah battery with 3A
EAN no. 400 371 806 6838
Art. no. 114 162



BATTERY B 160 Li Bluetooth®
Li-ion 36 V 4.0 Ah,
Bluetooth® connectivity
EAN no. 400 371 806 5978
Art. no. 114 099



DOUBLE CHARGER C 200 Li
Li-ion 36 V 2x 3 A
WiFi connectivity
EAN no. 400 371 806 3967
Art. no. 114 018



BATTERY B 110 Li
Li-ion 36 V 2.5 Ah
EAN no. 400 371 806 4650
Art. no. 114 046



CHARGER C 130 Li
Li-ion 36 V 3 A
EAN no. 400 371 805 5290
Art. no. 113 281

AL-KO BBA 40 BATTERY BELT WITH ADAPTER MAKES GARDENING EVEN EASIER

This makes hand-held products lighter. By carrying the battery on the belt, operating the tools becomes much easier and more comfortable, as the weight of the battery is optimally distributed across your body. For all hand tools of the AL-KO 36 V range.

- Up to a 30% weight reduction
- Reduces strain on your arms
- Optimum freedom of movement thanks to one-click disconnection of the belt and tool
- Comfortable to carry thanks to the special padding
- Stress-free gardening work
- The most lightweight tools on the market
- Ready to use out-of-the-box



BBA 40 BATTERY BELT
AL-KO 36 V belt with adapter
EAN no. 400 371 806 0706
Art. no. 113 786

solo® by AL-KO

OPTIMUM COMPATIBILITY

You can use solo® by AL-KO tools with the AL-KO 36 V battery in conjunction with AL-KO BBA 40 battery belt. More information is available online and from your retailer.





		4.05 Li Easy	4.65 Li SP Easy
Cutting width		40 cm	46 cm
For lawns up to*		max. 650 m²	max. 650 m²
Cutting height / height adjustment		30–75 mm / central, 7-stage	30–75 mm / central, 7-stage
WITHOUT BATTERY OR CHARGER	**EAN no.**	400 371 806 5572	400 371 806 5589
	Art. no.	**114 073**	**114 074**
SET INCL. BATTERY AND CHARGER	**Included in delivery****	1x battery 36 V (4.0 Ah) 1x charger	1x battery 36 V (4.0 Ah) 1x charger
	EAN no.	400 371 806 5688	400 371 806 5695
	Art. no.	**114 094**	**114 095**

FURTHER INFORMATION CAN BE FOUND ON PAGES 44–45.







		3.25 Li Easy	38.5 Li Comfort	385 Li Premium
Cutting width		32 cm	38 cm	38 cm
For lawns up to*		max. 650 m²	max. 650 m²	max. 650 m²
Cutting height / height adjustment		20–75 mm / central, 6-stage	20–75 mm / central, 6-stage	20–75 mm / central, 6-stage
WITHOUT BATTERY OR CHARGER	**EAN no.**	400 371 806 5473	400 371 806 5497	400 371 806 5503
	Art. no.	**114 062**	**114 064**	**114 065**
SET INCL. BATTERY AND CHARGER	**Included in delivery****	1x battery 36 V (2.5 Ah) 1x charger	1x battery 36 V (4.0 Ah) 1x charger	1x battery 36 V (4.0 Ah) 1x charger
	EAN no.	400 371 806 5527	400 371 806 5541	400 371 806 5558
	Art. no.	**114 069**	**114 071**	**114 072**

FURTHER INFORMATION CAN BE FOUND ON PAGES 46–47.

*The maximum area coverage depends on the layout and special conditions of the garden as well as the battery capacity.
**Batteries/chargers supplied may vary from the models shown in the catalogue due to availability.

AL-KO 36 V



	42.2 Li	46.2 Li SP	46.2 Li SP-W	51.4 Li SP	512 Li VS-W
Cutting width	42 cm	46 cm	46 cm	51 cm	51 cm
For lawns up to*	400–800 m²	400–800 m²	400–800 m²	500–1,000 m²	500–1,000 m²
Cutting height / height adjustment	25–75 mm / Central, 7-stage	30–80 mm / Central, 7-stage	30–80 mm / Central, 7-stage	30–80 mm / Central, 7-stage	30–80 mm / Central, 7-stage
SET INCL. BATTERY AND CHARGER – **Included in delivery****	1x battery 36 V (4.0 Ah) 1x charger	1x battery 36 V (4.0 Ah) 1x charger	1x battery 36 V (4.0 Ah) 1x charger	1x battery 36 V (4.0 Ah) 1x charger	1x battery 36 V (4.0 Ah) 1x charger
EAN no.	400 371 835 6212	400 371 835 6229	400 371 835 6236	400 371 835 7134	400 371 835 7127
Art. no.	**119 977**	**119 978**	**119 979**	**123 109**	**123 108**
SET INCL. TWO BATTERIES AND CHARGER – **Included in delivery****	2x battery 36 V (4.0 Ah) 1x charger	2x battery 36 V (4.0 Ah) 1x charger	2x battery 36 V (4.0 Ah) 1x charger	-	2x battery 36 V (4.0 Ah) 1x charger
EAN no.	400 371 835 6496	400 371 835 6502	400 371 835 6519	-	400 371 835 7141
Art. no.	**123 009**	**123 010**	**123 011**	-	**123 110**

FURTHER INFORMATION CAN BE FOUND ON PAGE 50–51.



Hedge trimmer HT 4055

Blade length	55 cm
Max. tooth gap	20 mm
WITHOUT BATTERY OR CHARGER – **EAN no.**	400 371 805 8444
Art. no.	**113 609**
SET INCL. BATTERY AND CHARGER – **Included in delivery****	1x battery 36 V (4.0 Ah) 1x charger
EAN no.	400 371 806 1192
Art. no.	**113 823**

FURTHER INFORMATION CAN BE FOUND ON PAGE 106.



Chainsaw CS 4030***

Bar length	30 cm
WITHOUT BATTERY OR CHARGER – **EAN no.**	400 371 805 8512
Art. no.	**113 616**
SET INCL. BATTERY AND CHARGER – **Included in delivery****	1x Battery 36 V (5.0 Ah) 1x Charger
EAN no.	400 371 806 1727
Art. no.	**113 860**

FURTHER INFORMATION CAN BE FOUND ON PAGE 118.

*The specified lawn areas in m² are based on the batteries included with these lawnmowers. The cordless lawn mowers work with both one and two batteries.
**Batteries/chargers supplied may vary from the models shown in the catalogue due to availability.

AL-KO 36 V
All **AL-KO 36 V** garden tools can be used with the batteries and chargers listed on **page 22**.





	Leaf blowers LB 4060	Leaf blowers and leaf vacuums LBV 4090
Air speed	115–250 km/h	150–250 km/h
Flow rate	330 m³/h	350 m³/h
WITHOUT BATTERY OR CHARGER – **EAN no.**	400 371 805 8451	400 371 805 9090
Art. no.	**113 610**	**113 662**
SET INCL. BATTERY AND CHARGER – **Included in delivery****	1x battery 36 V (4.0 Ah) 1x charger	1x battery 36 V (4.0 Ah) 1x charger
EAN no.	400 371 806 6173	400 371 806 6180
Art. no.	**114 113**	**114 114**

FURTHER INFORMATION CAN BE FOUND ON PAGE 102–103.



***The AL-KO 36 B 800 Li V (8.0 Ah), B 200.5 Li Bluetooth® (5.0 Ah) and B 160 Li (4.0 Ah) batteries are only compatible with this device in conjunction with the BBA 40 battery belt.

AL-KO 36 V



	Pruner attachment CSA 4020	Long reach hedge trimmer attachment HTA 4045
Blade length	20 cm	45 cm
Tooth gap	10 cm	2 cm
Working height	up to 4 m	up to 3.5 m
EAN no.	400 371 805 8475	400 371 805 8482
Art. no.	**113 612**	**113 613**

FURTHER INFORMATION CAN BE FOUND ON PAGES 96–97.



Multi-tool base unit MT 40*

WITHOUT BATTERY OR CHARGER	**EAN no.**	400 371 805 8468
	Art. no.	**113 611**

FURTHER INFORMATION CAN BE FOUND ON PAGES 96–97.

	Trimmer attachment GTA 4030	Brushcutter and trimmer attachment BCA 4030
Cutting width	30 cm	30 cm line / 23 cm blade
EAN no.	400 371 805 8499	400 371 805 8505
Art. no.	**113 614**	**113 615**

FURTHER INFORMATION CAN BE FOUND ON PAGES 96–97.









*The AL-KO 36 B 800 Li V (8,0 Ah), B 200.5 Li Bluetooth® (5.0 Ah) and B 160 Li (4.0 Ah) batteries are only compatible with this device in conjunction with the BBA 40 battery belt.

AL-KO 36 V

All **AL-KO 36 V** garden tools can be used with the batteries and chargers listed on **page 22**.



Trimmer GT 4030

Cutting width		30 cm
WITHOUT BATTERY OR CHARGER	**EAN no.**	400 371 805 8437
	Art. no.	**113 608**
SET INCL. BATTERY AND CHARGER	**Included in delivery*****	1x battery 36 V (4.0 Ah) 1x charger
	EAN no.	400 371 806 1208
	Art. no.	**113 824**

FURTHER INFORMATION CAN BE FOUND ON PAGE 88.



Snowblower ST 4048

For areas up to**		approx. 300 m²
Working width		48 cm
WITHOUT BATTERY OR CHARGER	**EAN no.**	400 371 805 7959
	Art. no.	**113 591**
SET INCL. BATTERY AND CHARGER	**Included in delivery*****	1x battery 36 V (4.0 Ah) 1x charger
	EAN no.	400 371 806 6227
	Art. no.	**114 110**

FURTHER INFORMATION CAN BE FOUND ON PAGE 152.

**The maximum area coverage depends on the conditions as well as the battery capacity.
***Batteries/chargers supplied may be different to the models shown in the catalogue due to availability.





AL-KO 36 V

OPERATING TIMES



APPLICATIONS	NAME	ART. NO.	CATEGORY	1x battery B 800 Li BT (8.0 Ah)	2x battery B 800 Li BT (8.0 Ah)	1x battery B 200.5 Li BT (5.0 Ah)	2x battery B 200.5 Li BT (5.0 Ah)	1x battery B 160 Li BT (4.0 Ah)	2x battery B 160 Li BT (4.0 Ah)	1x battery B 110 Li (2.5 Ah)	2x battery B 110 Li (2.5 Ah)
LAWNMOWERS											
Mowing	4.05 Li Easy	114 094	EASY	60 min.	-	50 min.	-	40 min.*	-	25 min.	-
Mowing	4.65 Li SP Easy	114 095	EASY	55 min.	-	45 min.	-	35 min.*	-	25 min.	-
Mowing	3.25 Li Easy	114 069	EASY	60 min.	-	45 min.	-	35 min.	-	25 min.*	-
Mowing	38.5 Li Comfort	114 071	COMFORT	60 min.	-	45 min.	-	35 min.*	-	25 min.	-
Mowing	385 Li Premium	114 072	PREMIUM	60 min.	-	45 min.*	-	35 min.	-	25 min.	-
Mowing	42.2 Li	119 977	COMFORT	55 min.	110 min.	45 min.	90 min.	35 min.*	70 min.	20 min.	40 min.
Mowing	46.2 Li SP	119 978	COMFORT	55 min.	110 min.	45 min.	90 min.	35 min.*	70 min.	20 min.	40 min.
Mowing	46.2 Li SP-W	119 979	COMFORT	55 min.	110 min.	45 min.	90 min.	35 min.*	70 min.	20 min.	40 min.
Mowing	51.4 Li SP	123 109	COMFORT	55 min.	110 min.	45 min.*	90 min.	35 min.	70 min.	20 min.	40 min.
Mowing	512 Li VS-W	123 108	PREMIUM	55 min.	110 min.	45 min.*	90 min.	35 min.	70 min.	20 min.	40 min.

APPLICATIONS	NAME	ART. NO.	CATEGORY	1x battery B 800 Li (8.0 Ah)	1x battery B 200 Li BT (5.0 Ah)	1x battery B 160 Li (4.0 Ah)	1x battery B 110 Li (2.5 Ah)
HEDGE TRIMMER							
Hedge trimming	HT 4055	113 609	COMFORT	180 min.	125 min.	100 min.*	60 min.
CHAINSAW							
Sawing logs	CS 4030	113 616	COMFORT	36 min.	30 min.*	20 min.	15 min.
LEAF BLOWERS AND LEAF VACUUMS							
Blowing	LB 4060	113 610	COMFORT	50 min.	35 min.*	28 min.	18 min.
Blow and vacuum	LBV 4090	113 662	PREMIUM	27 min.	20 min.*	15 min.	10 min.
MULTI-TOOL							
Trimming and cutting	MT 40 with BCA 4030	113 615	COMFORT	90 min.	63 min.	50 min.	32 min.
Trim hedges	MT 40 with HTA 4045	113 613	COMFORT	144 min.	100 min.	80 min.	50 min.
Pruning	MT 40 with CSA 4020	113 612	COMFORT	72 min.	30 min.	20 min.	15 min.
Trimming	MT 40 with GTA 4030	113 614	COMFORT	90 min.	63 min.	50 min.	32 min.
TRIMMER							
Trimming	GT 4030	113 608	COMFORT	108 min.	80 min.	60 min.*	45 min.
SNOWBLOWER							
Clearing snow	ST 4048	113 591	COMFORT	40 min.	30 min.*	20 min.	15 min.

CHARGING TIMES



12 A
FAST CHARGER FC 1200 Li
Art. no. 114 162

2x 3 A
DOUBLE BATTERY CHARGER C 200 Li
Art. No. 114 018

3 A
CHARGER C 130 Li
Art. No. 113 281



The specified battery operating times are based on the maximum working time including work performed and basic maintenance work, which is required for general use. The values are guidelines, which may vary based on use and material cut.
*Included in delivery.

ROBOTIC LAWNMOWERS ROBOLINHO®



SMART, PERFECTLY MOWN LAWN

Its compact design and its intelligent control are what make the Robolinho® stand out from the crowd. By mowing on a regular basis, the Robolinho® ensures that the lawn is always in tip-top shape. It can even get into narrow passages at least 60 cm wide with ease. The Robolinho® takes care of narrow patches of grass with its special passage mode, leaving you with an impressively cut lawn.

As a result of the lateral charging contact, the lawn is protected in the area of the base station. When it comes to making your lawn care environmentally friendly, you can ideally use the Robolinho® during the day and thus protect nocturnal animals such as hedgehogs.

- **MANAGES NARROW PASSAGES AS SMALL AS 60 CM**
- **ULTRA QUIET**
- **OVERCOMES GRADIENTS UP TO 45%**
- **SUPER-FINE SHREDDING OF GRASS CLIPPINGS**
- **SAFE IN ALL POSITIONS**
- **SMART APP CONTROL AND INTEGRATION INTO THE SMART HOME**

SMART CONTROL

Our Robolinho® robotic lawnmowers work quietly, safely and gently. Connecting the lawnmower to a Smart Home or Smart Gardening system via the AL-KO inTOUCH® app offers you further benefits. The smart connected Robolinho® robotic lawnmowers can be controlled and automated via IFTTT routines. Synchronise Robolinho® activities with any IFTTT service, e.g. with a weather channel (stop mowing during a storm) or with an irrigation service (stop mowing when the lawn is being watered). In many situations you may have your hands full or be pressed for time. Thankfully your diligent Robolinho® can be controlled easily by voice command via Amazon Alexa. Mow the lawn, take a break, drive to the base station and much more on demand. Use your free time to relax, catch up with family or devote your time to other tasks.





HIGH-PRECISION CUTTING AND EASY TO USE

The Robolinho® makes programming a piece of cake. Simply enter the desired days and times when it should maintain the lawn or specify when it should not mow and Robolinho® determines the ideal mowing times itself. The cutting height can be conveniently and easily set using a rotary dial. Thanks to its intelligent technology, the two hardened blades with additional mulching blades are rotated alternately in clockwise and anti-clockwise direction, which keeps them sharp for twice as long. This way, your lawn always stays perfectly cut and you can relax and enjoy the green haven. The Robolinho® makes light work of lawn care.

STRONG TRACTION AND EFFORTLESSLY OVERCOMES SLOPES

With wheels that offer impressive traction, the Robolinho® effortlessly ensures small turning radii and inclines of up to 24° / 45%. The generous ground clearance in the rear area ensures that the Robolinho® can also make light work of uneven terrain. No matter how demanding the terrain is, our Robolinho® effortlessly manages it and leaves behind a perfectly manicured lawn.





COMPREHENSIVE OPERATIONAL SAFETY AND QUIET OPERATION

Our Robolinho® has a sophisticated safety concept and five independent sensors for comprehensive operational safety. The Robolinho® ensures that it never leaves its working area. And best of all, its particularly low noise level guarantees disturbance-free operation.

OUR SMART ROBOTIC LAWNMOWERS

With the AL-KO inTOUCH® Smart Garden app and our Smart Cloud, you can connect your Robolinho® and other smart garden tools to create intelligent overall solutions that make gardening child's play.

Simply optimise tasks, automate routines to suit your preferences, manage your Robolinho® from anywhere, and get useful information about your appliances and your garden. This saves not only effort and resources, but also your valuable time.

AL-KO 18 V / 36 V (1 BATTERY / 2 VOLTAGES)

All **AL-KO 18 V / 36 V (1 BATTERY / 2 VOLTAGES)** garden tools can be used with the batteries and chargers listed on **page 11**. Other garden tools and information on this battery range can be found on **pages 10–21**.

GET CONNECTED WITH SMART CLOUD

Works with IFTTT · works with Google Home · intouch®





	Robolinho® 350 W	Robolinho® 500 VISION	Robolinho® 1000 VISION
	EASY	EASY	COMFORT
Cutting width	20 cm	20 cm	21 cm
For lawns up to*	350 m²	500 m²	1,000 m²
Power	Li-ion 18 V / 2.2 Ah	AL-KO 18 V / 36 V (1 BATTERY / 2 VOLTAGES) Li-ion 18 V / 2.5 Ah	AL-KO 18 V / 36 V (1 BATTERY / 2 VOLTAGES) Li-ion 18 V / 36 V 5.0 Ah / 2.5 Ah
Brushless motor	✓	✓	✓
Mowing time / charging time	45 / 50 min.	54 / 96 min.	108 / 180 min.
Cutting height / height adjustment	25–55 mm, manual	30–60 mm, manual	30–60 mm, manual
Max. gradient	30%	35%	35%
Mowing concept	Oriented, in paths	Oriented, in paths**	Oriented, in paths**
Boundary	Loop wire	Virtual, detected by VISION	Virtual, detected by VISION
Object recognition	Bumper	Bumper and VISION	Bumper and VISION
Max. noise level	60 dB(A)	64 dB(A)	64 dB(A)
Wi-Fi + Smart Cloud Connect * **	✓	✓	✓
Dual-bladed technology	✓	✓	✓
RTK technology	-	-	-
ECO mode	-	✓	✓
Included in delivery	1x base station, 90x ground nails, 100 m loop wire	1x VISION base station, 1x B50.6 Li (2.5 Ah)	1x VISION base station, 1x B100.6 Li (5.0 Ah / 2.5 Ah)
EAN no.	400 371 835 6687	400 371 806 7385	400 371 806 7392
Art. no.	**123 032**	**114 169**	**114 163**

	Robolinho® 1250 RTK	Robolinho® 2350 RTK
	PREMIUM	PREMIUM
	22 cm	23 cm
	1,200 m²	2,300 m²
	Li-ion 18 V / 2.2 Ah	Li-ion 20 V / 2.5 Ah
	✓	✓
	60 min. / 50 min.	240min. / 170 min.
	25–55 mm, manual	25–55 mm, manual
	45%	45%
	Oriented, in paths	Oriented, in paths
	Virtual, detected by RTK	Virtual, detected by RTK
	Bumper	Bumper
	60 dB(A)	60 dB(A)
	✓	✓
	✓	✓
	✓	✓
	✓	✓
	1x RTK base station, 1x RTK reference station	1x RTK base station, 1x RTK reference station
	400 371 835 7172	400 371 835 7189
	123 113	**123 114**

IN TOUCH WITH YOUR DEVICES

The AL-KO inTOUCH® Smart Garden app offers a range of innovative functions for controlling, configuring and monitoring Robolinho® activities. Users can set the "Do not mow today" function, access the daily activity history, and view the summarised mowing history by week, month and year. The app offers push notifications for relevant device events.

Integration with smart home systems improves the user experience, while the intelligent mowing schedule optimises mowing times by taking into account actual grass growth based on environmental conditions.

RTK models also offer the option of viewing Robolinho® live on the map, configuring multiple mowing areas and defining paths to get from one area to another. They also allow you to adjust the mowing pattern and analyse events that have occurred in the map view.

FURTHER INFORMATION ON SMART GARDEN

The AL-KO inTOUCH® app gives you access to the AL-KO Gardentech IoT API, which allows you to develop your own DIY smart home applications or integrate them into open source smart home solutions such as Home Assistant.

GET IT ON Google Play · Download on the App Store

*The maximum area output can be reduced depending on the conditions of the garden and the number and size of obstacles.
**Robolinho® VISION's optimised path mowing delivers the best results on smaller, flat lawns. Several passes at different angles may be required for complete coverage.

***Incl. WiFi (2.4 GHz) connection with AL-KO inTOUCH® app (available for iOS and Android), Google Home, Alexa, IFTTT, Home Assistant, IoT API
****Google and Google Home are trademarks of Google LLC.
*****The illustration may differ from the current app version due to continuous further development.

RTK



RTK TECHNOLOGY (REAL-TIME KINEMATIC)

Experience a revolutionary advance in lawn care with the Robolinho® RTK. By combining real-time kinematic (RTK) positioning with advanced sensor fusion, it offers unrivalled accuracy when navigating your lawn.

Equipped with triple GNSS band technology, the Robolinho® RTK also works smoothly in urban environments. The integration of a local RTK reference station ensures maximum precision by minimising atmospheric interference. Communication between the RTK reference station and the Robolinho® RTK takes place via LoRaWAN technology, which enables a range of up to two kilometres under optimum conditions. This ensures reliable and continuous connectivity and even lets you share your RTK reference station with nearby neighbours.

The Robolinho® RTK offers versatile boundary definitions and supports virtual, mixed virtual/wired or fully wired installations. This adaptability ensures a customised mowing experience.

With adjustable angles and track spacing, the Robolinho® RTK allows you to create fixed, random or chessboard-like mowing patterns.

Stay connected to the inTOUCH® app to monitor the position and progress of the Robolinho® RTK in real time. In the event of theft, its exact location can be tracked and reported.

Experience the future of lawn mowing with the Robolinho® RTK.





inTOUCH® APP

Furthermore, you can specify which area is to be mowed and when by managing the Robolinho®'s mowing schedule manually or by using the intelligent automatic mowing schedule. Configure precise Robolinho® RTK mowing patterns for each individual mowing activity, from fixed and adjustable angles to random and checkerboard patterns. Monitor its progress live via the app and track any errors on the map. Share the RTK reference station with your neighbours.

FLEXIBLE AND SMART MOWING

CHARGING STATION

The charging station can be placed anywhere on the property, both inside and outside the mowing area, as long as there is a passable path to the mowing area. The route to the charging station can be programmed.

NO-GO AREAS

You can define specific areas for the Robolinho® to avoid, ensuring it does not mow in those zones. (e.g. ponds, flower beds, etc.).



MOW THE WAY YOU WANT

The Robolinho® RTK can mow in stripes, improving the mowing coverage rate and saving time, thanks to its advanced algorithm technology. You can adjust the mowing angle. A chequerboard pattern is also possible. The distance between the paths can also be adjusted.

VIRTUAL BORDER

You can configure as many mowing areas as needed to cover the entire property. The mowing settings can be individually configured for each mowing area (e.g. mowing angle, mowing schedule, etc.). Paths between the mowing areas can also be configured.

HYBRID MODE



Only the RTK is needed to determine boundaries – no cable laying required.



Use the RTK and add cabling as a fallback in any small areas with strong GPS shadowing.



Keep your existing cable installation and use the RTK as well to mow within your existing cable in paths.

VISION



VISION TECHNOLOGY

Our innovative Robolinho® VISION robotic mower uses a state-of-the-art neural network with a full HD wide-angle camera to detect and interpret the environment and adapt the mowing behaviour accordingly.

Its camera automatically recognises lawn boundaries, making it ideal for gardens with clear boundaries such as lawn edges, walls and fences. To ensure privacy, the mower only takes pictures of the lawn area directly in front of the mower. It also processes image data locally and only uploads it to the AL-KO Smart Cloud located in the EU with explicit consent.

With LED lighting for difficult lighting conditions, simple non-invasive installation, camera-based navigation and object recognition, it is designed for smaller, visually well-defined lawns of up to 1,000 m².

It also has a replaceable AL-KO 18 V / 36 V (1 Battery / 2 Voltages) battery and IPX4 water protection, making it a versatile and reliable choice for effortless lawn maintenance.

MOW IN A U-SHAPED PATTERN

It can mow in a U-shaped pattern, improving the mowing coverage rate and saving time, thanks to its advanced algorithm technology. Robolinho® VISION's optimised path mowing delivers the best results on smaller, flat lawns. Several passes at different angles may be required for complete coverage.





VISUAL OBSTACLE DETECTION AND MULTI-ZONE SETTING

Robolinho® VISION uses its camera to recognise both stationary and moving objects and to be able to react quickly and move around them. It is also possible to activate the mowing of several zones for the Robolinho® VISION. Directional markers can be placed on the lawn to indicate the path from one zone to another, which the Robolinho® VISION can use to travel from zone A to zone B and back. Each mower is supplied with 3 directional markers.

REPLACEABLE BATTERY

The AL-KO 18 V / 36 V (1 Battery / 2 Voltages) replaceable battery system offers seamless convenience. When not in use, the battery can simply be removed from the back of the Robolinho® and used to power compatible hand tools – the Robolinho® also serves as a charging station, so no second battery is required.



ROBOTIC LAWNMOWER ACCESSORIES





RTK REFERENCE STATION
Transmits RTK correction data to the Robolinho®, communicates via LoRA WAN (up to 2 km distance), can be used by several Robolinho® devices, triple GNSS band technology
EAN no. 400 371 835 7202
Art. no. 123 116



WALL MOUNT
For RTK reference stations, for mounting on house walls
EAN no. 400 371 835 7226
Art. no. 123 118



WALL EXTENSION
For RTK reference stations, for mounting on house walls to distance the RTK reference station from the wall and allow an unobstructed view of the sky
EAN no. 400 371 835 7318
Art. no. 123 119



GROUND SPIKE
For RTK reference station, 1.5 m high
EAN no. 400 371 835 7219
Art. no. 123 117



BASE STATION
For all Robolinho® W and RTK models, with base plate
EAN no. 400 371 805 9571
Art. no. 127 516



SET OF WHEEL CLAMPS
For all Robolinho® W- and RTK models
EAN no. 400 371 806 3615
Art. no. 127 675



VISION BASE STATION
For all Robolinho® VISION models, with base plate
EAN no. 400 371 806 7668
Art. no. 114 206



VISION ROBOTIC LAWNMOWER GARAGE
For VISION base station
EAN no. 400 371 806 7675
Art. no. 114 207



BLADE DISC Ø 20 CM
For Robolinho® 500 VISION
EAN no. 400 371 806 7682
Art. no. 114 208

BLADE DISC Ø 21 CM
For Robolinho® 1000 VISION
EAN no. 400 371 806 7699
Art. no. 114 209



BLADE DISC Ø 22 CM
For Robolinho® 1250 RTK
EAN no. 400 371 805 8598
Art. no. 127 467

BLADE DISC Ø 23 CM
For Robolinho® 2350 RTK
EAN no. 400 371 806 0287
Art. no. 127 544

ROBOTIC LAWNMOWER ACCESSORIES





REPLACEMENT BLADE
For all Robolinho® models,
3x 2 pieces
EAN no. 400 371 805 8574
Art. no. 127 465

FLOOR NAILS
For loop wire, 90 pieces
EAN no. 400 371 835 1477
Art. no. 119 461



LOOP WIRE
150 m long
EAN No. 400 371 835 1484
Art. no. 119 462



LOW-VOLTAGE CABLE
Extension for W and RTK base station (5 m long)
EAN no. 400 371 806 3622
Art. no. 127 676

REINFORCED LOOP WIRE
500 m long, on roll
EAN no. 400 371 806 5305
Art. no. 127 758



CABLE REPAIR KIT
With 6 connectors and 30 cm cable
EAN no. 400 371 805 5139
Art. no. 127 327



BLADE DISC Ø 20 CM
For Robolinho® 350 W, 550 W
EAN No. 400 371 805 8581
Art. no. 127 466



BLADE DISC Ø 22 CM
For Robolinho® 1300 W
EAN no. 400 371 805 8598
Art. no. 127 467

CABLE LAYING KITS

CABLE LAYING KIT
1x loop wire 150 m long
1 x ground nails 90 pcs
5 x cable connectors
EAN no. 400 371 805 9540
Art. no. 127 513

CABLE LAYING KIT
2x loop wire 150 m long
3 x ground nails 90 pcs
10 x cable connectors
EAN No. 400 371 805 9557
Art. no. 127 514





ROBOTIC LAWNMOWER GARAGE
The canopy is made from UV-resistant plastic, perfectly protecting all Robolinho® robotic lawnmowers against the weather during charging and idle times without impeding functionality. What's more, the practical folding mechanism ensures easy access to the operating panel at all times. The strong latch also holds the roof in the open position. For all Robolinho® W and RTK models, includes fixing nails for anchoring it firmly to the lawn.
Length x width x height: 60 x 57 x 39 cm
EAN no. 400 371 835 6267
Art. no. 119 990





QUICK HOMING KIT
Suitable for all Robolinho® W models For quick return to the base station. The Quick Homing Kit efficiently navigates the Robolinho® to its base station via the shortest route. This keeps the lawn neat and tidy. No tracks are left in the grass and energy consumption is reduced. Up to three Quick Homing Kits can be installed per installation.
EAN no. 400 371 806 4308
Art. no. 127 699

BATTERY LAWNMOWERS



BATTERY POWER FOR THE PERFECT LAWN

Our cordless lawnmowers are the perfect tool for garden areas up to 1,000 m². Opt for a battery-powered lawnmower if you fancy a lightweight, manoeuvrable machine, which can be used flexibly and easily. A high-quality lithium-ion battery is at the heart of AL-KO battery lawnmowers. The lithium-ion technology ensures that the battery does not spontaneously discharge, and as such prevents the memory effect, which would reduce the effective capacity of the batteries. Battery lawnmowers are the real lightweights in their class, meaning they are simple to transport and easy to put away. Selected models also offer folding handlebars and can be stored away in no time. The grass boxes also feature an integrated fill level indicator, meaning you'll always know when it's time to empty it. Our battery lawnmowers have a cutting width of up to 51 cm, offering a truly efficient way to work, even on large lawns.

A REAL ALL-ROUNDER

Depending on the model, our battery lawnmowers are equipped with several functions. They are easily identifiable by the following logos in the tables: **2INONE**function, **3INONE**function and **4INONE**function. The functions are explained using these symbols.



2INONEfunction

MOW AND COLLECT



3INONEfunction

MOW, COLLECT AND MULCH



4INONEfunction

MOWING, COLLECTING, MULCHING AND SIDE DISCHARGE





EASY

Ideal for smaller gardens. They are lightweight, manoeuvrable, compact and easy to store away.

COMFORT

Would you like more ease of use and higher-quality equipment? Then the **COMFORT** model is right up your street. Equipped with our new double switch for comfortable lawnmowing, quick-release levers for quick folding of the handlebar and vertical positioning for easy cleaning and space-saving storage.





PREMIUM

It ticks all the boxes. Maximum convenience and ease of use is guaranteed thanks to the maxRun® Cockpit with Eco-Mode for extending the running time, a practical telescopic handle for individual adjustment to the ideal handle height and a central control button for easy adjustment of the cutting height.

AL-KO 18 V / 36 V
1 BATTERY / 2 VOLTAGES

You will be perfectly equipped for any gardening tasks with the AL-KO 18 / 36 V (1 Battery / 2 Voltages) battery range.

Other garden tools and information on this battery range can be found on **pages 10–21**.





	34.6 Li	38.6 Li	43.6 Li
	COMFORT	COMFORT	COMFORT
Cutting width	34 cm	38 cm	43 cm
For lawns up to*	400 m²	500 m²	650 m²
Power	Li-ion 18 V / 36 V 2.0 Ah / 2.5 Ah / 4.0 Ah / 5.0 Ah / 8.0 Ah	Li-ion 18 V / 36 V 2.0 Ah / 2.5 Ah / 4.0 Ah / 5.0 Ah / 8.0 Ah	Li-ion 18 V / 36 V 2.0 Ah / 2.5 Ah / 4.0 Ah / 5.0 Ah / 8.0 Ah
Brushless motor	✓	✓	✓
Battery compartment for**	2 batteries	2 batteries	2 batteries
Wheel drive	-	-	-
Wheel diameter, front / rear	140 / 180 mm	150 / 230 mm	150 / 230 mm
Cutting height / height adjustment	25–75 mm / central, 5-stage	25–75 mm / central, 5-stage	25–75 mm / central, 5-stage
Mower deck	Plastic	Plastic	Plastic
Grass collector volume / material	35 l / fabric with hard-top	40 l / fabric with hard-top	50 l / fabric with hard-top
MAX AIRFLOW technology	-	-	-
Function	2IN1 function	3IN1 function	3IN1 function
Mulching function	-	✓	✓
Side discharge	-	-	-
Approx. weight	11.5 kg	13.2 kg	15.5 kg
SET INCL. BATTERIES AND CHARGER Included in delivery***	2x B50.6 Li (2.5 Ah) 1x C300.6 Li (2x 4 A)	2x B75.6 Li (4.0 Ah / 2.0 Ah) 1x C300.6 Li (2x 4 A)	2x B100.6 Li (5.0 Ah / 2.5 Ah) 1x C300.6 Li (2x 4 A)
EAN no.	400 371 806 6913	400 371 806 6920	400 371 806 6937
Art. no.	**114 170**	**114 171**	**114 172**

*The specified lawn areas in m² are based on the batteries included with these lawnmowers.
**Two batteries are required to operate the lawnmower.

AL-KO 18 V / 36 V
1 BATTERY / 2 VOLTAGES

All **AL-KO 18 V / 36 V (1 BATTERY / 2 VOLTAGES)** garden tools can be used with the batteries and chargers listed on **page 11**. Other garden tools and information on this battery range can be found on **pages 10–21**.





THE NEW AND ERGONOMIC HANDLEBAR WITH LED CHARGE LEVEL INDICATOR

Everything at a glance and easy to use. The new ergonomic handlebar ensures comfortable riding and protects your arms and hands. You can always keep an eye on the batteries' current charge level.

Available for the following COMFORT models: 46.6 Li SP, 51.6 Li SP.

	46.6 Li SP	51.6 Li SP
	COMFORT	COMFORT
Cutting width	46 cm	51 cm
For lawns up to*	800 m²	800 m²
Power	Li-ion 18 V / 36 V 2.0 Ah / 2.5 Ah / 4.0 Ah / 5.0 Ah / 8.0 Ah	Li-ion 18 V / 36 V 2.0 Ah / 2.5 Ah / 4.0 Ah / 5.0 Ah / 8.0 Ah
Brushless motor	✓	✓
Battery compartment for**	2 batteries	2 batteries
Wheel drive	1-speed	1-speed
Wheel diameter, front / rear	200 / 280 mm	200 / 280 mm
Cutting height / height adjustment	25–75 mm / central, 6-stage	25–75 mm / central, 6-stage
Mower deck	Steel plate	Steel plate
Grass collector volume / material	60 l / fabric with hard-top	60 l / fabric with hard-top
MAX AIRFLOW technology	✓	✓
Function	4IN1 function	4IN1 function
Mulching function	✓	✓
Side discharge	✓	✓
Approx. weight	31 kg	32.6 kg
SET INCL. BATTERIES AND CHARGER Included in delivery***	2x B100.6 Li (5.0 Ah / 2.5 Ah) 1x C300.6 Li (2x 4 A)	2x B160.6 Li (8.0 Ah / 4.0 Ah) 1x C300.6 Li (2x 4 A)
EAN no.	400 371 806 6944	400 371 806 6951
Art. no.	**114 173**	**114 174**

Batteries/chargers supplied may be different to the models shown in the catalogue depending on availability.



REPLACEMENT BLADE 34 CM
For 34.6 Li
EAN no. 400 371 806 7231
Art. no. 114 186



REPLACEMENT BLADE 38 CM
For 38.6 Li
EAN no. 400 371 806 7248
Art. no. 114 187



REPLACEMENT BLADE 43 CM
For 43.6 Li
EAN no. 400 371 806 7255
Art. no. 114 188



REPLACEMENT BLADE 46 CM
For 46.6 Li
EAN no. 400 371 806 7262
Art. no. 114 189



REPLACEMENT BLADE 51 CM
For 51.6 Li
EAN no. 400 371 806 7279
Art. no. 114 190

AL-KO 36 V

The huge variety of the AL-KO 36 V battery range provides the perfect support for ambitious amateur gardeners on the search for a wide selection of powerful battery-operated tools. All AL-KO 36 V devices from AL-KO and solo® by AL-KO can be operated with the same battery.

Other garden tools and information on this battery range can be found on **pages 22–29**.





EASY TO TRANSPORT THANKS TO A CARRY HANDLE

This carry handle won't let you down! Thanks to the sturdy and ergonomic carry handle, the lawnmower can be carried or transported with ease. Available for 4.65 Li SP Easy.

1x 36V

ENERGY WITH STAMINA

The AL-KO 36 V lithium-ion battery is available in 2.5 Ah, 4.0 Ah, 5.0 Ah or 8.0 Ah. Because there is no memory effect, AL-KO 36 V batteries have a long service life. The charge level indicator on the battery shows when the battery requires recharging.





SIMPLE LAWNMOWING AT THE FLICK OF A WRIST

The sturdy and easily height-adjustable handle enables you to freely choose a cutting height from 25 to 75 mm in a single action. Thanks to the ergonomic handlebar control with soft foam grip, the lawnmower can be effortlessly pushed across the lawn.
Available for 4.65 Li SP Easy.

AL-KO 36 V

All **AL-KO 36 V** garden tools can be used with the batteries and chargers listed on **page 22**. Other garden tools and information on this battery range can be found on **pages 22–29**.





		4.05 Li Easy	4.65 Li SP Easy
		EASY	EASY
Cutting width		40 cm	46 cm
For lawns up to*		max. 650 m²	max. 650 m²
Power		Li-ion 36 V 2.5 Ah / 4.0 Ah / 5.0 Ah / 8.0 Ah	Li-ion 36 V 2.5 Ah / 4.0 Ah / 5.0 Ah / 8.0 Ah
Brushless motor		✓	✓
Battery compartment for		1 battery	1 battery
Wheel drive		-	1-speed
Wheel diameter, front / rear		150 / 200 mm	200 / 250 mm
Cutting height / height adjustment		30–75 mm / central, 7-stage	30–75 mm / central, 7-stage
Mower deck		Steel plate	Steel plate
Grass collector volume / material		48 l / fabric with hard-top	68 l / fabric with hard-top
Function		2INONE function	3INONE function
Mulching function		-	✓
Side discharge		-	-
Approx. weight		21 kg	23 kg
WITHOUT BATTERY OR CHARGER	**EAN no.**	400 371 806 5572	400 371 806 5589
	Art. no.	**114 073**	**114 074**
SET INCL. BATTERY AND CHARGER	**Included in delivery****	1x battery 36 V (4.0 Ah) 1x charger	1x battery 36 V (4.0 Ah) 1x charger
	EAN no.	400 371 806 5688	400 371 806 5695
	Art. no.	**114 094**	**114 095**



REPLACEMENT BLADE 40 CM
For 4.05 Li Easy
EAN no. 400 371 806 6067
Art. no. 114 105



REPLACEMENT BLADE 46 CM
For 4.65 Li Easy
EAN no. 400 371 806 0386
Art. no. 113 723

*The maximum area coverage depends on the layout and special conditions of the garden as well as the battery capacity.
**Batteries/chargers supplied may vary from the models shown in the catalogue due to availability.

AL-KO 36 V







	3.25 Li Easy	38.5 Li Comfort	385 Li Premium
	EASY	COMFORT	PREMIUM
Cutting width	32 cm	38 cm	38 cm
For lawns up to*	max. 650 m²	max. 650 m²	max. 650 m²
Power	Li-ion 36 V 2.5 Ah / 4.0 Ah / 5.0 Ah / 8.0 Ah	Li-ion 36 V 2.5 Ah / 4.0 Ah / 5.0 Ah / 8.0 Ah	Li-ion 36 V 2.5 Ah / 4.0 Ah / 5.0 Ah / 8.0 Ah
Brushless motor	✓	✓	✓
Battery compartment for	1 battery	1 battery	1 battery
Wheel diameter, front / rear	155 / 180 mm	155 / 220 mm	155 / 220 mm
Cutting height / height adjustment	20–75 mm / central, 6-stage	20–75 mm / central, 6-stage	20–75 mm / central, 6-stage
Mower deck	Plastic	Plastic	Plastic
Grass collector volume / material	35 l / plastic	45 l / fabric with hard-top	45 l / fabric with hard-top
Function	2IN1 function	3IN1 function	3IN1 function
maxRun® Cockpit	-	-	✓
Mulching function	-	✓	✓
Approx. weight	11.7 kg	13.7 kg	13.8 kg
WITHOUT BATTERY OR CHARGER – **EAN no.**	400 371 806 5473	400 371 806 5497	400 371 806 5503
WITHOUT BATTERY OR CHARGER – **Art. no.**	**114 062**	**114 064**	**114 065**
SET INCL. BATTERY AND CHARGER – **Included in delivery****	1x battery 36 V (2.5 Ah) 1x charger	1x battery 36 V (4.0 Ah) 1x charger	1x battery 36 V (4.0 Ah) 1x charger
SET INCL. BATTERY AND CHARGER – **EAN no.**	400 371 806 5527	400 371 806 5541	400 371 806 5558
SET INCL. BATTERY AND CHARGER – **Art. no.**	**114 069**	**114 071**	**114 072**



REPLACEMENT BLADE 32 CM
For 3.25 Li Easy
EAN no. 400 371 806 3462
Art. no. 114 010



REPLACEMENT BLADE 38 CM
For 38.5 Li Comfort,
385 Li Premium
EAN no. 400 371 806 3479
Art. no. 114 011

*The maximum area coverage depends on the layout and special conditions of the garden as well as the battery capacity.
**Batteries/chargers supplied may vary from the models shown in the catalogue due to availability.

***Depending on grass height, density and quality (moisture etc.).

AL-KO 36 V
All **AL-KO 36 V** garden tools can be used with the batteries and chargers listed on **page 22**. Other garden tools and information on this battery range can be found on **pages 22–29**.



IT TICKS ALL THE BOXES: THE maxRun® COCKPIT

Everything at a glance and easy to use. The cockpit lets you keep an eye on the charge level of both batteries, and the easy-to-connect Eco-Mode enables the operating time of batteries to be increased by around 25%***.

Available for **PREMIUM** model.



VISIBLE BATTERY INDICATOR

All **EASY** and **COMFORT** models feature a clear LED battery level indicator, which makes it child's play to read the current charge level of the battery. The **PREMIUM** model offers an LED charge level indicator directly on the maxRun® Cockpit, from which you can read the charge level of the battery even more conveniently.

AL-KO 36 V

2x36V

DOUBLE BATTERY COMPARTMENT FOR LONG OPERATING TIMES

The double battery compartment of our AL-KO 36 V battery lawnmowers allows larger areas to be mowed. They can be operated with either one or two batteries. If two batteries are fitted, they both discharge more gently with the **BALANCED DISCHARGING SYSTEM**.

Available for all **COMFORT** and **PREMIUM** models.





BALANCED DISCHARGING SYSTEM

Our "double-head battery lawn mowers" offer two battery compartments, but only one battery is required for operation ①. You have the option of inserting a second battery to extend the operating time. There is also the option of inserting two batteries with different Ah capacities into the battery compartment. If two batteries are fitted, the battery with the stronger charge is firstly discharged to the voltage of the weaker battery. Both batteries are then discharged in parallel, in a gentle manner. This also applies if there are two batteries fitted with the same Ah in the battery compartment, but have different charge levels ②. This feature offers utmost versatility while protecting your batteries.

Available for all **COMFORT** and **PREMIUM** models.





SMART CONNECTED

Thanks to the AL-KO IFTTT service, you can easily connect, automate and control your smart AL-KO battery lawnmower to other devices and services – even across web services. You can also define up to three automated actions for your lawnmower. For example, you can start your sprinkler system automatically as soon as your lawnmower is safety stowed away. All you have to do is press the Smart Button when mowing is finished and sprinkling will start immediately. You can also use it to control your smart blinds, for example. The AL-KO inTOUCH® Smart Garden App connects you to all your AL-KO garden tools and takes you to the next level of gardening. The app is available for smartphones and smart watches.

Available for **PREMIUM** model.

DISCOVER OUR SMART BATTERY LAWNMOWERS



FOLDS FOR STORAGE

The lawnmowers have been designed in such a way that the handlebar can be fully collapsed and the mowers placed on their side for perfect storage. In addition, they can be stored upright, meaning they need minimal space and make cleaning easier.

Available for all **COMFORT** and **PREMIUM** models.

MORE MOWING – FEWER BREAKS

Extra tall, extra large – that's the basis of MaxAirflow technology. Thanks to the extra-high steel plate deck and the extra-large discharge channel, airflow is increased by 42% compared to conventional steel plate decks. So unlike in standard lawnmowers, the grass clippings are not thrown at a low angle into the grass collector, but rather in a high arc. This means the grass collector is effectively filled from the back, without the discharge channel becoming blocked.

Available for all **COMFORT** and **PREMIUM** models.



maxRun® & smart COCKPIT

The newly developed cockpit stands out from the rest with its elegance and functionality. All displays and controls are clearly and intuitively arranged. Partially illuminated buttons ensure maximum ease of use. The bright LEDs indicate the current charge level of the two batteries as well as the currently set wheel drive speed. What's more, it indicates if the lawnmower is connected to the WiFi network. The ECO-Mode can be conveniently enabled and increases the operating time of batteries by up to 25%*. The two easy-to-use buttons can be pressed to either variably increase or decrease the wheel drive speed with 7 settings from approx. 2.5 to approx. 4.5 km/h.

Available for **PREMIUM** model.



The smart features are available for the following **COMFORT** and **PREMIUM** models:
46.2 Li SP-W (Art. no. 119 979 / Art. no. 123 011), 512 Li VS-W (Art. no. 119 980 / Art. no. 123 012)

*Depending on grass height, density and quality (moisture etc.).

AL-KO 36 V





All **AL-KO 36 V** garden tools can be used with the batteries and chargers listed on **page 22**. Other garden tools and information on this battery range can be found on **pages 22–29**.

	42.2 Li	46.2 Li SP	46.2 Li SP-W	51.4 Li SP	512 Li VS-W
	COMFORT	COMFORT	COMFORT	COMFORT	PREMIUM
Cutting width	42 cm	46 cm	46 cm	51 cm	51 cm
For lawns up to*	400–800 m²	400–800 m²	400–800 m²	500–1,000 m²	500–1,000 m²
Power	Li-ion 36 V 2.5 Ah / 4.0 Ah / 5.0 Ah / 8.0 Ah	Li-ion 36 V 2.5 Ah / 4.0 Ah / 5.0 Ah / 8.0 Ah	Li-ion 36 V 2.5 Ah / 4.0 Ah / 5.0 Ah / 8.0 Ah	Li-ion 36 V 2.5 Ah / 4.0 Ah / 5.0 Ah / 8.0 Ah	Li-ion 36 V 2.5 Ah / 4.0 Ah / 5.0 Ah / 8.0 Ah
Brushless motor	✓	✓	✓	✓	✓
Battery compartment with Balanced Discharging System for up to**	2 batteries	2 batteries	2 batteries	2 batteries	2 batteries
Wheel drive	-	1-speed	1-speed	1-speed	Vario Speed
Wheel diameter, front / rear	180 / 205 mm, ball-bearing mounted	200/280 mm, ball-bearing mounted	200/280 mm, ball-bearing mounted	200/280 mm, ball-bearing mounted	200/280 mm, ball-bearing mounted
Cutting height / height adjustment	25–75 mm / central, 7-stage	30–80 mm / central, 7-stage	30–80 mm / central, 7-stage	30–80 mm / central, 7-stage	30–80 mm / central, 7-stage
Mower deck	Steel plate	Steel plate	Steel plate	Steel plate	Steel plate
Grass collector volume / material	65 l / plastic	70 l / plastic	70 l / plastic	70 l / plastic	70 l / plastic
MAX AIRFLOW technology	-	✓	✓	✓	✓
Function	2IN1 function	3IN1 function	3IN1 function	3IN1 function	4IN1 function
Smart-Connected	-	-	✓	-	✓
maxRun® & smart Cockpit	-	-	-	-	✓
Mulching function	-	✓	✓	✓	✓
Side discharge	-	-	-	-	✓
Approx. weight	24 kg	29.8 kg	29.8 kg	30 kg	32 kg
SET INCL. BATTERY AND CHARGER – **Included in delivery*** **	1x battery 36 V (4.0 Ah) 1x charger	1x battery 36 V (4.0 Ah) 1x charger	1x battery 36 V (4.0 Ah) 1x charger	1x battery 36 V (4.0 Ah) 1x charger	1x battery 36 V (4.0 Ah) 1x charger
EAN no.	400 371 835 6212	400 371 835 6229	400 371 835 6236	400 371 835 7134	400 371 835 7127
Art. no.	**119 977**	**119 978**	**119 979**	**123 109**	**123 108**
SET INCL. TWO BATTERIES AND CHARGER – **Included in delivery*** **	2x battery 36 V (4.0 Ah) 1x charger	2x battery 36 V (4.0 Ah) 1x charger	2x battery 36 V (4.0 Ah) 1x charger	-	2x battery 36 V (4.0 Ah) 1x charger
EAN no.	400 371 835 6496	400 371 835 6502	400 371 835 6519	-	400 371 835 7141
Art. no.	**123 009**	**123 010**	**123 011**	**-**	**123 110**



REPLACEMENT BLADE 42 CM
For 42.2 Li
EAN no. 400 371 805 5658
Art. no. 113 347



REPLACEMENT BLADE 46 CM
For 46.2 Li SP, 46.2 Li SP-W
EAN no. 400 371 805 5665
Art. no. 113 348



REPLACEMENT BLADE 51 CM
For 51.4 Li SP, 512 Li VS-W
EAN no. 400 371 806 3370
Art. no. 113 979



*The specified lawn areas in m² are based on the batteries included with these lawnmowers. With the 8 Ah battery(ies), larger areas of 650–1,300 m² can be mowed.

**The battery lawnmowers work with both one or two batteries.
***Batteries/chargers supplied may be different to the models shown in the catalogue depending on availability.

ELECTRIC LAWNMOWERS



LIGHTWEIGHT AND COMFORTABLE AND THE PERFECT CHOICE FOR SMALL AND MEDIUM-SIZED LAWNS

Our electric lawnmowers stand out with their low weight, high level of manoeuvrability and durable components. The lawnmowers with robust plastic housing and steel plate ensure the best finish when it comes to your lawn and optimum mowing comfort. All you need to keep your lawn in tip-top condition. Their incredibly low noise operation make electric lawnmowers a superb choice for terraced house gardens. Thanks to the central cutting height adjustment, you can achieve perfect results quickly and easily. The handlebar can be set to several different heights in a user-friendly manner which is gentle on your back. The emission-free motors and the beautiful lawn finish are impressive.

A REAL ALL-ROUNDER

Depending on the model, our electric lawnmowers are equipped with several functions. They are easily identifiable by the following logos in the tables: 2INONE function and 3INONE function.
The functions are explained using these symbols.

2INONE function

MOW AND COLLECT

3INONE function

MOW, COLLECT AND MULCH



MULCHING

MULCHING ON DEMAND

Some electric lawnmowers are equipped with a mulching insert that can be used quickly and easily without tools. The fine grass clippings remain on the lawn as a natural fertiliser.

High-quality Longlife Motor





	34.4 E Comfort	40.4 E Comfort
	COMFORT	COMFORT
Cutting width	34 cm	40 cm
For lawns up to	300 m²	600 m²
Power	1,200 W	1,400 W
Wheel diameter, front / rear	145 / 155 mm	155 / 190 mm
Cutting height / height adjustment	28 - 68 mm / central, 6-stage	28 - 68 mm / central, 6-stage
Mower deck	Plastic	Plastic
Grass collector volume / material	37 l / plastic	43 l / plastic
Mulching function	-	✓
Function	2INONE function	3INONE function
Approx. weight	15.4 kg	19.2 kg
EAN no.	400 371 806 5237	400 371 806 5244
Art. no.	**114 055**	**114 056**



REPLACEMENT BLADE 34 CM
For 34.4 E Comfort
EAN no. 400 371 803 7746
Art. no. 112 566



REPLACEMENT BLADE 40 CM
For 40.4 E Comfort
EAN no. 400 371 803 7753
Art. no. 112 567

EASY TO TRANSPORT THANKS TO A CARRY HANDLE

Thanks to the sturdy and ergonomic carry handle, the lawnmowers can be carried or transported with ease.

Available on all **EASY** and **COMFORT** models.



STURDY YET LIGHTWEIGHT

Our **COMFORT** electric lawnmowers feature a sophisticated fabric box with hard-top and an additional loop to make it even easier to empty.

Available for all **COMFORT** models (except 46.4 E comfort).







	Classic 3.22 SE	Classic 3.82 SE	3.22 E Easy	3.82 E Easy	32.2 E Comfort	38.2 E Comfort	46.4 E Comfort
	EASY	EASY	EASY	EASY	COMFORT	COMFORT	COMFORT
Cutting width	32 cm	38 cm	32 cm	38 cm	32 cm	38 cm	46 cm
For lawns up to	250 m²	500 m²	250 m²	500 m²	250 m²	500 m²	900 m²
Power	1000 W	1,400 W	1,200 W	1600 W	1,200 W	1600 W	1600 W
Wheel diameter, front / rear	140 / 140 mm	140 / 160 mm	155 / 180 mm	155 / 220 mm	155 / 180 mm	155 / 220 mm	200/280 mm, ball-bearing mounted
Cutting height / height adjustment	20–60 mm / wheel axle, 3-stage	20–60 mm / wheel axle, 3-stage	20–75 mm / central, 6-stage	20–75 mm / central, 6-stage	20–75 mm / central, 6-stage	20–75 mm / central, 6-stage	30–75 mm / central, 7-stage
Mower deck	Plastic	Plastic	Plastic	Plastic	Plastic	Plastic	Steel plate
Grass collector volume / material	26 l / plastic	39 l / plastic	35 l / plastic	45 l / plastic	35 l / fabric with hard-top	45 l / fabric with hard-top	65 l / plastic
Mulching function	-	-	-	-	-	✓	✓
Function	2IN1 function	2IN1 function	2IN1 function	2IN1 function	2IN1 function	3IN1 function	3IN1 function
Approx. weight	9 kg	10.4 kg	12.1 kg	15.1 kg	12.4 kg	15.4 kg	29.5 kg
EAN no.	400 371 804 2382	400 371 804 3587	400 371 806 1543	400 371 806 1550	400 371 806 1567	400 371 806 1574	400 371 804 7691
Art. no.	**112 805**	**112 856**	**113 849**	**113 850**	**113 851**	**113 852**	**113 103**



REPLACEMENT BLADE 32 CM
For Classic 3.22 SE
EAN no. 400 371 804 2405
Art. no. 112 806



REPLACEMENT BLADE 38 CM
For Classic 3.82 SE
EAN no. 400 371 804 3877
Art. no. 112 881



REPLACEMENT BLADE 32 CM
For 3.22 E Easy, 32.2 E Comfort
EAN no. 400 371 806 3455
Art. no. 114 009





REPLACEMENT BLADE 38 CM
For 3.82 E Easy, 38.2 E Comfort
EAN no. 400 371 806 3479
Art. no. 114 011



REPLACEMENT BLADE 46 CM
For 46.4 E Comfort
EAN no. 400 371 804 7271
Art. no. 113 057

PETROL LAWNMOWERS



engineered in **GERMANY**

made in **AUSTRIA**

Benefit from more than 50 years of experience in gardening equipment. You can recognise lawnmowers engineered in Germany and produced at our own premises in Austria by this logo.

BUILT TO LAST AND WITHSTAND THE TEST OF TIME

Petrol lawnmowers are the classics among lawnmowers. They will tend to your garden for many years thanks to their high quality components, such as the extremely robust steel plate deck and durable engine. They make light work of large grass areas of up to 1,800 m², slopes, difficult terrain and gardens with plenty of trees.

Whether you prefer mowing and grass catching, mulching or side discharge, our innovative mower decks guarantees you the best lawn care results. The wide tyres on AL-KO Classic models protect the lawn and ensure optimum mowing comfort. The driven XL/XXL rear wheels also guarantee the best traction on the lawn.

A REAL ALL-ROUNDER

Depending on the model, our petrol lawnmowers are equipped with several functions. They are easily identifiable by the following logos in the tables: 2INONE function, 3INONE function and 4INONE function. The functions are explained using these symbols.



2INONE function

MOW AND COLLECT



3INONE function

MOW, COLLECT AND MULCH



4INONE function

MOWING, COLLECTING, MULCHING AND SIDE DISCHARGE

MOWS LARGE AREAS WITH EASE

Take perfect care of your lawns in no time with a powerful petrol lawnmower. Regardless of whether you need to mow a vast area or take care of a medium-sized garden – AL-KO petrol lawnmowers effortlessly cut thick grass on uneven terrain.





COPES WELL WITH LONG GRASS

The powerful petrol engines make it possible to mow longer grass, extending the possibilities for your lawn. Thanks to the aerodynamic deck shape, the grass is efficiently moved to the grass collector by the airflow generated by the cutting blade.

AERODYNAMIC DECK DESIGN AND LARGE GRASS COLLECTORS

The aerodynamic shape of the deck and large grass collectors guarantee the best collection results. This means that the grass catcher box is filled to the top and needs emptying less often. This saves time during mowing and prevents you having to take unnecessary steps to empty the box. This leaves more time for the nice things in the garden.





INDEPENDENCE AT ITS BEST

Petrol lawnmowers ensure maximum independence. Especially in large, complex gardens, electric mowers quickly reach their limits or are restricted in use by their power cable. Thanks to the petrol engine, you can mow for long periods without hinderance, even with just one tank of fuel.

EASY

KEEP IT EASY – SIMPLE, ROBUST AND AFFORDABLE. OUR EASY MODELS ARE THE PERFECT WAY TO GET STARTED.



MOW, COLLECT AND MULCH



MOW, COLLECT, MULCH AND SIDE DISCHARGE



CENTRAL CUTTING HEIGHT ADJUSTMENT

The desired cutting height can be quickly set with the central and convenient height adjustment lever. So that your lawn also achieves perfection!

Available for all **EASY** models.



FILL LEVEL INDICATOR

Indicates when your grass collector is full and ready to empty, preventing grass clippings from spilling out onto your lawn.







QUICK RELEASE

For quick folding of the handlebar without tools, for compact storage and transport.



HANDLEBAR HEIGHT ADJUSTMENT

3-way height-adjustable bar.

	4.16 P-D	4.26 P-D
	EASY	**EASY**
Cutting width	41 cm	41 cm
For lawns up to	600 m²	800 m²
Engine	AL-KO tech 3000	AL-KO tech 5000
Power	79.8 ccm / 1.2 kW / 3,000 rpm	131 ccm / 1.9 kW / 2,800 rpm
Wheel drive	-	-
Wheel diameter, front / rear	150 / 200 mm	150 / 200 mm
Cutting height / height adjustment	25–75 mm / central, 7-stage	25–75 mm / central, 7-stage
Mower deck	Steel plate	Steel plate
Grass collector volume / material	50 l / fabric with hard-top	50 l / fabric with hard-top
Function	3INONE function	3INONE function
Mulching function	✓	✓
Side discharge	-	-
Approx. weight	20.5 kg	23 kg
EAN no.	400 371 806 7040	400 371 806 7057
Art. no.	**114 119**	**114 120**

	4.66 P-D	4.66 SP-D	5.16 SP-D
	EASY	**EASY**	**EASY**
	46 cm	46 cm	51 cm
	1,200 m²	1,400 m²	1,800 m²
	AL-KO tech 5000	AL-KO tech 6500	AL-KO tech 7500
	131 ccm / 1.9 kW / 2,800 rpm	149 ccm / 2.4 kW / 2,800 rpm	171 ccm / 2.6 kW / 2,800 rpm
	-	✓	✓
	180 / 255 mm	180 / 255 mm	180 / 255 mm
	25–75 mm / central, 7-stage	25–75 mm / central, 7-stage	25–75 mm / central, 7-stage
	Steel plate	Steel plate	Steel plate
	65 l / fabric with hard-top	65 l / fabric with hard-top	65 l / fabric with hard-top
	4INONE function	4INONE function	4INONE function
	✓	✓	✓
	✓	✓	✓
	23.5 kg	25.8 kg	26.8 kg
	400 371 806 7064	400 371 806 7071	400 371 806 7088
	114 121	**114 122**	**114 123**



REPLACEMENT BLADE 41 CM
For 4.16 P-D, 4.26 P-D
EAN no. 400 371 806 7583
Art. no. 114 202



REPLACEMENT BLADE 46 CM
For 4.66 P-D, 4.66 SP-D
EAN no. 400 371 806 7590
Art. no. 114 203



REPLACEMENT BLADE 51 CM
For 5.16 SP-D
EAN no. 400 371 806 7606
Art. no. 114 204

COMFORT

OUR COMFORT MODELS COMBINE ALL THE ADVANTAGES OF EASY PETROL LAWNMOWERS AND OFFER SOME OTHER USEFUL FEATURES

engineered in **GERMANY**

made in **AUSTRIA**



QUICK START SYSTEM

Thanks to the quick start system (QSS), AL-KO Pro QSS engines can be started quickly and easily. No primer and no choke needed, just “pull and mow”.

Available for all **COMFORT** models.





QUICK AND SAFE STARTING WITH ELECTRIC START

A small, compact lithium-ion battery is all you need as a power source to start the engine. Thanks to the high capacity battery, up to 200 starts (equal to approximately one mowing season) can be achieved with a single battery charge.

Available for the following **COMFORT** model: Comfort 46.4 SPED-A

FULL LEVEL INDICATOR

The high-capacity, aerodynamic plastic grass collector offers more than simply its size – the integrated fill level indicator also shows when the box is ready to be emptied. The built-in box tongue collects grass clippings from the discharge channel.

Available for all **COMFORT** models.



MULCHING FUNCTION FOR ECO-FRIENDLY LAWNCARE

Cut blades of grass are thrown upwards within the mower deck, finely shredded by the specially shaped blade and blown back onto the turf as a natural fertiliser. This returns essential nutrients to the lawn and protects it against drying out.

Available for all **COMFORT** models.





MORE MOWING – FEWER BREAKS

MAX AIRFLOW technology

Thanks to the extra-high steel plate deck and the extra-large discharge channel, airflow is increased by 42% compared to conventional steel plate decks. So unlike standard lawnmowers, the grass clippings are not thrown at a low angle into the grass collector, but rather in a high arc. This means the collector is effectively filled from the back, without the discharge channel becoming blocked.

Available for all **COMFORT** models (except Comfort 42.1 P-A and Comfort 42.1 SP-A).

COMFORT

engineered in GERMANY

made in AUSTRIA



MOW, COLLECT AND MULCH



MOW, COLLECT, MULCH AND SIDE DISCHARGE





	Comfort 42.1 P-A	Comfort 42.1 SP-A	Comfort 46.0 SP-A	Comfort 46.0 SP-A Plus	Comfort 46.4 SPED-A	Comfort 51.0 SP-A
	COMFORT	COMFORT	COMFORT	COMFORT	COMFORT	COMFORT
Cutting width	42 cm	42 cm	46 cm	46 cm	46 cm	51 cm
For lawns up to	800 m²	1,000 m²	1,400 m²	1,400 m²	1,400 m²	1,800 m²
Engine	AL-KO Pro 125 QSS	AL-KO Pro 125 QSS	AL-KO Pro 125 QSS	AL-KO Pro 145 QSS	AL-KO Pro 170 Dual Start	AL-KO Pro 145 QSS
Power	123 ccm / 1.9 kW / 2,800 rpm	123 ccm / 1.9 kW / 2,800 rpm	123 ccm / 1.9 kW / 2,800 rpm	139 ccm / 2.1 kW / 2,800 rpm	166 ccm / 2.6 kW / 2,800 rpm	139 ccm / 2.1 kW / 2,850 rpm
Wheel drive	-	1-speed	1-speed	1-speed	1-speed	1-speed
Wheel diameter, front / rear	180 / 205 mm, ball-bearing mounted	180 / 220 mm, ball-bearing mounted	200/280 mm, ball-bearing mounted	200/280 mm, ball-bearing mounted	200/280 mm, ball-bearing mounted	200/280 mm, ball-bearing mounted
Cutting height / height adjustment	25–75 mm / central, 7-stage	25–75 mm / central, 7-stage	30–80 mm / central, 7-stage	30–80 mm / central, 7-stage	30–80 mm / central, 7-stage	30–80 mm / central, 7-stage
Mower deck	Steel plate	Steel plate	Steel plate	Steel plate	Steel plate	Steel plate
Grass collector volume / material	65 l / plastic	65 l / plastic	60 l / plastic	60 l / plastic	60 l / plastic	60 l / plastic
MAX AIRFLOW technology	-	-	✓	✓	✓	✓
Function	3INONE function	3INONE function	3INONE function	4INONE function	4INONE function	4INONE function
Mulching function	✓	✓	✓	✓	✓	✓
Side discharge	-	-	-	✓	✓	✓
Approx. weight	26.9 kg	27.5 kg	33.4 kg	34 kg	37.2 kg	35.3 kg
EAN no.	400 371 835 6359	400 371 835 6298	400 371 835 5864	400 371 835 5888	400 371 835 6830	400 371 835 5949
Art. no.	**119 998**	**119 993**	**119 936**	**119 938**	**123 059**	**119 944**



REPLACEMENT BLADE 42 CM
For Comfort 42.1 P-A, Comfort 42.1 SP-A
EAN No. 400 371 804 8650
Art. no. 113 138



REPLACEMENT BLADE 46 CM
For Comfort 46.0 SP-A, Comfort 46.0 SP-A Plus, Comfort 46.4 SPED-A
EAN no. 400 371 804 7271
Art. no. 113 057



REPLACEMENT BLADE 51 CM
For Comfort 51.0 SP-A
EAN no. 400 371 804 7288
Art. no. 113 058

PREMIUM

engineered in GERMANY

made in AUSTRIA

OUR PREMIUM MODELS COMBINE ALL THE ADVANTAGES OF EASY AND COMFORT PETROL LAWNMOWERS AND OFFER EVEN MORE USEFUL FEATURES



EXTREMELY POWERFUL ENGINES

Whether AL-KO, Briggs & Stratton or Honda – we have just the right quality engine for your needs! Functionality combined with extreme durability and robustness enable comfortable and smooth mowing of up to 1,800 m².

Available for all **PREMIUM** models.





QUICK PIT STOP

Lawn mowers with Briggs & Stratton engines can be easily serviced and cleaned vertically when the fuel in the tank is low. Excellent space-saving storage is also possible.

Available on all **PREMIUM** models with Briggs & Stratton engine.



MAXIMUM COMFORT THANKS TO VARIO WHEEL DRIVE

Enables variable and individual adjustment to the mowing speed based on your personal mowing preferences and grass conditions.

Available on the following **PREMIUM** models: Premium 473 VS-B, Premium 520 VSI-B and Premium 521 VS-H.

UTMOST VERSATILITY

In addition to the ecological way to care for lawns with the mulching function, use of the side discharge provides maximum versatility. As such, it is possible to mow large areas quickly and keep high grass under control without having a grass collector to empty.

Available for all **PREMIUM** models.



MAX AIRFLOW technology

MORE MOWING – COMBINED WITH MAXIMUM EFFICIENCY WITH LARGE 70 LITRE GRASS COLLECTOR

Extra tall, extra large – that's the basis of MaxAirflow technology. Thanks to the extra-high steel plate deck and the extra-large discharge channel, airflow is increased by 42% compared to conventional steel plate decks. So unlike in standard lawnmowers, the grass clippings are not thrown at a low angle into the grass collector, but rather in a high arc. This means the grass collector is effectively filled from the back, without the discharge channel becoming blocked.

OPTIMUM GRASS COLLECTING

The perfectly filled box also collects grass cuttings from the discharge channel thanks to the integrated box tongue. This means that the grass is optimally collected, leaving fewer grass clippings lying on the lawn.

FULL BOX, FEWER STOPS

Thanks to the MaxAirflow technology grass cuttings go into the back of the collector, filling it to the top so that it needs emptying less frequently.

Available for all **PREMIUM** models.

NO MORE GREEN FINGERS

Thanks to MaxAirflow technology, it is possible to mow even long, damp grass, without leaving clumps behind on the ground or blocking the discharge channel. This way, you can avoid getting your hands dirty as well.



PREMIUM

engineered in GERMANY

made in AUSTRIA

4IN1 4INONE function

MOW, COLLECT, MULCH AND SIDE DISCHARGE











	Premium 470 SP-A	Premium 473 VS-B	Premium 474 SP-H	Premium 521 SP-A	Premium 524 SP-B
	PREMIUM	PREMIUM	PREMIUM	PREMIUM	PREMIUM
Cutting width	46 cm	46 cm	46 cm	51 cm	51 cm
For lawns up to	1,400 m²	1,400 m²	1,400 m²	1,800 m²	1,800 m²
Engine	AL-KO Pro 170 QSS	Briggs & Stratton 625 EXi	Honda GCVx 170	AL-KO Pro 170 QSS	Briggs & Stratton 625 EXi
Power	166 ccm / 2.6 kW / 2,800 rpm	150 ccm / 2.3 kW / 2,900 rpm	167 ccm / 3.2 kW / 2,900 rpm	166 ccm / 2.6 kW / 2,800 rpm	150 ccm / 2.3 kW / 2,900 rpm
Wheel drive	1-speed	VarioSpeed	1-speed	1-speed	1-speed
Wheel diameter, front / rear	200/280 mm, ball-bearing mounted	200/280 mm, ball-bearing mounted	200/280 mm, ball-bearing mounted	200/280 mm, ball-bearing mounted	200/280 mm, ball-bearing mounted
Cutting height / height adjustment	30–80 mm / central, 7-stage	30–80 mm / central, 7-stage	30–80 mm / central, 7-stage	30–80 mm / central, 7-stage	30–80 mm / central, 7-stage
Mower deck	Steel plate	Steel plate	Steel plate	Steel plate	Steel plate
Grass collector volume / material	70 l / plastic	70 l / plastic	70 l / plastic	70 l / plastic	70 l / plastic
MAX AIRFLOW technology	✓	✓	✓	✓	✓
Function	4INONE function	4INONE function	4INONE function	4INONE function	4INONE function
Mulching function	✓	✓	✓	✓	✓
Side discharge	✓	✓	✓	✓	✓
Approx. weight	34.4 kg	35.2 kg	35.2 kg	34.9 kg	35.5 kg
EAN no.	400 371 835 5963	400 371 835 6663	400 371 835 6847	400 371 835 6342	40 0371 835 6854
Art. no.	**119 946**	**123 029**	**123 060**	**119 997**	**123 061**



REPLACEMENT BLADE 46 CM
For Premium 470 SP-A,
Premium 473 VS-B, Premium 474 SP-H
EAN no. 400 371 804 7271
Art. no. 113 057



REPLACEMENT BLADE 51 CM
For Premium 521 SP-A,
Premium 524 SP-B,
EAN No 400 371 804 7288
Art. no. 113 058

PREMIUM



MOW, COLLECT, MULCH AND SIDE DISCHARGE

engineered in GERMANY

made in AUSTRIA



	Premium 520 SP-H	Premium 521 VS-H	Premium 524 VSED-A
	PREMIUM	PREMIUM	PREMIUM
Cutting width	51 cm	51 cm	51 cm
For lawns up to	1,800 m²	1,800 m²	1,800 m²
Engine	Honda GCVx 170	Honda GCVx 170	AL-KO Pro 170 Dual Start
Power	167 ccm / 3.2 kW / 2,900 rpm	167 ccm / 3.2 kW / 2,900 rpm	163 ccm / 2.6 kW / 2,800 rpm
Wheel drive	1-speed	VarioSpeed	VarioSpeed
Wheel diameter, front / rear	200/280 mm, ball-bearing mounted	200/280 mm, ball-bearing mounted	200/280 mm, ball-bearing mounted
Cutting height / height adjustment	30–80 mm / central, 7-stage	30–80 mm / central, 7-stage	30–80 mm / central, 7-stage
Mower deck	Steel plate	Steel plate	Steel plate
Grass collector volume / material	70 l / plastic	70 l / plastic	70 l / plastic
MAX AIRFLOW technology	✓	✓	✓
Function	4INONE function	4INONE function	4INONE function
Mulching function	✓	✓	✓
Side discharge	✓	✓	✓
Approx. weight	36.5 kg	36.2 kg	38.2 kg
EAN no.	400 371 835 6144	400 371 835 6304	400 371 835 6878
Art. no.	**119 969**	**119 994**	**123 063**



REPLACEMENT BLADE 51 CM
For Premium 520 SP-H, Premium 521 VS-H, Premium 524 VSED-A
EAN no. 400 371 804 7288
Art. no. 113 058

ACCESSORIES FOR PETROL LAWNMOWERS



STARTER SET
4-part 5 l petrol can set, engine oil service kit and 2x Engine oil SAE 30
EAN No. 400 371 806 1963
Art. no. 113 875



ENGINE OIL SERVICE SET
3-part kit with suction pump, tank and funnel
EAN no. 400 371 806 1413
Art. no. 113 807



4-STROKE ENGINE OIL
10W40, 1 l
EAN No. 400 371 804 4089
Art. no. 112 901



4-STROKE ENGINE OIL
SAE 30, 0.6 l
EAN no. 400 371 804 3952
Art. no. 112 888



AIR FILTER KIT
For AL-KO Pro 125 QSS and AL-KO Pro 145 QSS engine, 2-piece set
EAN No. 400 371 805 9588
Art. no. 113 693



HAND LAWNMOWERS



PRACTICAL HAND LAWNMOWERS FOR A PERFECT GOLF-GREEN FINISH

With these practical machines, you can perfectly mow small gardens, front gardens and ornamental lawns up to a size of 300 m². Neither a power supply nor petrol is required. Our hand lawnmowers are comfortable, emission-free and incredibly quiet. The hand mowers are equipped with a single-axle design, XL wheels, and are lightweight making them extremely manoeuvrable. The stylish housing is very robust. A special rubber bumper protects against scratches and dents. Thanks to its design and low weight, you can easily transport the hand lawnmowers over steps to and from the lawn.



SIMPLE LAWNMOWING POWERED BY BATTERY

The clearly visible battery charge level indicator allows you to keep an eye on the battery's current charge level.

Available for the **COMFORT** model Razor Cut 38.6 Li HM Comfort.



RAZOR SHARP SPECIAL CYLINDER

The high-quality 5-blade cutting cylinder made of special hardened steel ensures a perfect cut and uniform filling of the grass collector.

Available for all **EASY**, **COMFORT** and **PREMIUM** models.



EASY TO USE AND INCREDIBLY MANOEUVRABLE

The single-axle design of AL-KO hand lawnmowers ensures extreme manoeuvrability and is comfortable on uneven ground.

Available for all **EASY**, **COMFORT** and **PREMIUM** models.

AL-KO 18 V / 36 V
1 BATTERY 2 VOLTAGES

All **AL-KO 18 V / 36 V (1 BATTERY / 2 VOLTAGES)** garden tools can be used with the batteries and chargers listed on **page 11**. Other garden tools and information on this battery range can be found on **pages 10–21**.

HIGH-PRECISION TRIMMING

With a hand lawnmower, you can cut the grass blades as precisely as if you were using scissors. This is largely thanks to the cutting mechanism itself: the mowing cylinder and the lower blade do not come into contact, which means the mower is particularly gentle on the lawn.



	Razor Cut 38.6 Li HM Comfort	Razor Cut 28.1 HM Easy	Razor Cut 38.1 HM Comfort	Razor Cut 38.1 HM Premium
	COMFORT	EASY	COMFORT	PREMIUM
Cutting width	38 cm	28 cm	38 cm	38 cm
For lawns up to	300 m²*	150 m²	250 m²	250 m²
Battery family / drive type	AL-KO 18 V / 36 V 1 BATTERY 2 VOLTAGES	Manually operated	Manually operated	Manually operated
Power	Li-ion 18 V / 36 V 2.0 Ah / 2.5 Ah / 4.0 Ah / 5.0 Ah / 8.0 Ah	-	-	-
Cutting cylinder	128 mm / 5 steel blades	128 mm / 5 steel blades	128 mm / 5 steel blades	128 mm / 5 steel blades
Blade technology	Cylinder, contactless	Cylinder, contactless	Cylinder, contactless	Cylinder, contactless
Wheel diameter	220 mm	220 mm	220 mm	220 mm
Cutting height / height adjustment	14–38 mm / 4-stage	14–35 mm / 4-stage	14–35 mm / 4-stage	14–45 mm / variable
Grass collector volume / material	Optional accessories 50 l / fabric (art. no 113 868)	Optional accessories 35 l / fabric (art. no 113 867)	Optional accessories 50 l / fabric (art. no 113 868)	Optional accessories 50 l / fabric (art. no 113 869)
LED battery indicator	✓	-	-	-
Collapsible handlebar	✓	-	✓	✓
Approx. weight	11.8 kg	6.8 kg	7.7 kg	8.9 kg
EAN no.	400 371 806 6500 (without battery or charger)	400 371 806 1819	400 371 806 1826	400 371 806 1833
Art. no.	**114 134** (without battery or charger)	**113 864**	**113 865**	**113 866**
SET INCL. BATTERY AND CHARGER – **Included in delivery****	1x B75.6 Li (4.0 Ah / 2.0 Ah) 1x C150.6 Li (4 A)			
SET INCL. BATTERY AND CHARGER – **EAN no.**	400 371 806 6906			
SET INCL. BATTERY AND CHARGER – **Art. no.**	**114 176**			



GRASS COLLECTOR 35 L
For Razor Cut 28.1 HM Easy, with 35 l volume
EAN no. 400 371 806 1840
Art. no. 113 867



GRASS COLLECTOR 50 L
For Razor Cut 38.6 Li HM Comfort, Razor Cut 38.1 HM Comfort, with 50 l volume
EAN no. 400 371 806 1857
Art. no. 113 868



GRASS COLLECTOR 50 L
For Razor Cut 38.1 HM Premium, with 50 l volume
EAN no. 400 371 806 1864
Art. no. 113 869

*The maximum area coverage depends on the layout and the specific conditions of the garden as well as the capacity of the battery.
**Batteries/chargers may vary from the models shown in the catalogue depending on availability.



MULCH MOWERS

ECO-FRIENDLY LAWN CARE, THANKS TO NATURAL FERTILISATION

During mulching, the cut blades of grass are thrown upwards within the mower deck, finely shredded by a special blade and blown back onto the turf as a natural fertiliser – this returns nutrients to the roots and protects the lawn against drying out. The mulching function calls for regular mowing. If mulching is not possible due to the length of grass, it can effortlessly be converted to side discharge.



QUICK HEIGHT ADJUSTMENT

The cutting height can be changed on each axle quickly and easily. The full-width axles offer stability and perfectly straight wheel motion.



MULCHING OR SIDE DISCHARGE

If the grass is very long after a holiday, or when working on pastures or orchards, the mulch mower can easily be converted to the side discharge function.



2INONE function

MOWING AND MULCHING INCL. SIDE DISCHARGE

FRONT WHEEL DRIVE

The tyres protect the lawn and ensure optimal mowing comfort. The driven XL front wheels also guarantee optimal traction on your lawn and help you get the job done with ease. The energy-saving alternative is useful primarily on slopes. When manoeuvring, the front wheels can be lifted clear off the ground with the drive still activated, allowing the mower to be turned.

Available for **COMFORT** model 468 SP-A Silver MULCH & GROW.







	468 P-A Silver MULCH & GROW	468 SP-A Silver MULCH & GROW
	COMFORT	COMFORT
Cutting width	46 cm	46 cm
For lawns up to	1100 m²	1,400 m²
Engine	AL-KO Pro 125 QSS	AL-KO Pro 145 QSS
Power	123 ccm / 1.9 kW / 2,850 rpm	139 ccm / 2.1 kW / 2,850 rpm
Wheel drive	-	1-speed
Wheel diameter, front / rear	205 / 205 mm	220 / 205 mm, ball-bearing mounted at the front
Cutting height / height adjustment	30–85 mm /wheel axle, 4-stage	30–85 mm /wheel axle, 4-stage
Mower deck	Steel plate	Steel plate
Function	2INONE function	2INONE function
Mulching function	✓	✓
Side discharge	✓	✓
Approx. weight	22.6 kg	26.9 kg
EAN no.	400 371 835 5154	400 371 835 5147
Art. no.	**119 836**	**119 835**



REPLACEMENT BLADE 46 CM
Für 468 P-A Silver MULCH & GROW,
468 SP-A Silver MULCH & GROW
EAN no. 400 371 834 8859
Art. no. 119 224

TRACTORS



THE TOP CLASS OF LAWN CARE

With our lawn tractors, you get a very special experience when maintaining your lawn. With proven transmissions and cutting widths of up to 92 cm, you will find the right machine even on rough terrain. You will feel how comfortable mowing is as soon as you get behind the wheel. You'll be in safe hands with the lawn tractor which makes mowing a truly pleasurable experience. Simply climb on, turn the key, put your foot on the pedal, and enjoy yourself. Take lawn mowing to the next level.

- Best mowing results incl. mowing in reverse
- Optimum ergonomics with foot operated hydrostatic* and electromagnetic blade brake clutch
- Large, wide tyres for optimum traction
- Torsion-resistant frame
- Ball-bearing blade spindles
- Wide range of accessories
- Ergonomics as desired – the telescopic lever can be easily converted to either the left or right

*Only for the **COMFORT** models





EEFORTLESSLY MOWS LARGE AND TRICKY AREAS

Where lawnmowers reach their performance limits, that's where our lawn tractors come into their own. The engines provide greater power, meaning that it really doesn't matter whether you need to manoeuvre your lawn tractor across winding terrain or mow large lawns. Look no further than our lawn tractors. Combining power and comfort, these let you mow small to large plots without any problems.

MAXIMUM COMFORT AND FLEXIBILITY

You'll have no problem making yourself comfortable on our lawn tractors. Our lawn tractors offer comfort a cut above the rest. The low entry level, ergonomic mowing position as well as the ample legroom promote comfortable mowing without feeling tired, as well as spending more time behind the wheel.





EVERYTHING AT YOUR FINGERTIPS – FOR RELAXED WORK IN NO TIME

All controls are ergonomically arranged and easy to reach. Practical details such as the integrated drinks holder and the handy storage compartment are also always within easy reach. You not only stay in full control of your lawn tractor, you also enjoy maximum comfort every time you ride it.

EASY





Easy 13-92.6 CS-A | **Easy 13-86.6 M-A**

	EASY	EASY
Function	Side discharge	Rear discharge
Working width	92 cm (2 blades)	86 cm (2 blades)
For lawns up to	3,500 m²	3,500 m²
Engine	AL-KO Pro 400	AL-KO Pro 400
Power	352 ccm / 9.7 PS / 7.2 kW / 2,600 rpm	352 ccm / 9.7 PS / 7.2 kW / 2,800 rpm
Number of cylinders	1 cylinder	1 cylinder
Transmission	CVT (continuously variable transmission)	Manual (5 forward gears + 1 reverse gear)
Cutting height / height adjustment	30–90 mm / central, 7-stage	30–90 mm / central, 7-stage
Max. speed (forwards)	8.9 km/h	8.9 km/h
Max. speed (reverse)	5 km/h	4 km/h
Grass collector volume / material	-	250 l / fabric with hard-top
Grass collector emptying	-	Telescopic lever
Blade engagement	Electromagnetic	Electromagnetic
Tyre size front / rear	15 x 6-6 / 18 x 8.5-8	15 x 6-6 / 18 x 8.5-8
LED headlights	✓	✓
EAN no.	400 371 806 7101	400 371 806 7095
Art. no.	**114 116**	**114 115**

COMFORT





Comfort 14-92.6 HDS-A | **Comfort 14-86.6 HD-A**

	COMFORT	COMFORT
	Side discharge	Rear discharge
	92 cm (2 blades)	86 cm (2 blades)
	3,500 m²	3,500 m²
	AL-KO Pro 430	AL-KO Pro 430
	432 ccm / 11.9 PS / 8.8 kW / 2,600 rpm	432 ccm / 11.9 PS / 8.8 kW / 2,800 rpm
	1 cylinder	1 cylinder
	Foot operated hydrostatic	Foot operated hydrostatic
	30–90 mm / central, 7-stage	30–90 mm / central, 7-stage
	8.9 km/h	8.9 km/h
	4 km/h	4 km/h
	-	250 l / fabric with hard-top
	-	Telescopic lever
	Electromagnetic	Electromagnetic
	15 x 6-6 / 18 x 8.5-8	15 x 6-6 / 18 x 8.5-8
	✓	✓
	400 371 806 7125	400 371 806 7118
	114 118	**114 117**

TRACTOR ACCESSORIES



TOW HITCH
For all tractors,
for fastening attachments
EAN no. 400 371 806 7743
Art. no. 127 843



MULCHING KEY 86 CM
For Easy 13-86.6 M-A,
Comfort 14-86.6 HD-A
EAN no. 400 371 806 7729
Art. no. 127 841



COMBI TRAILER CT 400*
Tipping trailer with load weight
400 kg (level), 200 kg (slope)
EAN no. 400 371 806 1895
Art. no. 113 870



SPREADER SP 60*
With 56 l volume
2–5 m spreading width
EAN no. 400 371 806 1932
Art. no. 113 874



LAWN ROLLER GW 100*
98 cm working width, working weight:
140 kg (water),
235 kg (sand)
EAN no. 576 972 033 0617
Art. no. 130 539



DEFLECTOR
For tractors with rear discharge
(86 cm), deposits grass clippings
behind the tractor
EAN no. 400 371 806 7736
Art. no. 127 842



STRAIGHT LOADING RAMP
Set of 2, payload 400 kg
EAN no. 400 371 806 1949
Art. no. 113 861



CURVED LOADING RAMP
Set of 2, payload 400 kg
EAN no. 400 371 806 2038
Art. no. 113 862

*Trailer hitch required.







SCARIFIERS



PERFECT PREPARATION FOR YOUR SUMMER OUTDOORS

In addition to regular mulching, lawns should be scarified in the spring and/or autumn to allow the lawn to breathe. The steel blades of the scarifier penetrate the turf and remove lawn thatch, moss and plant remains. After scarifying, the area should be fertilised directly, re-seeded and thoroughly watered. Such measures improve both nutrient absorption and irrigation, and ultimately encourage growth. With a choice of battery-, electric- or petrol-powered scarifiers from AL-KO, you will find the perfect device to efficiently help you with this rejuvenating treatment.

A REAL ALL-ROUNDER

Depending on the model, our scarifiers are equipped with several functions.
They are easily identifiable by the following logos in the tables: 2INONE function and 3INONE function.
The functions are explained using these symbols:



2INONE function

SCARIFYING AND GRASS CATCHING



3INONE function

SCARIFYING, AERATING AND GRASS CATCHING

CAN BE CLEANED THOROUGHLY AND EASILY

Scarifying very often leads to a dirty chassis. Our scarifiers have a very easy-to-clean chassis. Some models also have a cleaning scraper, which makes cleaning by hand even more efficient.

Cleaning scraper available for the following COMFORT models:
38.6 Li Combi Care and 38.6 P Combi Care.





EASY ROLLER CHANGING

The rollers can be changed quickly and simply without any tools.

ALWAYS THE RIGHT WORKING DEPTH

The working depth can be individually adjusted with just one movement. This guarantees optimum scarifying results, specially tailored to your requirements.





STORAGE IS CHILD'S PLAY

Scarifiers can be folded up to save space in seconds. This makes transportation easy and guarantees space-saving storage.

SCARIFIERS

NEW



	38.6 Li Combi Care	32.4 E Basic Care	38.4 E Combi Care
	COMFORT	EASY	EASY
Working width / scarifying roller	38 cm / 14 steel blades	32 cm / 12 steel blades	38 cm / 14 steel blades
Working depth	+6 to -14 mm	+6 to -14 mm	+6 to -14 mm
For lawns up to	400 m²*	400 m²	800 m²
Working width / aerator roller	Optional accessories 38 cm / 48 steel spring tines (Art. no. 114 066)	Optional accessories 32 cm / 40 steel spring tines Art. no. 114 049	38 cm / 48 steel spring tines
Battery family / Engine	AL-KO 18 V / 36 V 1 BATTERY / 2 VOLTAGES	Electric	Electric
Power	Li-ion 18 V / 36 V 2.0 Ah / 2.5 Ah / 4.0 Ah / 5.0 Ah / 8.0 Ah	1,200 W	1,400 W
Brushless motor	✓	-	-
Height adjustment	Central, variable	Central, variable	Central, variable
Chassis	Plastic	Plastic	Plastic
Grass collector volume / material	55 l / fabric	50 l / fabric	55 l / fabric
Function	3IN ONE function	3IN ONE function	3IN ONE function
Approx. weight	12 kg	10 kg	12 kg
EAN no.	400 371 806 5367 (without battery or charger)	400 371 806 4742	400 371 806 4759
Art. no.	**114 041** (without battery or charger)	**114 039**	**114 040**

SET INCL. BATTERY AND CHARGER		
	Included in delivery**	2x B100.6 Li (5.0 Ah / 2.5 Ah) 1x C300.6 Li (2x 4 A)
	EAN no.	400 371 806 6883
	Art. no.	**114 177**

AL-KO 18 V / 36 V 1 BATTERY / 2 VOLTAGES

All **AL-KO 18 V / 36 V (1 BATTERY / 2 VOLTAGES)** garden tools can be used with the batteries and chargers listed on **page 11**. Other garden tools and information on this battery range can be found on **pages 10–19**.

NEW



	36 E Combi Care Comfort	38.6 P Combi Care
	COMFORT	COMFORT
	36 cm / 20 steel blades	38 cm / 14 steel blades
	+5 to -12 mm	+6 to -14 mm
	800 m²	1,200 m²
	36 cm / 44 steel spring tines	38 cm / 48 steel spring tines
	Electric	Petrol
	1,500 W	79 ccm / 1.4 kW / 3,600 rpm
	-	-
	Central, 5-stage	Central, 5-stage
	Plastic	Plastic
	55 l / fabric	55 l / fabric
	3IN ONE function	3IN ONE function
	15 kg	25 kg
	400 371 806 6501	400 371 806 5374
	113 465	**114 042**





AERATOR ROLLER
For 38.6 Li Combi Care with 48 steel spring tines
EAN no. 400 371 806 5565
Art. no. 114 066



AERATOR ROLLER
For 32.4 E Basic Care, with 40 steel spring tines
EAN no. 400 371 806 5046
Art. no. 114 049

*The maximum area coverage depends on the layout and the specific conditions of the garden as well as the capacity of the battery.
**Batteries/chargers may vary from the models shown in the catalogue depending on availability.

SCYTHE MOWER





TACKLES HIGH GRASS WITH EASE, EVEN ON ROUGH TERRAIN

The BM 875 IV scythe mower allows you to efficiently maintain large gardens, orchards, fields and pastures even on steep slopes. In doing so, you are able to cut your grass in an ecological way, leaving it as natural as possible. To ensure comfortable use, the scythe mower is fitted with a powerful engine, wheel drive, a blade drive which can be engaged and disengaged, specially hardened blades and wide tyres. The ergonomic and vibration-dampened handlebar, which is effortless to use, guarantees safe mowing and can be adjusted to the operators height. It is safe to handling the machine as the 87 cm wide cutterbar has edge protection and comes with a blade guard. The enclosed drive system increases the operating time by significantly reducing dirt and grass deposits on the blade. The infinitely height-adjustable outsoles and outstanding manoeuvrability of machine mean you won't want to put it down. Thanks to the moving grass deflector, the grass is prevented from being left lying on the cover. There are, therefore, fewer reasons to take a break from your gardening.



BM 875 IV

COMFORT

Working width	87 cm
For lawns up to	3,000 m²
Engine	Loncin 139 OHV
Power	139 ccm / 2.7 kW / 3,100 rpm
Wheel drive	1 forward gear (worm gear)
Blade drive can be disengaged	✓
Tyre size	13 x 5.0 - 6
Foam-filled tyres	✓
Track width	45 cm
Wide outer wheel	50 cm
Approx. weight	52 kg
EAN no.	400 371 806 5831
Art. no.	**114 098**

TRIMMERS & BRUSHCUTTERS



PRECISION IN EVERY CORNER

Gone are the days of amateur gardeners having to kneel down to tend to the edge of their lawn after mowing it. You can now hand over the reins to the lawn trimmer to get this work done. The individual angle adjustment of the trimmer head means that even places that are hard to reach, such as under benches, can be tackled with ease. The lawn trimmers from AL-KO can be flexibly adjusted in all directions, thanks to the trimmer head that can be turned through 180°. This means that overhanging lawn edges can be immaculately cut.

OUTPERFORMS ALL OTHER GARDEN TOOLS

Look no further than a brushcutter if you want to get your garden in shape. Frequently used on walls, fences, slopes, trees and other obstacles, it's the perfect alternative to a lawnmower when it comes to getting long grass and scrub trimmed to the right length. Brushcutters work with a line spool to make mowing even easier. What's more, you can make light work of cutting woody plant remains and undergrowth with an extra strong blade. To make work as comfortable as possible, the appliances also come fitted with an ergonomic handle. The handle is where you'll find the controls, which can be used to perfectly control the appliance at any time. Once you are done with the fine tuning, the high-quality, hard-wearing aluminium handlebar can be dismantled quickly (depending on the model). This means the brushcutter is easy to transport and can be stored without taking up much space.





VERSATILE IN ALL DIRECTIONS

The ability to turn the trimmer head through 180° means that all lawn edges can be cut accurately. The telescopic aluminium shaft and the flexible handle (depending on the model) ensure the right length and working position.

TAKING ON ALL TASKS

Whether for long grass and undergrowth or for mowing along walls, fences and other obstacles – the high-quality line spool attachment means that the brushcutters and trimmers are well equipped for all applications.





COMFORTABLE FOR ANY TASK

Our petrol brushcutters and trimmers are available complete with bike or loop handle. This is so we can ensure we have the right model in our product range for every user.

BATTERY TRIMMER









	GT 4030	GTD 1830 GREENLINE	GTD 1833 GREENLINE
	COMFORT	**EASY**	**PREMIUM**
Cutting width	30 cm	30 cm	33 cm
Battery range	AL-KO 36 V	AL-KO 18 V / 36 V 1 BATTERY 2 VOLTAGES	AL-KO 18 V / 36 V 1 BATTERY 2 VOLTAGES
Power	Li-ion 36 V 2.5 Ah / 4.0 Ah / 5.0 Ah / 8.0 Ah	Li-ion 18 V / 36 V 2.0 Ah / 2.5 Ah / 4.0 Ah / 5.0 Ah / 8.0 Ah	Li-ion 18 V / 36 V 2.0 Ah / 2.5 Ah / 4.0 Ah / 5.0 Ah / 8.0 Ah
Brushless motor	-	-	✓
Line type	Nylon line, Ø 1.5 mm	100% biodegradable line, Ø 1.6 mm	100% biodegradable double line, Ø 2.0 mm
Line feed	Bump feed mechanism	Automatic	Bump feed mechanism
Shaft tube	Telescopic, aluminium	Detachable shaft	Telescopic, aluminium
Spare line holder	✓	-	-
Angle-adjustable handle	✓	✓	-
Height-adjustable handle	✓	✓	✓
Pivoting cutting head	✓	✓	✓
Plant guard	✓	✓	✓
Edge wheel	✓	-	✓
Wall bracket	✓ Optional accessories (art. no. 114 184)	✓ Optional accessories (art. no. 114 184)	✓ Optional accessories (art. no. 114 184)
Approx. weight	2.4 kg	2.1 kg	2.3 kg
WITHOUT BATTERY OR CHARGER – **EAN no.**	400 371 805 8437	400 371 806 6616	400 371 806 6630
WITHOUT BATTERY OR CHARGER – **Art. no.**	**113 608**	**114 145**	**114 147**
SET INCL. BATTERY AND CHARGER – **Included in delivery***	1x battery 36 V (4.0 Ah) 1x charger (3A)	1x B40.6 Li (2.0 Ah) 1x C40.6 Li (1 A)	1x B50.6 Li (2.5 Ah) 1x C40.6 Li (1 A)
SET INCL. BATTERY AND CHARGER – **EAN no.**	400 371 806 1208	400 371 806 6623	400 371 806 6647
SET INCL. BATTERY AND CHARGER – **Art. no.**	**113 824**	**114 146**	**114 148**

*Batteries/chargers supplied may vary from the models shown in the catalogue due to availability.

BIODEGRADABLE TRIMMER LINE





WALL BRACKET
For GTD 1830, GTD 1833
EAN no. 400 371 806 7316
Art. no. 114 184



REPLACEMENT LINE SPOOL
For GTD 1830 biodegradable line, Ø 1.6 mm, set of 2
EAN no. 400 371 806 6999
Art. no. 114 178



REPLACEMENT LINE SPOOL
For GTD 1833 biodegradable line, Ø 2.0 mm, set of 2
EAN no. 400 371 806 7002
Art. no. 114 179



REPLACEMENT LINE SPOOL
For GTD 1830, with nylon line Ø 1.6 mm, set of 2
EAN no. 400 371 806 7361
Art. no. 114 191



REPLACEMENT LINE SPOOL
For GTD 1833, with nylon line Ø 2.0 mm, set of 2
EAN no. 400 371 806 7378
Art. no. 114 192



REPLACEMENT LINE SPOOL
For GT 4030
Ø 1.5 mm, set of 2
EAN no. 400 371 805 5627
Art. no.113 349



BBA 40 BATTERY BELT
For GT 4030, AL-KO 36 V
belt with adapter, further information can be found on **page 22**
EAN no. 400 371 806 0706
Art. no.113 786

- ✓ THE WORLD'S FIRST 100% BIODEGRADABLE TRIMMER LINE
- ✓ TÜV ISO 17556 CERTIFIED
- ✓ COMPLETE BIODEGRADABILITY UNDER NATURAL CONDITIONS WITHIN 24 MONTHS
- ✓ DELIVERS THE CUTTING POWER OUR CUSTOMERS EXPECT
- ✓ LEAVES NATURE PRISTINE – PROTECTS ANIMALS AND THE ENVIRONMENT FROM MICROPLASTICS

AL-KO 18 V / 36 V 1 BATTERY 2 VOLTAGES

All **AL-KO 18 V / 36 V (1 BATTERY / 2 VOLTAGES)** garden tools can be used with the batteries and chargers listed on **page 11**. Other garden tools and information on this battery range can be found on **pages 10–21**.

AL-KO 36 V

All **AL-KO 36 V** garden tools can be used with the batteries and chargers listed on **page 22**. Other garden tools and information on this battery range can be found on **pages 22–29**.

ELECTRIC TRIMMERS







	GTE 350.6	GTE 450.6	BC 1000 E
	EASY	COMFORT	PREMIUM
Cutting width	25 cm	25 cm	35 cm
Power	350 W	450 W	1000 W
Line type	Nylon double line, Ø 1.5 mm	Nylon double line, Ø 1.5 mm	Nylon double line, Ø 2.0 mm
Line feed	Automatic	Automatic	Bump feed mechanism
Shaft tube	Steel	Telescopic, aluminium	Aluminium, detachable
Angle-adjustable handle	✓	✓	✓
Height-adjustable handle	-	-	-
Pivoting cutting head	✓	✓	-
Plant guard	✓	✓	-
Carry strap	-		✓
Wall bracket	✓ Optional accessories (art. no. 114 184)	✓ Optional accessories (art. no. 114 184)	✓ Optional accessories (art. no. 114 184)
Approx. weight	2.3 kg	2.35 kg	3.9 kg
EAN no.	400 371 806 7552	400 371 806 7569	400 371 804 4881
Art. no.	**114 199**	**114 200**	**112 923**



REPLACEMENT LINE SPOOL
For GTE 350.6, GTE 450.6,
with nylon line, Ø 1.5 mm
EAN no. 400 371 806 7576
Art. no. 114 201



WALL BRACKET
For GTE 350.6, GTE 450.6
EAN no. 400 371 806 7316
Art. no. 114 184

ELECTRIC BRUSHCUTTERS





	BC 1200 E
	PREMIUM
	35 cm line / 23 cm blade
	1,200 W
	Nylon double line, Ø 2.5 mm
	Bump feed mechanism
	Aluminium, detachable
	-
	✓
	-
	-
	✓
	✓ Optional accessories (art. no. 114 184)
	4.1 kg
	400 371 804 4898
	112 924



REPLACEMENT LINE HEAD
For BC 1200 E, Ø 2.5 mm
EAN no. 400 371 806 3516
Art. no. 114 012



REPLACEMENT LINE SPOOL
For BC 1000 E, Ø 2 mm
EAN no. 400 371 804 5901
Art. no. 112 973



REPLACEMENT BLADE
For BC 1200 E
EAN no. 400 371 804 5918
Art. no. 112 974

PETROL BRUSH-CUTTERS









	BC 223 L-S	BC 223 B	BC 330 L	BC 330 B	BC 400 L	BC 400 B	BC 500 B
	EASY	EASY	EASY	EASY	COMFORT	COMFORT	PREMIUM
Cutting width	41 cm nylon line	41 cm line / 25 cm blade	41 cm line / 25 cm blade	41 cm line / 25 cm blade	41 cm line / 25 cm blade	41 cm line / 25 cm blade	41 cm line / 25 cm blade
Engine	2-stroke	2-stroke	2-stroke	2-stroke	2-stroke	2-stroke	2-stroke
Power	22.5 ccm / 0.7 kW / 1 HP	22.5 ccm / 0.7 kW / 1 HP	32.6 ccm / 0.9 kW / 1.2 HP	32.6 ccm / 0.9 kW / 1.2 HP	39.8 ccm / 1.25 kW / 1.7 HP	39.8 ccm / 1.25 kW / 1.7 HP	50.8 ccm / 1,9 kW / 2.6 HP, air supply
Line type	Nylon double line, Ø 2.0 mm	Nylon double line, Ø 2.4 mm	Nylon double line, Ø 2.4 mm	Nylon double line, Ø 2.4 mm	Nylon double line, Ø 2.4 mm	Nylon double line, Ø 2.4 mm	Nylon double line, Ø 2.4 mm
Line feed	Bump feed mechanism	Bump feed mechanism	Bump feed mechanism	Bump feed mechanism	Bump feed mechanism	Bump feed mechanism	Bump feed mechanism
FAST & EASY Fast line winder	-	-	✓	✓	✓	✓	✓
Shaft tube	Aluminium, detachable	Aluminium	Aluminium	Aluminium	Aluminium	Aluminium	Aluminium
Extra handle	Loop handle	Bike handle	Loop handle	Bike handle	Loop handle	Bike handle	Bike handle
Height-adjustable handle	✓	✓	✓	✓	✓	✓	✓
Carry strap	-	✓	✓	✓ (Double carry strap)	✓	✓ (Double carry strap)	✓ (Double carry strap)
Approx. weight	5 kg	5.9 kg	6.8 kg	7.3 kg	7.2 kg	7.6 kg	7.7 kg
EAN no.	400 371 805 9526	400 371 805 9533	400 371 806 0652	400 371 806 0669	400 371 806 0676	400 371 806 0683	400 371 806 0690
Art. no.	**113 691**	**113 692**	**113 757**	**113 758**	**113 759**	**113 784**	**113 785**



REPLACEMENT LINE HEAD
For BC 223 L-S, Ø 2.0 mm
EAN no. 400 371 804 3860
Art. no. 112 880



REPLACEMENT LINE HEAD
For BC 223 B, BC 330 L, BC 330 B, BC 400 L, BC 400 B and BC 500 B, Ø 2.4 mm
EAN no. 400 371 803 5254
Art. no. 112 406



TWO-STROKE OIL
1 l, low-smoke, semi synthetic and self-mixing, universal two-stroke oil with Fuel Fresh fuel stabiliser for all petrol brushcutters
EAN no. 400 371 804 4034
Art. no.112 896



TWO-STROKE OIL
Low-smoke, semi-synthetic and self-mixing universal two-stroke oil, fuel stabiliser "Fuel Fresh", with dosing unit, separate measuring cup not required, 1l
EAN no. 400 371 806 5633
Art. no. 114 078



REPLACEMENT BLADE
For BC 223 B, BC 330 L, BC 330 B, BC 400 L, BC 400 B and BC 500 B
EAN no. 400 371 803 5247
Art. no.112 405



FAST & EASY BRUSHCUTTER LINE HEAD
For BC 330 L, BC 330 B, BC 400 L, BC 400 B and BC 500 B
simple threading and winding of the cutting line without opening the brushcutter head, line Ø 2.4 mm
EAN no. 400 371 806 1000
Art. no.113 806



REPLACEMENT LINES FOR TRIMMERS & BRUSHCUTTERS



ROUND LINE

Ideal for clearing the garden, including grass and. weeds.



SQUARE LINE

Higher cutting performance thanks to the sharp edges. For clearing the garden and more stubborn weeds.



SAWTOOTH MOWING LINE

Sharp and sturdy for a sawing action on woody brambles and thicker weeds.

LINE SHAPES	DIAMETER	LENGTH	ART. NO.	EAN NO.
Round line 	1.3 mm	15 m	113 481	400 371 805 6693
	1.6 mm	15 m	113 483	400 371 805 6716
	2.0 mm	15 m	113 485	400 371 805 6730
	2.4 mm	15 m	113 487	400 371 805 6754
	2.4 mm	44 m	113 488	400 371 805 6761
	2.7 mm	15 m	113 490	400 371 805 6785
	3.0 mm	56 m	113 492	400 371 805 6808
	3.3 mm	15 m	113 494	400 371 805 6822
Square line 	2.4 mm	15 m	113 496	400 371 805 6846
	2.4 mm	69 m	113 497	400 371 805 6853
	2.7 mm	15 m	113 498	400 371 805 6860
	3.0 mm	15 m	113 500	400 371 805 6884
	3.3 mm	15 m	113 502	400 371 805 6907
	4.0 mm	25 m	113 504	400 371 805 6921
Sawtooth line 	3.0 mm	37 m	113 505	400 371 805 6938
	3.5 mm	27 m	113 506	400 371 805 6945

ORGANIC LINE SHAPES	Ø	LENGTH	ART. NO.	EAN NO.
Round line 	1.6 mm	15 m	114 182	400 371 806 7293
	2.0 mm	15 m	114 183	400 371 806 7309

MULTI-CUTTER



THE SMALL MULTI-TALENTED MULTI-CUTTER FOR QUICK TRIMMING

Thanks to the quick blade change system, the blades can be changed within just a few seconds – without tools and without having to get your hands dirty. Can be used for trimming grass and shrubs. They are light and easy to manoeuvre, with a long service life and low self-discharge.





EXTENSION HANDLE
For Multicutter GS 7.2 Li, the extension handle allows even longer sections to be trimmed comfortably and without bending over.
EAN no. 400 371 805 6655
Art. no. 113 477

Multicutter GS 7.2 Li

COMFORT

Power	Li-ion 7.2 V 2.0 Ah (built-in battery)
Shrub blade length	16 cm
Shrub cutting area coverage	32 m²
Grass shears cutting width	8 cm
Grass shears cutting performance	450 m
Approx. weight	550 g
EAN no.	400 371 805 6136
Art. no.	**113 371**

MULTI-TOOLS



ONE TOOL, MANY POSSIBILITIES

No matter whether at ground level or high overhead: with its metal blade, line spool, pruner, hedge trimmer and long reach hedge trimmer attachments, the multi-tool is amply equipped for all applications in and around the garden. The powerful basic tool is available as either petrol or battery-powered.



	MT 40 basic tool
	COMFORT
Battery range	AL-KO 36 V
Power	Li-ion 36 V* 2.5 Ah / 4.0 Ah / 5.0 Ah / 8.0 Ah
Material	Aluminium / plastic
Included in delivery	Attachments must be purchased separately
Approx. weight	1 kg (basic unit)
WITHOUT BATTERY OR CHARGER – **EAN no.**	400 371 805 8468
Art. no.	**113 611**

AL-KO 36 V

All **AL-KO 36 V** garden tools can be used with the batteries and chargers listed on **page 22**. Other garden tools and information on this battery range can be found on **pages 22–29**.

*The AL-KO 36 B 800 Li V (8,0 Ah), B 200.5 Li Bluetooth® (5.0 Ah) and B 160 Li (4.0 Ah) batteries are only compatible with this device in conjunction with the BBA 40 battery belt.

AL-KO 36 V BATTERY MULTI-TOOL



	Pruner attachment CSA 4020	Long reach hedge trimmer attachment HTA 4045
Blade length	20 cm	45 cm
Tooth gap	10 cm	2 cm
Working height	up to 4 m	up to 3.5 m
Speed	4.2 m/s	1,300 rpm
Cutting method	Chain	Counter-rotating safety blade
Included in delivery	70 cm shaft extension, carry strap	70 cm shaft extension, carry strap
Approx. weight	2.2 kg	2.3 kg
EAN no.	400 371 805 8475	400 371 805 8482
Art. no.	**113 612**	**113 613**



	Trimmer attachment GTA 4030	Brushcutter and trimmer attachment BCA 4030
Cutting width	30 cm	30 cm line / 23 cm blade
Line type	Nylon line, Ø 1.6 mm	Nylon line, Ø 1.6 mm
Adjustable auxiliary handle	✓	✓
Swivelling plant guard	✓	✓
Included in delivery	Extra handle, line head with bump feed mechanism	Extra handle, blade, line head with bump feed mechanism
Approx. weight	1.8 kg	1.8 kg
EAN no.	400 371 805 8499	400 371 805 8505
Art. no.	**113 614**	**113 615**

CSA 4020



HTA 4045



GTA 4030



BCA 4030



PETROL MULTI-TOOL



BC 260 MT 5IN1

COMFORT

Engine	2-stroke
Power	26 ccm / 0.75 kW / 1.02 HP
Cutting width	41 cm line / 25 cm blade
Line type	Nylon double line 5 m, Ø 2.4 mm
Line feed	Bump feed mechanism
FAST & EASY Fast line winder	✔
Basic tool length	102 cm (without brushcutter attachment)
Blade length / bar length	39 cm hedge trimmer / 25 cm pruner
Handlebar	Aluminium, detachable
Extra handle	✔ (adjustable)
Included in delivery	Carry strap, metal blade, line spool, pruner, hedge trimmer attachment, 80 cm extension shaft
Approx. weight	4.1 kg (basic tool)
EAN no.	400 371 806 0720
Art. no.	**113 787**



HEDGE TRIMMER 136 CM LONG
For easily trimming tall hedges



PRUNER 110 CM LONG
For trimming branches and twigs high up in trees



DETACH IN A JIFFY
The multi-tool can be easily disassembled for compact storage and easy portability

UP AND AWAY
The working radius of the multi-tool can be very easily extended by 80 cm with the extension shaft



BRUSHCUTTER ATTACHMENT WITH BLADE
For cutting long grass and undergrowth

FAST & EASY LINE HEAD
Simple threading and winding of the cutting line without opening the brushcutter head.

BATTERY MULTI-TOOL ACCESSORIES

AL-KO 36 V

All **AL-KO 36 V** garden tools can be used with the batteries and chargers listed on **page 22**. Other garden tools and information on this battery range can be found on **pages 22–29**.



REPLACEMENT LINE SPOOL
For MT 40 (GTA 4030),
Ø 1.6 mm, set of 2
EAN no. 400 371 805 5627
Art. no.113 349



REPLACEMENT LINE SPOOL
For MT 40 (BCA 4030),
Ø 1.6 mm, set of 2
EAN no. 400 371 805 6631
Art. no. 113 478



REPLACEMENT CHAIN
For MT 40 (CSA 4020),
91P033X
EAN no. 400 371 805 7508
Art. no. 113 526



REPLACEMENT BAR
For MT 40 (CSA 4020),
blade length 20 cm
EAN no. 400 371 805 7515
Art. no. 113 534



REPLACEMENT BLADE
For MT 40 (BCA 4030)
EAN no. 400 371 805 6648
Art. no. 113 479



BBA 40 BATTERY BELT
For MT 40, AL-KO 36 V belt with adapter, further information can be found on **page 22**
EAN no. 400 371 806 0706
Art. no.113 786

PETROL MULTI-TOOL ACCESSORIES



FAST & EASY REPLACEMENT LINE HEAD
For BC 260 MT 5IN1, Ø 2.4 mm
EAN no. 400 371 806 1000
Art. no.113 806



REPLACEMENT BLADE
For BC 260 MT 5IN1
EAN no. 400 371 803 5247
Art. no.112 405



REPLACEMENT CHAIN
For BC 260 MT 5IN1 (pruner)
3/8" 90PX040X
EAN no. 400 371 804 5925
Art. no. 112 972



REPLACEMENT BAR
For BC 260 MT 5IN1 (pruner)
blade length 20 cm
EAN no. 400 371 806 0249
Art. no. 127 550



ORGANIC CHAIN OIL
Pure vegetable-based saw chain oil, 1 l
EAN no. 400 371 805 6662
Art. no. 113 480

Pure vegetable-based chain saw oil, 5 l
EAN no. 400 371 805 7317
Art. no. 113 530

Other chain oils for the multi-tool can be found on **pages 120 / 121**.

LEAF BLOWERS & LEAF VACUUMS



CLEAR LEAVES IN A SINGLE STEP

Our leaf blowers and leaf vacuums offer two different functions if you want to clear leaves: leaf blowing and leaf collection with shredding function. The motors in our leaf blowers and leaf vacuums give exceptional power. In next to no time, you'll have cleared the leaves and other plant remains from your drive, walkway and lawn.

Then, all you need to do is dispose of the leaves and plants on your compost heap or in the garden bin. The large collection bag on the blower vacuum is fitted with a zip to make light work of emptying it. You won't want to be without leaf blowers and leaf vacuums from AL-KO, especially in the autumn months and for larger gardens.





HANDY BROOM REPLACEMENT

The handy leaf blower is both versatile and flexible, ensuring a tidy yard and garden. A rotary wheel allows for easy control fo the air flow, which can reach speeds of up to 250 km/h. The two attachments supplied also offer the option of choosing between focused and wide area operation. The attachments can also be easily removed for easy storage.

Available for the following **COMFORT** model: LB 4060

POWER FOR EVERY GARDEN

Our battery leaf blowers make gardening a real pleasure with minimal exertion and without any power cord. The very lightweight, manoeuvrable machines mean you can work in a flexible manner without any need for irritating cables, fuel, and with zero emissions.

Available for all **COMFORT** and **PREMIUM** models.





UNRIVALLED PERFORMANCE THANKS TO THE AXIAL LEAF BLOWER

The axial leaf blower's fan is positioned at the rear of the unit. This turns at high speed and in doing so draws air into the leaf blower from the rear and discharges it at the front. This technology enables the axial leaf blower to provide unrivalled performance.

Available for the following **COMFORT** model: LBD 1880

BATTERY LEAF BLOWERS



	LBD 1880	LB 4060
	COMFORT	COMFORT
Battery range	AL-KO 18 V / 36 V 1 BATTERY 2 VOLTAGES	AL-KO 36 V
Power	Li-ion 18 V / 36 V 2.0 Ah / 2.5 Ah / 4.0 Ah / 5.0 Ah / 8.0 Ah	Li-ion 36 V 2.5 Ah / 4.0 Ah / 5.0 Ah / 8.0 Ah
Air speed	130 km/h	115–250 km/h
Flow rate	520 m³/h	330 m³/h
Pipe attachments (incl.)	2	2
Control	ECO mode, Power mode	Variable blower speed
Speed determination	✓	✓
Wall bracket	✓	-
Included in delivery	Wall bracket	-
Approx. weight	2.6 kg	2.2 kg
WITHOUT BATTERY OR CHARGER – **EAN no.**	400 371 806 6579	400 371 805 8451
WITHOUT BATTERY OR CHARGER – **Art. no.**	**114 141**	**113 610**
SET INCL. BATTERY AND CHARGER – **Included in delivery***	1x B50.6 Li (2.5 Ah) 1x C40.6 Li (1 A)	1x battery 36 V (4.0 Ah) 1x charger (3A)
SET INCL. BATTERY AND CHARGER – **EAN no.**	400 371 806 6586	400 371 806 6173
SET INCL. BATTERY AND CHARGER – **Art. no.**	**114 142**	**114 113**

AL-KO 18 V / 36 V 1 BATTERY 2 VOLTAGES

All **AL-KO 18 V / 36 V (1 BATTERY / 2 VOLTAGES)** garden tools can be used with the batteries and chargers listed on **page 11**. Other garden tools and information on this battery range can be found on **pages 10–21**.

AL-KO 36 V

All **AL-KO 36 V** garden tools can be used with the batteries and chargers listed on **page 22**. Other garden tools and information on this battery range can be found on **pages 22–29**.

*Due to availability, batteries/chargers included may vary from the models shown in the catalogue.

BATTERY LEAF BLOWERS & BLOWER VACUUMS



	LBV 4090
	PREMIUM
Battery range	AL-KO 36 V
Power	Li-ion 36 V 2.5 Ah / 4.0 Ah / 5.0 Ah / 8.0 Ah
Air speed	150–250 km/h
Flow rate	350 m³/h
Pipe attachments (incl.)	1
Control	Variable blower speed, vacuuming, blowing
Speed determination	✓
Wall bracket	-
Included in delivery	Fabric collection bag (45 l)
Approx. weight	4.5 kg
WITHOUT BATTERY OR CHARGER – **EAN no.**	400 371 805 9090
WITHOUT BATTERY OR CHARGER – **Art. no.**	**113 662**
SET INCL. BATTERY AND CHARGER – **Included in delivery***	1x battery 36 V (4.0 Ah) 1x charger (3A)
SET INCL. BATTERY AND CHARGER – **EAN no.**	400 371 806 6180
SET INCL. BATTERY AND CHARGER – **Art. no.**	**114 114**



BBA 40 BATTERY BELT
For LB 4060, LBV 4090,
AL-KO 36 V belt with adapter,
further information can be found on
page 22
EAN no. 400 371 806 0706
Art. no. 113 786



HEDGE TRIMMERS



ERGONOMICS A CUT ABOVE THE REST - FOR PRECISE HEDGE TRIMMING

The hedge trimmers from AL-KO make it even easier to trim your hedge. They offer easy-cutting and functional ergonomics, so that you can conserve your energy and keep stress at bay when working with the hedge trimmer. With the diamond polished blade, hedge trimming is a real breeze – regardless of whether it's a routine trim or all part of putting your own stamp on your garden. You can count on swift trimming a cut above the rest with the high-quality 55 cm safety blade, which provides an optimum level of protection for people and the unit itself. The ergonomic handle means it is easy to handle, ensuring safe, comfortable work in any position.

The HTD 1855 hedge trimmer is powered by an AL-KO 18 V / 36 V (1 BATTERY / 2 VOLTAGES) battery. This battery system enables different appliances from AL-KO and other manufacturers to be used with a single battery.





PERFECT CUT AND PROTECTION

Durably sharp, diamond-ground blades ensure a clean cut. The safety guard protects the blade when cutting along ground and walls. The cover also serves as a wall mount.

Available for all **COMFORT** models.

RELAXED WORKING STYLE

Thanks to the optionally available AL-KO BBA 40 battery belt, the battery no longer needs to be carried along with the machine while you tend to your garden. It is possible to remove the battery from the AL-KO 36 V device and conveniently carry this on the BBA 40 belt while gardening. Just a lightweight 195 g battery adapter is inserted in the device.
This makes work considerably easier (weight reduction of up to 30%) while using all AL-KO 36 V devices. Taking care of your garden becomes easier and less of a strenuous task. Thanks to the significantly reduced weight of the garden tool, your arms will breathe a sigh of relief.

Available for the following **COMFORT** model: HT 4055





HIGH LEVEL TRANSMISSION

The high-quality spur gear is ball-bearing mounted and therefore particularly stable and robust, thus guaranteeing that the hedge trimmer has a long service life. In addition, its perfectly distributed weight ensures the hedge trimmer always fits comfortably in the hand.

Available for the following **COMFORT** model: HTD 1855

BATTERY HEDGE TRIMMERS





		HTD 1855	HT 4055
		COMFORT	COMFORT
Blade length		55 cm	55 cm
Max. tooth gap		20 mm	20 mm
Battery range		AL-KO 18 V / 36 V 1 BATTERY 2 VOLTAGES	AL-KO 36 V
Power		Li-ion 18 V / 36 V 2.0 Ah / 2.5 Ah / 4.0 Ah / 5.0 Ah / 8.0 Ah	Li-ion 36 V 2.5 Ah / 4.0 Ah / 5.0 Ah / 8.0 Ah
Stroke rate		2600 per min.	2800 per min.
Blade type		Diamond-ground	Diamond-ground
Cutting mechanism		Counter-rotating safety blade	Counter-rotating safety blade
Wall bracket		✓	-
Included in delivery		Wall bracket, blade guard	Blade guard
Approx. weight		2.7 kg	2.5 kg
WITHOUT BATTERY OR CHARGER	EAN no.	400 371 806 6531	400 371 805 8444
	Art. no.	**114 137**	**113 609**
SET INCL. BATTERY AND CHARGER	Included in delivery*	1x B40.6 Li (2.0 Ah) 1x C40.6 Li (1 A)	1x battery 36 V (4.0 Ah) 1x charger (3A)
	EAN no.	400 371 806 6548	400 371 806 1192
	Art. no.	**114 138**	**113 823**

AL-KO 18 V / 36 V 1 BATTERY 2 VOLTAGES

All **AL-KO 18 V / 36 V (1 BATTERY / 2 VOLTAGES)** garden tools can be used with the batteries and chargers listed on **page 11**. Other garden tools and information on this battery range can be found on **pages 10–21**.

AL-KO 36 V

All **AL-KO 36 V** garden tools can be used with the batteries and chargers listed on **page 22**. Other garden tools and information on this battery range can be found on **pages 22–29**.

*Batteries/chargers supplied may vary from the models shown in the catalogue due to availability.







BBA 40 BATTERY BELT
For HT 4055, AL-KO 36 V belt with adapter, further information can be found on **page 22**
EAN no. 400 371 806 0706
Art. no. 113 786

CULTIVATORS



POWERFUL TOOLS FOR LOOSENING SOIL

Our easy-to-manoeuvre cultivators help you to loosen the soil, making it ready for plants and seeds to be sown – with little effort, in a way that is gentle on your back. They support you when it comes to efficiently working shredded material, organic fertiliser or topsoil into the soil, which support the nutrient richness of your soil.

The powerful engines with high power reserves effectively loosen the soil and that's even on loamy soils. The ergonomic handlebars combined with a balanced weight distribution make it simple and fast to guide the cultivator.





HIGH SAFETY

Unintentional turning of the cutting blades is prevented by a locked safety hand lever.

ERGONOMIC GARDENING

The shaped handlebar can be individually adjusted to suit the height of the operator, ensuring relaxed, fatigue-free working. The ability to swivel the handlebar sideways (MH 770 and MH 1150) also permits working without treading on the soil that has already been cultivated.





QUALITY SOIL

Specially shaped tiller blades combined with powerful engines guarantee that you can effectively work the ground into quality soil.









	MH 360	MH 540
	EASY	COMFORT
Working width	36 cm	54 cm
For areas up to	150 m²	300 m²
Power	139 ccm / 2.2 kW / 3,100 rpm	196 ccm / 3.45 kW / 3,100 rpm
Transmission	Worm gear	Chain gear
Cultivator blades	2 + 2 (4 blades per blade unit)	2 + 2 (4 blades per blade unit)
Tine Ø	25 cm	33 cm
Forward gear	✓	✓
Reverse gear	-	✓
Plant guard	-	-
Adjustable handlebar	-	-
Transport wheel	✓ (front)	✓ (front)
Included in delivery	-	-
Approx. weight	34 kg	51 kg
EAN no.	400 371 806 3202	400 371 806 3219
Art. no.	113 969	113 970



	MH 770	MH 1150
	COMFORT	PREMIUM
	77 cm	115 cm
	670 m²	670 m²
	196 ccm / 3.45 kW / 3,100 rpm	212 ccm / 3.6 kW / 3,100 rpm
	Chain gear	Chain gear
	3 + 3 (4 blades per blade unit)	4 + 4 (4 blades per blade unit)
	33 cm	36 cm
	✓ (2 speeds)	✓ (2 speeds)
	✓	✓
	✓	✓
	Vertical and horizontal	Vertical and horizontal
	✓ (front)	✓ (wheel set)
	Lateral discs	Lateral discs and wheel set
	63 kg	98 kg
	400 371 806 3226	400 371 806 3233
	113 971	113 972

RIDGE PLOUGH 770
For MH 770
EAN no. 400 371 806 3240
Art. no. 113 973



RIDGE PLOUGH 1150
For MH 1150
EAN no. 400 371 806 3257
Art. no. 113 974



BED PLOUGH
For MH 770, MH 1150
EAN no. 400 371 806 3264
Art. no. 113 975



POTATO PLOUGH
For MH 770, MH 1150
EAN no. 400 371 806 3271
Art. no. 113 976



SET OF STEEL WHEELS MH 770
For MH 770, for better traction
when used with ploughs
EAN no. 400 371 806 3288
Art. no. 113 977

SET OF STEEL WHEELS MH 1150
For MH 1150, for better traction
when used with ploughs
EAN no. 400 371 806 3295
Art. no. 113 978



LAWN ROLLER

THE HANDY HELPER

The lawn roller assists you when it comes to re-laying or reseeding your lawn. Firm up the ground and press in the seeds after sowing. This gives the seeds the best chance of success and protects them against rain, wind and hungry animals. The lawn roller is easy to manoeuvre and sturdy, being made of steel plate.

engineered in GERMANY

made in AUSTRIA



	GW 50
	PREMIUM
Working width	50 cm
Material	Steel plate
Weight filled with water	62 kg
Weight filled with sand	108 kg
Empty weight approx.	13 kg
EAN no.	400 371 834 7654
Art. no.	**119 104**



COMPOSTERS

COMPOSTING IN YOUR OWN GARDEN

With very little work involved, a composter breaks down leaves, shredded material, garden waste and some food waste into a valuable natural fertiliser supply. Organic material is stacked in the composter in various layers and is converted by worms, bacteria and insects into soil. The resulting heat is discharged through the ventilation openings. There is nothing standing in your way of composting with our composters.





	K390	Jumbo 800
	COMFORT	PREMIUM
Volume	390 l	800 l
Material	Recycled plastic	Recycled plastic
Length x width x height	66 x 66 x 110 cm	125 x 110 x 100 cm
Approx. weight	13.2 kg	16 kg
EAN no.	400 371 802 8706	400 371 802 6481
Art. no.	**112 093**	**110 863**

SHREDDERS



SHRED GARDEN WASTE QUICKLY AND EASILY

Your garden wants to stay in shape too. This is exactly why hedges, bushes and trees need to be trimmed on a regular basis. But what to do with all the cuttings? Our shredders are ideally suited for shredding branches, sticks and leaves, thanks to their unique cutter and drum technology. AL-KO shredders impress with a large hopper, innovative blade or drum system and sturdy undercarriage.

Safety is, however, paramount to us: as soon as the AL-KO Easy Crush collector has been removed, the machine automatically switches off. A robust shredder from AL-KO is able to polish off the work in no time at all, giving you all the more time to spend enjoying your garden.



ROLL WITH IT

The roller infeed in the extra-large funnel makes it possible for the material being shredded to be fed in effortlessly and conveniently.

Available with all **EASY** and **COMFORT** models.



	MH 2500 SLICE	MH 2810 EASY CRUSH	LH 2810 EASY CRUSH
	EASY	**COMFORT**	**COMFORT**
Branch DIAMETER	40 mm	40 mm	42 mm
Power	2,500 W (P40) / 230 V	2800 W / 230 V	2800 W / 230 V
Cutting system	Blade system	Blade system	Roller system
Collector volume	50 l (collection bag)	48 l (collector box)	48 l (collector box)
Fuse	13 Amp	16 Amp	16 Amp
Approx. weight	13.5 kg	25 kg	29 kg
EAN no.	400 371 806 1901	400 371 806 1918	400 371 806 1925
Art. no.	**113 871**	**113 872**	**113 873**



REPLACEMENT BLADE
For MH 2500 SLICE, set of 2
EAN no. 400 371 806 2557
Art. no. 113 937



REPLACEMENT BLADE
For MH 2810 EASY CRUSH, set of 2
EAN no. 400 371 804 7394
Art. no. 113 079

CHAINSAWS



PETROL, BATTERY OR ELECTRIC CHAINSAWS: FOR GARDENERS AND PROFESSIONAL USERS

Our AL-KO chainsaws combine a high cutting performance and running capacity. The high-quality Oregon cutter bars ensure powerful cutting performance with their durable chains. Indeed, you can reliably saw through thick trunks, branches etc.

Thanks to low-vibration, well balanced drives and the intelligent ergonomic handle, effortless handling is guaranteed in any position - a real plus when it comes to continuous use.





RELAXED WORKING STYLE

The comfortable AL-KO BBA 40 harness system perfectly supports you when working with our AL-KO CS 4030 36 V battery chainsaw. Thanks to the battery belt, operating the saw becomes much easier and more comfortable, as the weight of the battery is no longer borne by one's hands, but rather is distributed across one's body.

Available for the following **COMFORT** model: CS 4030

PERFECT HANDLING

AL-KO chainsaws sit well in the hand thanks to their balanced weight. The integrated vibration damping (on the petrol models) guarantees comfortable working.

Available for all **EASY**, **COMFORT** and **PREMIUM** models.





EASY TO USE AND MAINTAIN

Automatic chain lubrication and the viewing window on the oil tank make it easier to maintain the electric and battery chainsaws. The air filters of the petrol chainsaws can also be removed and cleaned with incredible ease.

Available for all **EASY**, **COMFORT** and **PREMIUM** models.

BATTERY CHAINSAWS



	CSD 1825	CS 4030
	COMFORT	COMFORT
Bar length	25 cm	30 cm
Battery range	AL-KO 18 V / 36 V 1 BATTERY 2 VOLTAGES	AL-KO 36 V
Power	Li-ion 18 V / 36 V 2.0 Ah / 2.5 Ah / 4.0 Ah / 5.0 Ah / 8.0 Ah	Li-ion 36 V* 2.5 Ah / 4.0 Ah / 5.0 Ah / 8.0 Ah
Tank oil volume	100 ml	180 ml
Saw chain	3/8" / 90PX040X	3/8" / 91P045E
Chain speed	3.8 m/s	16.5 m/s
Chain tension	Without tools	Without tools
Chain lubrication	Automatic	Automatic
Chain brake	✓	✓
Rail protection	✓	✓
Approx. weight	3 kg	4.45 kg
WITHOUT BATTERY OR CHARGER – **EAN no.**	400 371 806 6517	400 371 805 8512
WITHOUT BATTERY OR CHARGER – **Art. no.**	**114 135**	**113 616**
SET INCL. BATTERY AND CHARGER – **Included in delivery****	1x B50.6 Li (2.5 Ah) 1x C40.6 Li (1 A)	1x battery 36 V (5.0 Ah) 1x charger (3A)
EAN no.	400 371 806 6524	400 371 806 1727
Art. no.	**114 136**	**113 860**



BBA40 BATTERY BELT
For CS 4030, AL-KO 36 V belt with adapter, further information can be found on **page 22**
EAN no. 400 371 806 0706
Art. no. 113 786



REPLACEMENT CHAIN
For CS 1825
EAN no. 400 371 806 0232
Art. no. 127 549

For CS 4030
EAN no. 400 371 805 2329
Art. no.127 200



REPLACEMENT RAIL
For CS 1825
EAN no. 400 371 806 7859
Art. no. 114 211

For CS 4030, including protection
EAN no. 400 371 806 0294
Art. no. 127 555

AL-KO 18 V / 36 V 1 BATTERY 2 VOLTAGES
All **AL-KO 18 V / 36 V (1 BATTERY / 2 VOLTAGES)** garden tools can be used with the batteries and chargers listed on **page 11**. Other garden tools and information on this battery range can be found on **pages 10–21**.

AL-KO 36 V
All **AL-KO 36 V** garden tools can be used with the batteries and chargers listed on **page 22**. Other garden tools and information on this battery range can be found on **pages 22–29**.

*The AL-KO 36 B 800 Li V (8,0 Ah), B 200.5 Li Bluetooth® (5.0 Ah) and B 160 Li (4.0 Ah) batteries are only compatible with this device in conjunction with the BBA 40 battery belt.
**Batteries/chargers supplied may vary from the models shown in the catalogue due to availability.

ELECTRIC CHAINSAWS



	EKS 2000/35	EKS 2400/40	EKI 2200/40
	EASY	COMFORT	PREMIUM
Bar length	35 cm	40 cm	40 cm
Power	2,000 W / 230 V / 50 Hz	2400 W / 230 V / 50 Hz	2200 W / 230 V / 50 Hz
Engine layout	Crossline	Crossline	Inline
Tank oil volume	150 ml	150 ml	200 ml
Saw chain	3/8" / 91PJ052X	3/8" / 91PJ056X	3/8" / 91PJ056X
Chain speed	13.5 m/s	13.5 m/s	13.5 m/s
Chain tension	With tools	Without tools	Without tools
Chain lubrication	Automatic	Automatic	Automatic
Chain brake	✓	✓	✓
Approx. weight	4.8 kg	5 kg	5.4 kg
EAN no.	400 371 804 2436	400 371 804 2443	400 371 804 2450
Art. no.	**112 807**	**112 808**	**112 809**





REPLACEMENT CHAIN
For EKS 2000/35
Art. no. 440 476

For EKS 2400/40, EKI 2200/40
Art. no. 440 477



REPLACEMENT RAIL
For EKS 2000/35
Art no. 413 710

For EKS 2400/40, EKI 2200/40
Art. no. 413 633

PETROL CHAINSAWS



	BKS 3835	BKS 4040	BKS 4540
	EASY	COMFORT	PREMIUM
Bar length	35 cm	40 cm	40 cm
Power	37.2 ccm / 1.2 kW / 1.65 HP	40.1 ccm / 1.5 kW / 2 HP	45 ccm / 1.7 kW / 2.3 HP
Tank volume fuel / oil	390 ml / 210 ml	390 ml / 210 ml	550 ml / 260 ml
Saw chain	3/8" spec. / 91P053X	3/8" spec. / 91P057X	0.325" / 21PBX066X
Chain speed	21 m/s	21 m/s	21.2 m/s
Chain tension	With tool (incl.)	With tool (incl.)	With tool (incl.)
Chain lubrication	Automatic, adjustable	Automatic, adjustable	Automatic, adjustable
Chain brake	✔ (0.12 sec.)	✔ (0.12 sec.)	✔ (0.12 sec.)
Approx. weight	5.25 kg	5.3 kg	6.13 kg
EAN no.	400 371 804 9190	400 371 804 9206	400 371 804 9213
Art. no.	**113 185**	**113 186**	**113 187**



REPLACEMENT CHAIN
For BKS 3835
EAN no. 400 371 805 9809
Art. no. 127 545

For BKS 4040
EAN no. 400 371 805 9816
Art. no. 127 546

For CS 4540
EAN no. 400 371 806 3394
Art. no. 113 986



REPLACEMENT RAIL
For BKS 3835
Art. no. 414 516

For BKS 4040
Art. no. 414 519

For BKS 4540
Art. no. 414 349



CHAIN OIL
Mineral, 1 l
EAN no. 400 371 804 4843
Art. no. 112 918



LOW-SMOKE,
semi synthetic and self-mixing, universal two-stroke oil with Fuel Fresh fuel stabiliser for a longer storage time,1l
EAN no. 400 371 804 4034
Art. no. 112 896

PETROL CHAINSAWS TOPHANDLE



TOPHANDLE – FOR THE PROS ONLY!
AL-KO Tophandle chainsaws were specially designed for working in trees and are intended for use only by trained tree care specialists.

	BKS 2625 T	BKS 2625 TSB
	COMFORT	PREMIUM
	25 cm	25 cm
	25.4 ccm / 0.9 kW / 1.2 HP	25.4 ccm / 0.9 kW / 1.2 HP
	200 ml / 140 ml	200 ml / 140 ml
	3/8" spec. / 91P040X	1/4" spec.
	21 m/s	21 m/s
	With tool (incl.)	With tool (incl.)
	Automatic, adjustable	Automatic, adjustable
	✔	✔
	3.2 kg	3.2 kg
	400 371 805 5993	400 371 805 6600
	113 355	**113 474**





TWO-STROKE OIL
Low-smoke, semi-synthetic and self-mixing universal two-stroke oil, fuel stabiliser "Fuel Fresh", with dosing unit, separate measuring cup not required, 1l
EAN no. 400 371 806 5633
Art. no. 114 078



ORGANIC CHAIN OIL
Pure vegetable-based saw chain oil, 1 l
EAN no. 400 371 805 6662
Art. no. 113 480

Pure vegetable-based saw chain oil, 5 l
EAN no. 400 371 805 7317
Art. no. 113 530



REPLACEMENT CHAIN
For BKS 2625
EAN no. 400 371 805 6020
Art. no. 113 364

For BKS 2625 TSB
EAN no. 400 371 805 6624
Art. no. 113 476



REPLACEMENT RAIL
For BKS 2625 T
EAN no. 400 371 805 6013
Art. no. 113 363

For BKS 2625 TSB
EAN no. 400 371 805 6617
Art. no. 113 475

WOOD SPLITTERS



EASILY SPLIT FIREWOOD FOR WINTER

Splitting wood by hand with an axe is a physically demanding and time-consuming task, with a potential risk of injuries under certain circumstances. To make your future work more comfortable and even safer, you can split your firewood with powerful wood splitters. In doing so, your stock of firewood for the winter will be built up in no time. Thanks to their proven performance, our extremely durable horizontal and vertical splitters are highly valued for producing firewood.

Looking for power: Our wood splitters work with 230 V as standard and LSV 560/8 even works with 400 V. They are able to produce a splitting force of up to 8 tonnes when splitting wood. Thanks to their compact design, our wood splitters can be stored in the tool shed, outhouse or garage. Making firewood has never been so easy!





EXCEPTIONAL SAFETY

Hand protection, 2-handed operation, wood holding tool and wood supports on the sides make using our wood splitters not only incredibly safe – they also make working with them an absolute pleasure.

Available for vertical **EASY** models.

PERFECTLY ADJUSTABLE

An upper guard, rapid return of the splitting blade and an adjustable holder provide the foundations for exceptional productivity.

Available for vertical **EASY** models.





SHELF INCLUDED

The log supports on the splitting table keep the wood in the centre of the tool. The split wood is pushed onto the splitting table and from there it is easy and safe to remove. You can even allow the wood to drop into a wheelbarrow.

Available for horizontal **EASY** models.

HORIZONTAL WOOD SPLITTERS

- POWERFUL WOOD SPLITTERS WITH SPLITTING FORCE UP TO 5 TONNES
- IDEAL FOR SPLITTING FIREWOOD UP TO 520 MM IN LENGTH
- COMPACT AND PORTABLE
- ERGONOMIC AND SAFE TO USE





LSH 370/4	LSH 520/5
EASY	**COMFORT**
Power	1.5 kW / 230 V	2.2 kW / 230 V
Max. splitting force	4 t	5 t
Max. wood diameter	5–25 cm	5–25 cm
Max. splitting length	13–37 cm	20–52 cm
Approx. weight	55 kg	61 kg
EAN no.	400 371 806 0768	400 371 806 0775
Art. no.	**113 791**	**113 792**



VERTICAL WOOD SPLITTERS

- POWERFUL FOR LOGS TO 550 MM IN LENGTH
- EXTREMELY ROBUST CONSTRUCTION
- EASY TO MOVE AROUND AND STORE AWAY





LSV 550/6	LSV 560/8
COMFORT	**PREMIUM**
3 kW / 230 V	3.5 kW / 400 V
6 t	8 t
8–30 cm	8–30 cm
10–55 cm	10–55 cm
102 kg	108.8 kg
400 371 806 0744	400 371 806 0751
113 788	**113 789**





HYDRAULIC OIL (LSH)
For all wood splitters LSH, 1 l
EAN no. 400 371 804 4003
Art. no. 112 893

WATER TECHNOLOGY



INDOOR AND OUTDOOR WATER PUMPS

Perfect for drainage, irrigation and domestic water supply. Optimise the natural irrigation or drainage of your garden or use wells/cisterns for a low-cost service water supply. Water pumps from AL-KO provide not only state-of-the-art technology but also a wide range of models. With this in mind, you'll find exactly the pump you need for your home or garden at AL-KO.

Whether it's mains powered or a portable petrol engine pump for locations without any power or while camping. This serves as a great alternative in the event of flooding or a power cut. All pumps have the following in common: simple operation, reliability, powerful performance, low noise levels and low energy consumption. What's more, we have an extensive range of accessories to make your day-to-day work with water pumps that much easier.

We have the perfect pump for every use in our range

Patented technology

Top pump performance with optimal electricity consumption



DRAINAGE

CLEAN WATER AND WASTEWATER SUBMERSIBLE PUMPS



Do you want to remove water from a pond, stream or reservoir? Do you want to remove or supply water from/into your swimming pool or rain barrel? Do you need help pumping out and drying your cellar quickly during flooding? Simply use one of our submersible pumps, which have been designed for various "underwater" tasks in both clean and heavily contaminated water.

WATERING

GARDEN PUMPS, IMMERSION PRESSURE PUMPS AND SELF-PRIMING PETROL MODELS

Do you want to pump your irrigation water easily from a stream, pond or cistern? Do you want to cool off under your very own garden shower? Do you want to carry clean water over long distances under high pressure? Then our garden, submersible and petrol engine pumps are the right choice for you. These pumps are the perfect help for these tasks.





WATER SUPPLIES

DOMESTIC WATER SYSTEMS / PUMPS

Do you have a well or a cistern, and want to use it as a low-cost domestic water system? Do you want to raise the pressure in your domestic water system? Do you want to irrigate your garden easily and automatically? If so, we recommend our domestic water systems and water pumps, which provide water automatically.

CLEAN WATER SUBMERSIBLE PUMPS









ALWAYS A PERFECT FIT

The outlet in the upper part of the pump ensures optimum cooling of the motor, especially shallow suction mode. Thanks to the universal connector, a number of different commercially available hose sizes can be fitted.

Available for all **EASY**, **COMFORT** and **PREMIUM** models.



IDEAL FOR NARROW SPACES

The pump's slim design and integrated level switch is ideal for use in narrow spaces. Quick and easy level control with a float switch fitted directly onto the housing with manual low suction switch.

Available for **PREMIUM** model.



NO NEED TO GO WITH THE FLOW

You have the freedom of choice with DS model submersible pumps. Thanks to the adjustable pump base and large inlet openings, it is possible to pump out large volumes of water quickly as well as to pump with a low suction height down to approx. 3 mm.

Available for all **COMFORT** and **PREMIUM** models.







	SUB 8500 Easy	SUB 6500 Classic
	EASY	**EASY**
Power	290 W	250 W
Max. head	6 m	6 m
Max. flow rate	8000 l/h	6500 l/h
Max. submersible depth	5 m	5 m
Low suction height	5 mm	25 mm
Pump output DIAMETER	G 1 ¼" (41.9 mm)	G 1 ¼" (41.9 mm)
Cable length	10 m	10 m
Special features	✔ Float switch can be hooked on for automatic operation or manual continuous operation ✔ Various connection options thanks to combination adapter ✔ Sturdy stand with large pump base	✔ Incl. float switch for automatic on and off, and combination connection fitting to take a range of hose sizes
Approx. weight	4 kg	4 kg
EAN no.	400 371 806 2946	400 371 804 2672
Art. no.	**113 961**	**112 820**

	SUB 10000 DS Comfort	SUB 12000 DS Comfort	SUB 13000 DS Premium
	COMFORT	**COMFORT**	**PREMIUM**
	450 W	550 W	650 W
	7 m	8 m	8 m
	8000 l/h	9500 l/h	10500 l/h
	5 m	5 m	5 m
	3 mm	3 mm	3 mm
	G 1 ¼" (41.9 mm)	G 1 ¼" (41.9 mm)	G 1 ¼" (41.9 mm)
	10 m	10 m	10 m
	✔ Incredibly low suction height thanks to the easily adjustable pump base ✔ Optimum temperature balance during long-term operation with jacket cooling	✔ Incredibly low suction height thanks to the easily adjustable pump base ✔ Optimum temperature balance during long-term operation with jacket cooling ✔ High flow rate with powerful motor	✔ Suitable for use in narrow shafts ✔ Incredibly low suction height ✔ Quick and easy level control
	5.5 kg	5.8 kg	6 kg
	400 371 804 2702	400 371 804 2719	400 371 804 2764
	112 823	**112 824**	**112 829**

WASTEWATER SUBMERSIBLE PUMPS





UNIVERSAL ANGLE CONNECTION

AL-KO wastewater pumps are equipped with a freely pivoting 90° angle connection to prevent unwanted kinking of the pump hose. The included combination adapter is suitable for various hose sizes.

SUITABLE FOR GREYWATER

Thanks to their large suction openings, the DRAIN models also pump contaminated water with particles up to 30 mm in suspension, effortlessly and smoothly.



LONG OPERATING TIMES

A maintenance-free motor, the specially treated motor shaft made from INOX stainless steel and the fibreglass-reinforced polypropylene housing are features which guarantee a long service life in AL-KO wastewater pumps.











	DRAIN 9500 Easy	DRAIN 7000 Classic
	EASY	EASY
Power	300 W	350 W
Max. head	6 m	6 m
Max. flow rate	8500 l/h	7000 l/h
Max. submersible depth	5 m	5 m
Low suction height	25 mm	30 mm
Pump output DIAMETER	G 1 ¼" (41.9 mm)	G 1 ¼" (41.9 mm)
Cable length	10 m	10 m
Special features	✔ With adjustable pump base ✔ Highly efficient and easy to use ✔ Solid equipment with stainless INOX pump shaft ✔ Sturdy stand with large pump base	✔ Housing made from corrosion-resistant, fibreglass-reinforced polypropylene with a zero-maintenance, robust electric motor ✔ Incl. Float switch ✔ All water-bearing metal parts made of INOX stainless steel
Approx. weight	4 kg	4.4 kg
EAN no.	400 371 806 2953	400 371 804 2689
Art. no.	**113 962**	**112 821**

	DRAIN 7500 Classic	DRAIN 10000 Comfort	DRAIN 12000 Comfort
	EASY	COMFORT	COMFORT
Power	450 W	650 W	850 W
Max. head	6 m	8 m	10 m
Max. flow rate	7500 l/h	10000 l/h	12,000 l/h
Max. submersible depth	5 m	5 m	5 m
Low suction height	30 mm	30 mm	30 mm
Pump output DIAMETER	G 1 ¼" (41.9 mm)	G 1 ¼" (41.9 mm)	G 1 ¼" (41.9 mm)
Cable length	10 m	10 m	10 m
Special features	✔ Housing made from fibreglass-reinforced polypropylene with maintenance-free electric motor ✔ Incl. float switch to automatically switch the pump on or off ✔ Combination adapter suitable for various different hose sizes	✔ Housing made from corrosion-resistant, fibreglass-reinforced polypropylene with a zero-maintenance, robust electric motor ✔ Vortex impeller technology ✔ Engine shaft and housing made from INOX stainless steel for extended operation	✔ Housing made from fibreglass-reinforced polypropylene with robust electric motor ✔ Vortex impeller technology ✔ Engine shaft and housing made from INOX stainless steel for extended operation
Approx. weight	4.4 kg	5.7 kg	6.9 kg
EAN no.	400 371 804 2696	400 371 804 2726	400 371 804 2733
Art. no.	**112 822**	**112 825**	**112 826**

WASTEWATER SUBMERSIBLE PUMPS IN STAINLESS STEEL



FEATURES

- FLOAT SWITCH FOR AUTOMATICALLY SWITCHING THE PUMP ON OR OFF
- 90° ANGLE CONNECTION TO PREVENT UNWANTED KINKS IN THE PUMP HOSE
- COMBINATION ADAPTER SUITABLE FOR VARIOUS DIFFERENT HOSE SIZES



DURABLE RELIABLE

The sturdy and robust design with 4-fold seal set and corrosion-free materials means that AL-KO wastewater pumps are perfectly suited even to extreme requirements.



PERFECTLY EQUIPPED

The float switch for automatically turning the pump on or off, as well as a 90° angle connection and combination adapter for all common hose sizes ensures smooth operation.



POWERFUL AND ROBUST

With a flow rate up to 20,000 l/h and a maximum particulate size up to 38 mm, the **PREMIUM** pump is enormously powerful. And because its housing is made from chrome-nickel steel and plastic, it is permanently protected against corrosion.



	DRAIN 10000 INOX	DRAIN 15000 INOX	DRAIN 20000 HD
	COMFORT	COMFORT	PREMIUM
Power	750 W	1100 W	1300 W
Max. head	9 m	11 m	10 m
Max. flow rate	10000 l/h	15000 l/h	20000 l/h
Max. submersible depth	7 m	7 m	7 m
Max. particulate size	30 mm	30 mm	38 mm
Pump output DIAMETER	G 1 ½" (47.8 mm)	G 1 ½" (47.8 mm)	G 2" (59.61 mm)
Cable length	10 m	10 m	10 m
Special features	✓ Pump body made from rust-free INOX stainless steel and zero-maintenance motor with built-in thermal protection switch to protect against overload ✓ Hard-wearing vortex impeller		
Approx. weight	6.7 kg	6.8 kg	8 kg
EAN no.	400 371 804 2740	400 371 804 2757	400 371 804 2832
Art. no.	**112 827**	**112 828**	**112 836**

COMBI UNIVERSAL SUBMERSIBLE PUMPS



APPLICATION AREAS

- FOR ALL WATER REMOVAL JOBS
- HIGH FLOW RATE AND AN ABILITY TO OPERATE WITH A LOW SUCTION HEIGHT IN A SINGLE PUMP
- PUMPS WASTEWATER WITH PARTICULATES UP TO 30 MM IN DIAMETER



A RELIABLE ALL-ROUNDER

Thanks to the easy adjustment of the pump base, the AL-KO TWIN submersible pumps offer all the advantages of wastewater and clean water pumps, but in a single machine. Suitable for a range of applications, from quickly pumping out dirty water to removing residual water in low-suction mode.



READY FOR ANYTHING

The integrated level switch allows the water height to be set conveniently in automatic mode; alternatively, manual operation with a low suction height is also possible.



IMPRESSIVE UNDER THE HOOD

Robust and stainless steel shafts, zero-maintenance ball bearings lubricated for life, solid triple seals and stable housings make the AL-KO submersible pumps especially durable and reliable.





	TWIN 11000 Premium	TWIN 14000 Premium
	PREMIUM	PREMIUM
Power	850 W	1000 W
Max. head	10 m	10 m
Max. flow rate	13500 l/h	15000 l/h
Max. submersible depth	7 m	7 m
Low suction height	8 mm	8 mm
Max. particulate size	20 mm	30 mm
Pump output DIAMETER	G 1 ½" (47.8 mm)	G 1 ½" (47.8 mm)
Cable length	10 m	10 m
Special features	✓ Easy pump base adjustment from dirty-water to clean-water mode ✓ Patented combined impeller system for optimised efficiency in any operating state ✓ With stainless steel intermediate shaft, robust ball bearings and seals	✓ Easy pump base adjustment from dirty-water to clean-water mode ✓ Patented combined impeller system for optimised efficiency in any operating state ✓ Ideal for use in narrow wells thanks to the integrated level switch
Approx. weight	7.2 kg	8.2 kg
EAN no.	400 371 804 2771	400 371 804 2788
Art. no.	**112 830**	**112 831**

SUBMERSIBLE PRESSURE & DEEP-WELL PUMPS



CISTERN OPERATION

Horizontal with suitable connection for floating extraction*

- Water is always drawn from the top "clean" section of the cistern
- The special handle shape fixes the pump when it runs horizontally on the cistern base
- No tools needed to change the intake situation





APPLICATION AREAS

- DIRECT, POWERFUL IRRIGATION FROM WELLS AND CISTERNS
- PERMANENTLY IMMERSED FOR OPERATION OF GARDEN SPRINKLERS AND OTHER IRRIGATION SYSTEMS
- FOR FULLY AUTOMATIC, NOISE-FREE DOMESTIC WATER SUPPLY

*External accessories required.



FLEXIBLE APPLICATIONS

From operating a simple lawn sprinkler to supplying complex irrigation systems and even an automatic domestic water supply – submersible pressure pumps combine the benefits of garden pumps with those of submersible pumps.
Dry running protection included.



ROBUST AND RELIABLE

Stainless-steel filter screen in the pump inlet and wide mounting base for operation in cisterns.



PURE POWER

Simple and tool-free switchover to various intake situations – operation with suction hose or direct suction by means of filter screen.



	DIVE 6500/34	DIVE 5600/44 AUTOMATIC	TBP 6000/7
	PREMIUM	PREMIUM	PREMIUM
Power	1000 W	1,200 W	1000 W
Max. head / pressure	34 m / 3.4 bar	44 m / 4.4 bar	55 m / 5.5 bar
Max. flow rate	6500 l/h	5600 l/h	6000 l/h
Max. submersible depth	7 m	7 m	10 m
Max. particulate size	0.5 mm	0.5 mm	0.5 mm
Pump hydraulics	3-stage	4-stage	7-stage
Pump output DIAMETER	G 1 ½" (47.8 mm)	G 1 ½" (47.8 mm)	G 1" (33.3 mm)
Cable length	10 m	10 m	15 m
Special features	✓ With float switch ✓ With tough stainless steel housing, filter screen on the pump inlet ✓ Incl. connection for installation of a “floating tap”	✓ Automatic operation thanks to control incl. dry running protection ✓ With tough stainless steel housing, filter screen on the pump inlet ✓ Incl. connection for installation of a “floating tap”	✓ Can be used to provide irrigation from wells and pipes with a diameter of at least 100 mm ✓ Stainless-steel filter screen and wide mounting base for use in cisterns ✓ Incl. 20 m drain cable
Approx. weight	10 kg	11 kg	11 kg
EAN no.	400 371 806 2021	400 371 806 2014	400 371 805 6556
Art. no.	**113 884**	**113 883**	**113 470**

GARDEN PUMPS



FEATURES

- CARRIES IRRIGATION AND SERVICE WATER DIRECTLY FROM CISTERNS OR WELLS
- IDEAL FOR USE WITH GARDEN SPRINKLERS, LARGE FLOW RATE AT HIGH PRESSURE
- PORTABLE DUE TO COMPACT DESIGN AND PRACTICAL HANDLE



INOX

The stainless steel design on the pump head and pump shaft offers long-term corrosion protection.



VENTURI SYSTEM

The integrated Venturi System raises the flow speed of the water by increasing the pressure. This produces a self-siphoning process without having to fill the intake hose with water beforehand.



LONG-LASTING RELIABILITY

The brass insert at the pump inlet of the Jet 3600 enables a permanently tight screw connection for the suction pipe.





	JET 3000 INOX Classic	JET 3600
	EASY	EASY
Power	650 W	850 W
Max. head / pressure	35 m / 3.5 bar	38 m / 3.8 bar
Max. flow rate	3,100 l/h	3600 l/h
Max. suction height	8 m	8 m
Pump hydraulics	1-stage	1-stage
Pump output DIAMETER	G 1" (33.3 mm)	G 1" (33.3 mm)
Special features	✓ Pressure-resistant pump head made from rust proof stainless steel ✓ Powerful, overload-protected engine with auto-reset feature ✓ Ceramic sealing system	✓ Energy-efficient and self-priming ✓ Integrated Venturi System ✓ Integrated, extra-large XXL filter ✓ Specially shaped hopper
Approx. weight	6.3 kg	8 kg
EAN no.	400 371 804 2856	400 371 806 0812
Art. no.	**112 838**	**113 797**

DOMESTIC WATER PUMPS





COMPACT AND HIGH-PERFORMANCE

Domestic water pumps are electronically controlled and have a much more compact design than domestic water systems. They pump water at a constant pressure without any fluctuations and are therefore ideal for operating sprinklers.

Available on all **EASY**, **COMFORT** and **PREMIUM** models



COMPREHENSIVE PROTECTION

The integrated dry running protection effectively protects the pump against potential damage in the absence of water. The easy-to-clean XXL filter also provides optimum protection against contamination.

Available on all **EASY**, **COMFORT** and **PREMIUM** models



SMART CONTROL

The intelligent, electronic controller with automatic control monitors operation of the domestic water pumps round the clock, providing optimum protection for the pump against dry running. In the event that water runs out, the pump immediately shuts down.

Available for **PREMIUM** model.

Incl. Multifunctional key for the **COMFORT** and **PREMIUM** models.











	HWA 3600	HWA 4000 Comfort
	EASY	**COMFORT**
Power	850 W	1000 W
Max. head / pressure	38 m / 3.8 bar	45 m / 4.5 bar
Max. flow rate	3600 l/h	4000 l/h
Max. suction height	8 m	8 m
Cut-off pressure	3.8 bar	4.5 bar
Pump hydraulics	1-stage	1-stage
Pump output DIAMETER	G 1" (33.3 mm)	G 1" (33.3 mm)
Special features	✔ With an innovative Venturi system ✔ Energy-efficient and self-priming ✔ Integrated, patented XXL filter ✔ Built-in dry running protection	✔ Integrated XXL filter and check valve ✔ With brass fittings and rustproof materials used in all components carrying water ✔ Incl. angle connection and filter key
Approx. weight	8.1 kg	11.5 kg
EAN no.	400 371 806 0836	400 371 804 8575
Art. no.	**113 799**	**113 139**

	HWA 4500 Comfort	HWA 6000/5 Premium
	COMFORT	**PREMIUM**
Power	1300 W	1,400 W
Max. head / pressure	50 m / 5 bar	60 m / 6 bar
Max. flow rate	4,500 l/h	6000 l/h
Max. suction height	8 m	8 m
Cut-off pressure	5 bar	6 bar
Pump hydraulics	1-stage	5-stage
Pump output DIAMETER	G 1" (33.3 mm)	G 1" (33.3 mm)
Special features	✔ Integrated, patented XXL filter and check valve ✔ Built-in dry running protection ✔ Incl. angle connection and filter key	✔ Integrated, patented XXL filter and check valve ✔ Built-in dry running protection ✔ High efficiency and exceptionally quiet operation thanks to the 5-stage pump system ✔ Incl. angle connection and filter key
Approx. weight	11.5 kg	14.8 kg
EAN no.	400 371 804 8582	400 371 804 8599
Art. no.	**113 140**	**113 141**

DOMESTIC WATER SYSTEMS



FEATURES

- FULLY AUTOMATIC SERVICE WATER SUPPLY IN AND AROUND THE HOUSE
- PATENTED FULLY TRANSPARENT FILTER UNIT WITH INBUILT NON-RETURN VALVE INCLUDED
- QUICK FILLING OF THE PUMP HEAD THROUGH GENEROUS FILLING OPENING WITH INTEGRAL FUNNEL FOR HW 3600



CLEAN AS A WHISTLE

Fully automatic domestic water supply with an innovative design. Enjoy water free of impurities with the integrated and patented XXL filter.

VENTURI SYSTEM

Rapid suction process without having to prime the suction hose with water.
Self-priming by quickly venting the suction hose.



PERMANENTLY WATERTIGHT AND DURABLE

With ceramic axial shaft seal and 17 litre reservoir tank for low switching frequency.





	HW 3000 INOX Classic	HW 3600
	EASY	EASY
Power	650 W	850 W
Max. head / pressure	35 m / 2.8 bar	38 m / 3.8 bar
Max. flow rate	3,100 l/h	3600 l/h
Max. suction height	8 m	8 m
Switch on/off pressure	1.5 bar / 2.8 bar	1.5 bar / 2.8 bar
Pump hydraulics	1-stage	1-stage
Pump output DIAMETER	G 1" (33.3 mm)	G 1" (33.3 mm)
Pressure tank	17 l	17 l
Special features	✓ Robust standard domestic water supply unit ✓ Fully equipped with pressure gauge, pressure switch and connection cable ✓ Longevity ensured thanks to the robust motor with thermal overload protection	✓ A fully automatic domestic water supply with an innovative design ✓ Enjoy water free of impurities with the integrated XXL filter ✓ Leak free for the long haul with its ceramic seal
Approx. weight	10.8 kg	12.6 kg
EAN no.	400 371 804 2931	400 371 806 0829
Art. no.	**112 846**	**113 798**

PETROL ENGINE PUMPS



MAKE A SPLASH!

Whether watering the allotment or pumping out water tanks, ponds, swimming pools or drying out your cellar during flooding – this water pump is always ready for action. With pump feed rates of up to 30,000 litres per hour, the AL-KO petrol engine pumps are the perfect solution when you need to pump high volumes of water without an electricity supply.

The easy-to-start AL-KO 4-stroke engine with overhead valves (OHV technology) are extremely efficient. This is proven by their high performance at relatively low fuel consumption. The petrol water pump meets the highest standards, whilst offering unrivalled performance over extended periods.

APPLICATION AREAS

- HAS NO NEED FOR A POWER SUPPLY CONNECTION, MAKING IT EXCEPTIONALLY USEFUL FOR MOBILE IRRIGATION AND WHEN DEALING WITH FLOODS
- MOBILE AND VERSATILE FOR USE ON LARGE STRETCHES OF LAND AND ALLOTMENTS
- HIGHLY EFFECTIVE AT PUMPING LARGE AMOUNTS OF WATER IN NO TIME



POWERFUL AND PORTABLE

Whether watering the allotment or pumping out remote water reservoirs – the self-priming, petrol engine pumps from AL-KO are always ready for action.



POWERFUL AND EFFICIENT

The easy-to-start AL-KO 4-stroke engines with overhead valves (OHV) are extremely efficient. This is proven by their high performance at low fuel consumption.



EVERYTHING UNDER CONTROL

Both models are highly portable thanks to the carrying handle (BMP 14001) and the sturdy tubular-steel frame (BMP 30000).





	BMP 14001	BMP 30000
	COMFORT	PREMIUM
Power	80 ccm / 1.7 kW / 3,600 rpm	196 cc / 4.1 kW / 3,600 rpm
Max. head / pressure	36 m / 3.6 bar	27 m / 2.7 bar
Max. flow rate	12,000 l/h	30,000 l/h
Max. suction height	6 m	6 m
Fuel tank volume	1.6 l	3.6 l
Max. feed temperature	35°C	35°C
Pump output DIAMETER	G 1"	G 2"
Included in delivery	Connectors for intake and pressure lines	Suction filter cage, connector
Approx. weight	13.5 kg	26 kg
EAN no.	400 371 806 0805	400 371 805 7638
Art. no.	113 793	113 563



4-STROKE ENGINE OIL
SAE 30, 0.6 l
EAN no. 400 371 804 3952
Art. no. 112 888



ENGINE OIL SERVICE SET
3-part kit with suction pump, tank and funnel
EAN no. 400 371 806 1413
Art. no. 113 807

PUMP ACCESSORIES

PRE-FILTER

The pre-filter effectively protects the pump mechanism against wear caused by contaminants such as sand and other coarse particles. Thanks to the included connectors in different sizes, it can be assembled quickly. In addition, it is easy to wash and highly durable even in continuous use. Especially practical: The filter is transparent so that foreign objects and dirt can be immediately identified and removed.



GARDEN PUMP PREFILTER 100/1"
For Jet 3000 INOX Classic, incl. 2x 1/1" and 1x1/¾" connection pieces and filter insert, max.working pressure 6 bar, flow rate at 2 bar 3000 l/h
EAN no. 400 371 806 0331
Art. no. 113 720



DOMESTIC WATER SYSTEM PREFILTER 250/1"
For HW 3000 INOX Classic, incl. 2x 1/1", 1x1/¾" connection pieces, 1x extension 1/1" and filter insert, max. operating pressure 6 bar, flow rate at 2 bar 3000 l/h
EAN no. 400 371 806 0348
Art. no. 113 721



FILTER ELEMENT 100/1"
For garden pump pre-filter 100/1", plastic (80 micron), washable, for sand and solids
EAN no. 400 371 806 0300
Art. no. 113 718



FILTER ELEMENT 250/1"
For domestic water system pre-filter 250/1", plastic (80 micron), washable, for sand and solids
EAN no. 400 371 806 0324
Art. no. 113 719



PLASTIC FILTER ELEMENT
For HWA 4000 Comfort, HWA 4500 Comfort, HWA 6000/5 Premium, HW 6000 FMS Premium, effective protection for pumps with integrated pre-filter, made of high-quality, washable plastic including two precision sealing rings
EAN no. 400 371 803 7562
Art. no. 112 549



PLASTIC FILTER ELEMENT VENTURI
For Jet 3600, HWA 3600 and HW 3600 Easy, effective protection for pump with integrated pre-filter, made of high-quality, washable plastic incl. two precision sealing rings, minimises wear and faults
EAN no. 400 371 806 1017
Art. no. 113 811







PVC HOSE 1"
Ø 33.3 mm, 6 m long, transparent drain hose made of durable PVC plastic, suitable for unpressurised water pumping with submersible pumps
EAN no. 400 371 801 4464
Art. no. 106 980

PVC HOSE

The drain hose is a special transparent hose made of plastic for submersible pumps and similar applications. Thanks to the special workmanship, you can use it wherever you pump water in a depressurised manner, e.g. from swimming pools, bathing pools, aquariums, rain barrels and cisterns. Thanks to its transparency, you can always keep an eye on the water flow.



PVC HOSE 1.25"
Ø 41.9 mm, 6 m long, transparent drain hose made of durable PVC plastic, suitable for unpressurised water pumping with submersible pumps
EAN no. 400 371 801 5553
Art. no. 110 135



PVC HOSE 1.5"
Ø 47.8 mm, 6 m long, transparent drain hose made of durable PVC plastic, suitable for unpressurised water pumping with submersible pumps
EAN no. 400 371 801 4457
Art. no. 106 979



SUCTION HOSE ¾ "
Ø 26.4 mm, 4 m long, rigid suction hose with non-return valve and fabric insert, semi-transparent plastic, for garden pumps, domestic water systems and other water pumps
EAN no. 400 371 801 4532
Art. no. 110 005



SUCTION KIT 1"
Ø 33.3 mm, 7 m long, rigid suction hose with fabric insert, incl. brass check valve, suction strainer and connections, ideal for garden pumps, domestic water systems and domestic water dispensers
EAN no. 400 371 802 5293
Art. no. 110 795



HYDROCONTROL
Turn your submersible pressure pump or garden pump into a domestic water pump – with AL-KO Hydrocontrol to automatically switch the pump off and on. The Hydrocontrol is an electronic pressure switch with integrated dry running protection and backflow preventer. This turns a normal water pump into a fully-fledged domestic water pump.
The pressure switch's functional range is as follows: switch-on pressure approx. 1.8 bar, switch-off pressure max. 8 bar. Thanks to the Hydrocontrol, you can use rainwater with your garden pump without having to switch off the pump manually afterwards, and you can also use it whenever you use industrial water for high-pressure cleaning.
EAN no. 400 371 803 6299
Art. no. 112 478

POWER GENERATORS



WHEREVER, WHENEVER

With greater freedom in leisure activities, as well as an increase in natural disasters, there's never been a more important time to invest in independent, stationary energy sources – and that goes for individuals too. The solution: An off-the-grid power generator that uses a petrol engine to provide electricity whenever and wherever you need it. You can use it to power your electronic devices while at a remote holiday destination or provide electricity after a storm to pump out your basement and/or clean up storm damage. To find out which generator will meet your needs, take a look at the type label on the device you want to power. The higher the capacity of the connected load, the greater the generator's power must be.

Another important factor is the required power quality. So when steady voltages required to operate sensitive devices such as computers, then you need an inverter. However, if you are only connecting light sources and operating machines, you will need a framed generator. AL-KO electricity generators let you operate electrical devices independently of the public power grid. Due to their special construction and resistance to fluctuations in engine rpm, and because they generate a very stable frequency, inverters are ideal for highly sensitive devices such as laptops and television sets.

FRAMED GENERATORS

APPLICATION AREAS

- SUITABLE FOR SITES WITH NO POWER SOURCE
- GARDEN SHEDS, E.G. FOR LIGHTING
- ADVERSE WEATHER EVENTS AND FLOODING

BENEFITS

- POWERFUL THANKS TO HIGH-QUALITY COPPER WINDINGS
- SUITABLE FOR DEVICES THAT NEED A LOT OF POWER TO START UP, THANKS TO THE AUTOMATIC VOLTAGE REGULATION (AVR)
- IDEAL FOR THE OPERATION OF COMMON POWER TOOLS AND LIGHTING SYSTEMS

INVERTERS

APPLICATION AREAS

- CAMPING AND CARAVANNING
- BOATING AND MOTOR SPORTS
- ALLOTMENTS AND RECREATION

BENEFITS

- COMPACT, LIGHT AND QUIET
- MOBILE AND FUEL-EFFICIENT
- IDEAL FOR ELECTRONIC DEVICES SUCH AS COMPUTERS, TV'S OR AIR-CONDITIONERS



	2500-C	3500-C	6500 D-C	2000i
	COMFORT	COMFORT	COMFORT	PREMIUM
Device type	Framed generator	Framed generator	Framed generator	Inverters
Engine	4-stroke / 196 ccm	4-stroke / 212 ccm	4-stroke / 389 ccm	4-stroke / 79 ccm
Power	2 kW / max. 2.2 kW	2.8 kW / max. 3.1 kW	5 kW / max. 5.5 kW	1.6 kW / max. 1.8 kW
Max. operating time	14 hours	10.5 hours	8.5 hours	5 hours
Fuel tank volume	15 l	15 l	25 l	4 l
Max. sound power	95 dB(A)	96 dB(A)	97 dB(A)	64 dB(A)
Sockets / connections	2 x 230 V / 1 x 12 V (8.3A)	2 x 230 V / 1 x 12 V (8.3A)	2 x 230 V, 1x CEE / 1 x 12 V (8.3A)	1 x 230 V / 1 x 12 V (8.3A)
Length x width x height	59 x 43 x 48 cm	59 x 43 x 48 cm	67 x 54 x 54 cm	49 x 28 x 45 cm
Approx. weight	45 kg	50 kg	88 kg	21 kg
EAN no.	576 972 052 0179	576 972 052 0186	576 972 052 0193	576 972 052 0209
Art. no.	**130 930**	**130 931**	**130 932**	**130 933**





POWER GENERATOR WHEEL SET
For 2500-C, 3500-C, 6500 D-C, with handles for easy transport
EAN no. 400 371 805 5610
Art. no. 113 346

SNOW BLOWERS



POWER YOUR WAY THROUGH THE SNOW

With these handy snowblowers, the tedious manual snow shovelling has come to an end. They feature a powerful engine, which swiftly takes a lot of work off your hands with utmost efficiency. Our selection ranges from a small electric unit with a 46 cm snow clearing width through to a large petrol snowblower with a width of 76 cm, which in next to no time clears great quantities of snow with its powerful engine. Which machine is the right one for you is dependent on the expected snowfall and the area to be cleared. Depending on just how much snow you need to clear, we offer snowblowers with various snow clearing widths and single or 2-stage conveyor technology. Snow clearing is now straightforward and the task is completed in no time at all.

PRECISION SNOW BLOWING

The discharge chute can be manually aligned, since it boasts the impressive feature being rotated up to 190 degrees. This means that the snow lands exactly where you want it to. Depending on the model, the snow is discharged up to an astonishing 15 m away.

Available for all **EASY**, **COMFORT** and **PREMIUM** models.





PERFECT SNOW REMOVAL AND EFFICIENT FORWARD DRIVE

Spick and span results and efficient forward drive: The 2-stage augers on all petrol appliances thoroughly clear pavements and driveways, leaving them pristine – without any residual snow being left behind.

Available for all **COMFORT** and **PREMIUM** petrol models.

PERFECTLY ILLUMINATED AND CONVENIENT TO USE

The cockpits with extra-wide LED light strips perfectly illuminate your surroundings even in the most adverse weather conditions, such as heavy snowfall or first thing on a morning or late at night when light is hard to come by. The ergonomic control levers make adjusting the gears and the discharge height a breeze, meaning you can clear the snow with very little effort involved.

Available for all **PREMIUM** models.





EXCELLENT TRACTION AND PERFECT MANOEUVRABILITY

Thanks to the large, coarse-tread rubber tyres on the petrol snowblowers or the efficient crawler tracks, you can overcome any challenge that stands in your way, even in the most adverse conditions. With up to 6 forward and 2 reverse gears, the speed of the wheel drive can also be easily regulated and adjusted.

Available for selected **COMFORT** and **PREMIUM** models.

SNOW BLOWERS









	ST 4048	SnowLine 46 E	SnowLine 560 II	SnowLine 620 E II	SnowLine 620.4 E III LED	SnowLine 700.4 E LED	SnowLine 760.4 TE LED
	COMFORT	EASY	COMFORT	COMFORT	PREMIUM	PREMIUM	PREMIUM
Working width	48 cm	46 cm	56 cm	62 cm	62 cm	70 cm	76 cm
For areas up to	approx. 300 m²*	approx. 150 m²	400 m²	500 m²	500 m²	800 m²	1,000 m²
Battery family / drive type	AL-KO 36 V	Electric	4-stroke	4-stroke	4-stroke	4-stroke	4-stroke
Power	Li-ion 36 V 2.5 Ah / 4.0 Ah / 5.0 Ah / 8.0 Ah**	2,000 W / 230 V	182 ccm / 4 kW	212 ccm / 4.4 kW /	302 ccm / 6.2 kW	375 ccm / 7.8 kW	420 ccm / 9 kW
Brushless motor	✓	–	–	–	–	–	–
Starter system	E-start	E-start	Recoil start	Recoil start / electric, 230 V	Recoil start / electric, 230 V	Recoil start / electric, 230 V	Recoil start / electric, 230 V
Max. snow depth	20 cm	30 cm	51 cm	51 cm	51 cm	54.5 cm	54.5 cm
Max. discharge distance	6 m	6 m	10–12 m	10–15 m	10–15 m	15 m	15 m
Discharge adjustment	180°, manual	190°, manual	190°, manual	190°, manual	190°, manual	190°, manual	190°, manual
Conveyor technology	Paddle, 1-stage	Paddle, 1-stage	Screw/scoop wheel, 2-stage	Screw/scoop wheel, 2-stage	Screw/scoop wheel, 2-stage	Screw/scoop wheel, 2-stage	Screw/scoop wheel, 2-stage
Gears	–	–	5 forward / 2 reverse	5 forward / 2 reverse	6 forward / 2 reverse	6 forward / 2 reverse	6 forward / 2 reverse
Drive	–	–	Pneumatic tyres	Pneumatic tyres	Pneumatic tyres	Pneumatic tyres	Crawler tracks
Fuel tank volume	–	–	3 l	3 l	4 l	6.5 l	6.5 l
Heated handles	–	–	–	–	✓	✓	✓
Headlights	✓	–	–	✓	✓	✓	✓
Approx. weight	13.5 kg	14.5 kg	65 kg	83 kg	96 kg	118 kg	126 kg
EAN no.	400 371 805 7959 (without battery or charger)	400 371 804 5147	400 371 804 5154	400 371 804 5178	400 371 806 4599	400 371 806 4605	400 371 806 4612
Art. no.	**113 591** (without battery or charger)	**112 932**	**112 933**	**112 935**	**114 036**	**114 037**	**114 038**

SET INCL. BATTERY AND CHARGER		
	Included in delivery* **	1x battery 36 V (4.0 Ah) 1x charger (3 A)
	EAN no.	400 371 806 6227
	Art. no.	**114 110**

AL-KO 36 V

All **AL-KO 36 V** garden tools can be used with the batteries and chargers listed on **page 22**. Other garden tools and information on this battery range can be found on **pages 22–29**.



SNOW CHAINS
For SnowLine 560 II, SnowLine 620 E II, SnowLine 620.4 E III, set of 2
EAN no. 400 371 804 4096
Art. no.112 902

For SnowLine 700.4 E LED, set of 2
EAN no. 400 371 804 5970
Art. no. 112 985



4-STROKE SNOWBLOWER OIL
5W 30, 0.6 l
EAN no. 400 371 804 4065
Art. no.112 899



SHEAR PIN SET
For all petrol snow blowers, set of 4
EAN no. 400 371 806 4568
Art. no. 114 030

*The maximum area coverage depends on the conditions as well as the battery capacity.
**B 800 Li lithium-ion battery 36 V 8.0 Ah is compatible with battery snowblowers built from 2022.
***Batteries/chargers supplied may be different to the models shown in the catalogue depending on availability.

SMALL GARDENING ENTHUSIASTS





LITTLE ONES CAN GET THEIR FINGERS JUST AS GREEN

Regardless of whether your favourite is the mighty pedal tractor with flip-up bonnet that the kids can let off some steam on or the mini garden set. Our range offers quality developed with little ones in mind, perfect for them to let loose on.

Our kid's lawnmower perfectly imitates the mowing sound in the grass catcher and as such makes gardening rather exciting for young gardeners.



FROM 2 YEARS OLD

MINI GARDEN SET
Children's garden set with
a variety of items
Approx. weight 0.8 kg
EAN no. 400 371 804 3792
Art. no. 112 875



FROM 2 YEARS OLD

MINIMOWER
Kids' lawnmower with grass catcher
and mowing sound,
Weight approx. 1 kg
EAN No. 400 371 804 1309
Art. no. 112 733

FROM 2 1/2 YEARS OLD



TRAILER
Trailer suitable for the Kid Trac
Approx. weight 1.5 kg
EAN no. 400 371 804 3815
Art. no. 112 876



KID TRAC
Pedal tractor with flip-up bonnet
Weight approx. 6.5 kg
EAN No. 400 371 806 6081
Art. no. 114 107

GARDENING EQUIPMENT TECHNICAL DATA

Page	Name	Art. no.	Category	Sound pressure level measured LpA [dB(A)]	Sound power level measured LwA [dB(A)]	Sound power level guaranteed LwA [dB(A)]	Uncertainty factor KpA [dB(A)]	Vibration value ahw (m/s²)	K-value (m/s²)
HANDY BATTERY TOOLS									
14	22.6 Li MULCH & GROW	114 133	COMFORT	70.0	81.0	83.0	1.7	1.9	1.5
15	TLD 1820	114 153	COMFORT	62.0	74.0	O.R.*	2.5	0.3	1.5
15	ARD 1835	114 139	COMFORT	60.0	71.9	73.0	1.0	0.5	1.5
16	PSD 1815	114 143	COMFORT	O.R.*	O.R.*	O.R.*	O.R.*	O.R.*	O.R.*
16	CSMD 1815	114 159	COMFORT	O.R.*	O.R.*	O.R.*	O.R.*	O.R.*	O.R.*
17	PRSD 1828	114 067	COMFORT	O.R.*	O.R.*	O.R.*	O.R.*	O.R.*	O.R.*
17	ACD 1810	114 157	COMFORT	O.R.*	O.R.*	O.R.*	O.R.*	O.R.*	O.R.*
17	PWD 1845	114 155	COMFORT	O.R.*	O.R.*	O.R.*	O.R.*	O.R.*	O.R.*
19	HTAD 1845	114 149	COMFORT	O.R.*	O.R.*	O.R.*	O.R.*	O.R.*	O.R.*
19	CSAD 1820	114 151	COMFORT	O.R.*	O.R.*	O.R.*	O.R.*	O.R.*	O.R.*
ROBOTIC LAWNMOWERS									
32	Robolinho® 350 W	123 032	EASY	–	58.0	60.0	–	–	–
32	Robolinho® 500 VISION	114 169	EASY	O.R.*	O.R.*	O.R.*	O.R.*	O.R.*	O.R.*
32	Robolinho® 1000 VISION	114 163	COMFORT	O.R.*	O.R.*	O.R.*	O.R.*	O.R.*	O.R.*
33	Robolinho® 1250 RTK	123 113	PREMIUM	–	58.0	60.0	–	–	–
33	Robolinho® 2350 RTK	123 114	PREMIUM	–	58.0	60.0	–	–	–
LAWNMOWERS									
BATTERY LAWNMOWERS									
42	34.6 Li	114 170	COMFORT	O.R.*	O.R.*	O.R.*	O.R.*	O.R.*	O.R.*
42	38.6 Li	114 171	COMFORT	O.R.*	O.R.*	O.R.*	O.R.*	O.R.*	O.R.*
42	43.6 Li	114 172	COMFORT	O.R.*	O.R.*	O.R.*	O.R.*	O.R.*	O.R.*
43	46.6 Li SP	114 173	COMFORT	O.R.*	O.R.*	O.R.*	O.R.*	O.R.*	O.R.*
43	51.6 Li SP	114 174	COMFORT	O.R.*	O.R.*	O.R.*	O.R.*	O.R.*	O.R.*
45	4.05 Li Easy	114 073	EASY	73.8	88.6	96.0	0.68	1.02	1.5
45	4.65 Li SP Easy	114 074	EASY	72.3	87.9	96.0	2.05	1.27	1.5
46	3.25 Li Easy	114 062	EASY	72.5	83.7	85.0	0.72	2.5	1.5
47	38.5 Li Comfort	114 064	COMFORT	78.5	86.9	89.0	1.2	2.5	1.5
47	385 Li Premium	114 065	PREMIUM	78.5	86.9	89.0	1.2	2.5	1.5
50	42.2 Li	119 977	COMFORT	68.9	88.9	90.0	2.0	6.0	2.0
50	46.2 Li SP	119 978	COMFORT	69.1	89.1	90.0	2.0	6.0	2.0
50	46.2 Li SP-W	119 979	COMFORT	69.1	69.1	90.0	2.0	6.0	2.0
51	51.4 Li SP	123 109	COMFORT	74.2	94.2	96.0	2.0	6.0	2.0
51	512 Li VS-W	123 108	PREMIUM	74.2	94.2	96.0	2.0	6.0	2.0
ELECTRIC LAWNMOWERS									
53	34.4 E Comfort	114 055	COMFORT	77.1	88.6	96.0	0.66	2.41	1.5
53	40.4 E Comfort	114 056	COMFORT	84.5	95.2	96.0	0.62	2.18	1.5
54	Classic 3.22 SE	112 805	EASY	74.0	94.0	96.0	2.0	6.0	1.0
54	Classic 3.82 SE	112 856	EASY	74.0	94.0	96.0	2.0	6.0	1.0
54	3.22 E Easy	113 849	EASY	74.1	94.1	95.0	3.0	0.8	1.5
55	3.82 E Easy	113 850	EASY	72.7	92.7	94.0	3.0	0.9	1.5
55	32.2 E Comfort	113 851	COMFORT	74.0	94.0	96.0	3.0	0.2	1.5
55	38.2 E Comfort	113 852	COMFORT	73.4	93.4	95.0	3.0	0.9	1.5
55	46.4 E Comfort	113 103	COMFORT	74.0	94.0	95.0	2.0	6.0	2.0

Page	Name	Art. no.	Category	Sound pressure level measured LpA [dB(A)]	Sound power level measured LwA [dB(A)]	Sound power level guaranteed LwA [dB(A)]	Uncertainty factor KpA [dB(A)]	Vibration value ahw (m/s²)	K-value (m/s²)
PETROL LAWNMOWERS									
58	4.16 P-D	114 119	EASY	O.R.*	O.R.*	O.R.*	O.R.*	O.R.*	O.R.*
58	4.26 P-D	114 120	EASY	O.R.*	O.R.*	O.R.*	O.R.*	O.R.*	O.R.*
59	4.66 P-D	114 121	EASY	O.R.*	O.R.*	O.R.*	O.R.*	O.R.*	O.R.*
59	4.66 SP-D	114 122	EASY	O.R.*	O.R.*	O.R.*	O.R.*	O.R.*	O.R.*
59	5.16 SP-D	114 123	EASY	O.R.*	O.R.*	O.R.*	O.R.*	O.R.*	O.R.*
62	Comfort 42.1 P-A	119 998	COMFORT	74.2	94.2	95.0	2.0	6.0	2.0
62	Comfort 42.1 SP-A	119 993	COMFORT	75.0	95.0	96.0	2.0	6.0	2.0
62	Comfort 46.0 SP-A	119 936	COMFORT	74.4	94.4	95.0	2.0	6.0	2.0
63	Comfort 46.0 SP-A Plus	119 938	COMFORT	74.3	94.3	95.0	2.0	6.0	2.0
63	Comfort 46.4 SPED-A	123 059	COMFORT	83.4	93.4	95.0	2.0	6.0	2.0
63	Comfort 51.0 SP-A	119 944	COMFORT	76.8	96.8	98.0	2.0	6.0	2.0
66	Premium 470 SP-A	119 946	PREMIUM	73.4	93.4	95.0	2.0	6.0	2.0
66	Premium 473 VS-B	123 029	PREMIUM	76.0	96.0	98.0	2.0	6.0	2.0
67	Premium 474 SP-H	123 060	PREMIUM	84.6	94.6	96.0	2.0	6.0	2.0
67	Premium 521 SP-A	119 997	PREMIUM	76.0	96.0	98.0	2.0	6.0	2.0
67	Premium 524 SP-B	123 061	PREMIUM	76.6	96.7	98.0	2.0	6.0	2.0
68	Premium 520 SP-H	119 969	PREMIUM	76.8	96.8	98.0	2.0	6.0	2.0
68	Premium 521 VS-H	119 994	PREMIUM	76.8	96.8	98.0	2.0	6.0	2.0
68	Premium 524 VSED-A	123 063	PREMIUM	O.R.*	O.R.*	O.R.*	O.R.*	O.R.*	O.R.*
HAND LAWNMOWERS									
BATTERY HAND LAWNMOWERS									
71	Razor Cut 38.6 Li HM Comfort	114 134	COMFORT	75.0	88.0	92.0	4.8	0.4	1.5
MULCH MOWERS									
73	468 P-A Silver MULCH & GROW	119 836	COMFORT	74.8	94.8	96.0	2.0	6.0	2.0
73	468 SP-A Silver MULCH & GROW	119 835	COMFORT	74.7	94.7	95.0	2.0	6.0	2.0
TRACTORS									
76	Easy 13-92.6 CS-A	114 116	EASY	O.R.*	O.R.*	O.R.*	O.R.*	O.R.*	O.R.*
76	Easy 13-86.6 M-A	114 115	EASY	O.R.*	O.R.*	O.R.*	O.R.*	O.R.*	O.R.*
77	Comfort 14-92.6 HDS-A	114 118	COMFORT	O.R.*	O.R.*	O.R.*	O.R.*	O.R.*	O.R.*
77	Comfort 14-86.6 HD-A	114 117	COMFORT	O.R.*	O.R.*	O.R.*	O.R.*	O.R.*	O.R.*
SCARIFIERS									
BATTERY SCARIFIERS									
82	38.6 Li Combi Care	114 041	COMFORT	O.R.*	O.R.*	O.R.*	O.R.*	O.R.*	O.R.*
ELECTRIC SCARIFIERS									
82	32.4 E Basic Care	114 039	EASY	O.R.*	O.R.*	O.R.*	O.R.*	O.R.*	O.R.*
82	38.4 E Combi Care	114 040	EASY	O.R.*	O.R.*	O.R.*	O.R.*	O.R.*	O.R.*
83	36 E Combi Care Comfort	113 465	COMFORT	81.0	90.0	94.0	4.0	3.0	1.5
PETROL SCARIFIERS									
83	38.6 P Combi Care	114 042	COMFORT	O.R.*	O.R.*	O.R.*	O.R.*	O.R.*	O.R.*
SCYTHE MOWERS									
85	BM 875 IV	114 098	COMFORT	87.4	97.0	99.0	2.0	16.0	6.4
TRIMMERS AND BRUSHCUTTERS									
BATTERY TRIMMERS									
88	GT 4030	113 608	COMFORT	70.6	90.6	96.0	3.0	2.5	1.5
88	GTD 1830 GREENLINE	114 145	EASY	O.R.*	O.R.*	O.R.*	O.R.*	O.R.*	O.R.*
88	GTD 1833 GREENLINE	114 147	COMFORT	O.R.*	O.R.*	O.R.*	O.R.*	O.R.*	O.R.*

Subject to technical changes. *O.R. = on request

Page	Name	Art. no.	Category	Sound pressure level measured LpA [dB(A)]	Sound power level measured LwA [dB(A)]	Sound power level guaranteed LwA [dB(A)]	Uncertainty factor KpA [dB(A)]	Vibration value ahw (m/s²)	K-value (m/s²)
ELECTRIC TRIMMERS AND BRUSHCUTTERS									
90	GTE 350.6	114 199	EASY	O.R.**	O.R.**	O.R.**	O.R.**	O.R.**	O.R.**
90	GTE 450.6	114 200	COMFORT	O.R.**	O.R.**	O.R.**	O.R.**	O.R.**	O.R.**
90	BC 1000 E	112 923	PREMIUM	80.1	94.0	96.0	2.5	4.3	1.5
91	BC 1200 E	112 924	PREMIUM	80.5	94.0	96.0	2.5	4.4	1.5
PETROL BRUSHCUTTERS									
92	BC 223 L-S	113 691	EASY	102.0	110.0	112.0	2.0	7.5	2.3
92	BC 223 B	113 692	EASY	102.0	110.0	112.0	2.0	7.5	2.3
92	BC 330 L	113 757	EASY	98.5	111.0	113.0	2.0	8.3	1.5
93	BC 330 B	113 758	EASY	98.5	111.0	113.0	2.0	7.9	1.5
93	BC 400 L	113 759	COMFORT	98.5	112.0	114.0	2.0	7.4	1.5
93	BC 400 B	113 784	COMFORT	98.5	112.0	114.0	2.0	5.0	1.5
93	BC 500 B	113 785	PREMIUM	100.4	113.0	115.0	2.0	8.9	1.5
MULTI-CUTTER									
95	GS 7.2 Li	113 371	COMFORT	75.0	78.0	79.0	1.0	≤2.5	1.5
MULTI-TOOLS									
BATTERY MULTI-TOOL MT 40									
97	GTA 4030	113 614	COMFORT	81.0	93.0	96.0	3.0	≤2.5	1.5
97	BCA 4030	113 615	COMFORT	80.0	93.0	96.0	3.0	≤4.4	1.5
97	CSA 4020	113 612	COMFORT	73.0	92.3	93.0	0.5	≤ 2.5	1.5
97	HTA 4045	113 613	COMFORT	81.0	92.3	94.0	1.5	≤ 2.5	1.5
PETROL MULTI-TOOL BC 260 MT 5IN1									
98	BC 260 MT	113 787	COMFORT	O.R.**	O.R.**	O.R.**	O.R.**	O.R.**	O.R.**
LEAF BLOWERS AND LEAF VACUUMS									
102	LBD 1880	114 141	COMFORT	O.R.**	O.R.**	O.R.**	O.R.**	O.R.**	O.R.**
102	LB 4060	113 610	COMFORT	79.5	95.5	96.0	3.0	2.0	1.5
103	LBV 4090	113 662	PREMIUM	86.9	99.5	102.0	3.0	<1.9	1.5
HEDGE TRIMMERS									
BATTERY HEDGE TRIMMERS									
106	HTD 1855	114 137	COMFORT	O.R.**	O.R.**	O.R.**	O.R.**	O.R.**	O.R.**
106	HT 4055	113 609	COMFORT	64.2	84.2	87.0	3.0	2.5	1.5
CULTIVATORS									
110	MH 360	113 969	EASY	82.0	91.1	92.0	2.0	L.H.:* 4.9 R.H.:* 3.2	1.5
110	MH 540	113 970	COMFORT	74.3	96.0	97.0	1.5	L.H.:* 0.5 R. H.:* 0.4	1.5
111	MH 770	113 971	COMFORT	74.3	96.0	97.0	1.5	L.H.:* 0.3 R. H.:* 0.5	1.5
111	MH 1150	113 972	PREMIUM	76.3	98.0	99.0	1.5	L.H.:* 0.4 R. H.:* 0.4	1.5
SHREDDERS									
115	MH 2500 SLICE	113 871	EASY	97.0	105.2	106.2	O.R.**	–	–
115	MH 2810 EASY CRUSH	113 872	COMFORT	93.9	102.0	104.0	2.0	–	–
115	LH 2810 EASY CRUSH	113 873	COMFORT	77.8	87.0	90.0	2.0	–	–

* L. H.: Left handle, R. H.: Right handle

Page	Name	Art. no.	Category	Sound pressure level measured LpA [dB(A)]	Sound power level measured LwA [dB(A)]	Sound power level guaranteed LwA [dB(A)]	Uncertainty factor KpA [dB(A)]	Vibration value ahw (m/s²)	K-value (m/s²)
CHAINSAWS									
BATTERY CHAINSAWS									
118	CSD 1825	114 135	COMFORT	O.R.**	O.R.**	O.R.**	O.R.**	O.R.**	O.R.**
118	CS 4030	113 616	COMFORT	87.0	98.5	101.0	2.5	2.1/2.4	2.0
ELECTRIC CHAINSAWS									
119	EKS 2000/35	112 807	EASY	96.0	108.0	110.0	3.0	5.0	3.0
119	EKS 2400/40	112 808	COMFORT	95.0	108.0	110.0	3.0	5.9	3.0
119	EKI 2200/40	112 809	PREMIUM	94.0	106.0	108.0	3.0	5.0	3.0
PETROL CHAINSAWS									
120	BKS 3835	113 185	EASY	97.6	108.4	112.0	3.0	6.2/11.3	1.5
120	BKS 4040	113 186	COMFORT	99.5	110.1	113.0	3.0	8.5/9.0	1.5
120	BKS 4540	113 187	PREMIUM	99.5	112.4	115.0	3.0	8.9/10.7	1.5
121	BKS 2625 T	113 355	COMFORT	87.3	106.5	110.0	3.0	5.8/12.1	1.5
121	BKS 2625 TSB	113 474	PREMIUM	87.3	106.5	110.0	3.0	5.8/12.1	1.5
WOOD SPLITTERS									
124	LSH 370/4	113 791	EASY	89.8	91.0	96.0	3.0	–	3.0
124	LSH 520/5	113 792	COMFORT	89.8	92.7	95.7	3.0	–	3.0
125	LSV 550/6	113 788	COMFORT	89.8	94.4	97.4	3.0	–	3.0
125	LSV 560/8	113 789	PREMIUM	77.8	90.6	93.6	3.0	–	3.0
POWER GENERATORS									
149	2500-C	130 930	COMFORT	–	93.0	95.0	–	–	–
149	3500-C	130 931	COMFORT	–	94.0	96.0	–	–	–
149	6500 D-C	130 932	COMFORT	–	95.0	97.0	–	–	–
149	2000i	130 933	PREMIUM	–	84.0	86.0	–	–	–
SNOW BLOWERS									
BATTERY SNOW BLOWERS									
152	ST 4048	113 591	COMFORT	77.0	87.0	90.0	3.0	5.0	1.5
ELECTRIC SNOW BLOWERS									
152	SnowLine 46 E	112 932	EASY	86.0	95.0	97.0	2.0	2.5	1.5
PETROL SNOW BLOWERS									
152	SnowLine 560 II	112 933	COMFORT	91.0	100.0	102.0	2.0	6.0	2.0
153	SnowLine 620 E II	112 935	COMFORT	92.0	101.0	103.0	2.0	4.5	1.5
153	SnowLine 620.4 E III LED	114 036	PREMIUM	90.6	100.0	102.0	2.5	4.5	1.5
153	SnowLine 700.4 E LED	114 037	PREMIUM	94.0	103.0	105.0	2.0	6.0	2.0
153	SnowLine 760.4 TE LED	114 038	PREMIUM	94.0	104.0	106.0	2.0	6.0	2.0

Subject to technical changes. **O.R. = on request

WATER TECHNOLOGY TECHNICAL DATA

Page	Name	Art. no.	Category	L Length [cm]	W Width [cm]	H Height [cm]	1 Inlet opening height [cm]	2 Outlet height [cm]	3 Outlet height with angle adapter [cm]
SUBMERSIBLE PUMPS									
CLEAN WATER SUBMERSIBLE PUMPS									
128	SUB 8500 Easy	113 961	EASY	19.5	15.5	26.0	–	9.4	17.1
128	SUB 6500 Classic	112 820	EASY	21.3*	15.0	27.4	–	4.5	12.0
129	SUB 10000 DS Comfort	112 823	COMFORT	18.7	19.0	29.3	–	27.5	37.5
129	SUB 12000 DS Comfort	112 824	COMFORT	18.7	19.0	29.3	–	27.5	37.5
129	SUB 13000 DS Premium	112 829	PREMIUM	22.7	19.0	31.0	–	29.0	39.0
WASTEWATER SUBMERSIBLE PUMPS									
130	DRAIN 9500 Easy	113 962	EASY	19.5	15.6	26.1	–	11.6	19.3
130	DRAIN 7000 Classic	112 821	EASY	21.3*	15.2	30.8*	–	6.0	11.0
131	DRAIN 7500 Classic	112 822	EASY	21.3*	15.2	30.8*	–	6.0	11.0
131	DRAIN 10000 Comfort	112 825	COMFORT	24.2*	19.0	35.3	–	5.5	11.0
131	DRAIN 12000 Comfort	112 826	COMFORT	23.9*	19.0	35.3	–	5.5	11.0
133	DRAIN 10000 INOX	112 827	COMFORT	18.5	20.5	32.6	–	7.5	13.9
133	DRAIN 15000 INOX	112 828	COMFORT	18.5	20.5	36.6	–	7.5	13.0
133	DRAIN 20000 HD	112 836	PREMIUM	23.2	23.2	37.4	–	8.0	16.0
COMBI UNIVERSAL SUBMERSIBLE PUMPS									
135	TWIN 11000 Premium	112 830	PREMIUM	25.3*	19.3	31.7	–	6.5	12.5
135	TWIN 14000 Premium	112 831	PREMIUM	29.2*	19.1	34.4	–	6.5	12.5
SUBMERSIBLE PRESSURE AND DEEP-WELL PUMPS									
137	DIVE 6500/34	113 884	PREMIUM	22.0	22.0	43.0	–	50.0	–
137	DIVE 5600/44 AUTOMATIC	113 883	PREMIUM	22.0	22.0	46.0	–	53.0	–
137	TBP 6000/7	113 470	PREMIUM	9.9	9.9	72.0	–	72.0	72.0

SUBMERSIBLE PUMPS



GARDEN PUMPS



Page	Name	Art. no.	Category	L Length [cm]	W Width [cm]	H Height [cm]	1 Intake opening height [cm]	2 Outlet height [cm]	3 Outlet height with elbow [cm]	Sound power level measured LwA [dB(A)]	Sound power level guaranteed LwA [dB(A)]
GARDEN PUMPS											
139	JET 3000 INOX Classic	112 838	EASY	35.5	19.5	21.5	13.7	19.5	27.5	74.0	76.0
139	JET 3600	113 797	EASY	35.5	19.5	21.5	13.0	18.5	26.5	74.0	76.0
DOMESTIC WATER PUMPS											
140	HWA 3600	113 799	EASY	35.5	19.5	21.5	13.0	18.5	26.5	74.0	76.0
140	HWA 4000 Comfort	113 139	COMFORT	47.6	20.8	35.0	6.3	27.0	35.0	74.0	76.0
141	HWA 4500 Comfort	113 140	COMFORT	47.6	20.8	35.0	6.3	27.0	35.0	76.0	78.0
141	HWA 6000/5 Premium	113 141	PREMIUM	51.5	17.0	25.1	6.3	27.0	35.0	71.0	73.0
DOMESTIC WATER SYSTEMS											
143	HW 3000 INOX Classic	112 846	EASY	43.5	27.0	50.5	42.5	48.5	56.5	74.0	76.0
143	HW 3600	113 798	EASY	45.3	27.3	53.9	34.2	52.4	–	74.0	76.0
PETROL ENGINE PUMPS											
145	BMP 14001 Comfort**	113 793	COMFORT	42.7	33.2	36.3	16.0	27.0	–	96.0	98.0
145	BMP 30000 Premium***	113 563	PREMIUM	54.5	42.0	38.0	11.0	29.0	–	102.0	104.0

DOMESTIC WATER PUMPS/SYSTEMS



* Including angle adapter
** Sound pressure level measured LpA [dB(A)]: 91
*** Sound pressure level measured LpA [dB(A)]: 87

Subject to technical changes.

SPARE PARTS





OUR EXPERTISE IS IN YOUR SAFETY AND COMFORT

AL-KO Gardentech stands for the highest level of quality. For example, our products stand out with their impressive durability, even when they are in frequent use. However, wear and tear or repairs may require replacement of parts. In such cases, you should always choose AL-KO genuine spare parts and accessories. Because top quality and guaranteed safety can only be expected from components which match the technical and quality characteristics of every AL-KO product down to the finest detail.

That's why, in Germany, most of the necessary genuine spare parts and accessories can be purchased at any time. This is a service which keeps downtime for your equipment at a minimum. Moreover, using AL-KO genuine spare parts and accessories is the only way to ensure that all mutually optimised components are at full functionality and to guarantee the high quality and reliability of the AL-KO product. Indeed, the product warranty is only effective, and in case of repair will only remain valid, provided AL-KO genuine spare parts and accessories are used. Our AL-KO genuine spare parts have other benefits as well. Each improvement made to the series-produced products is conferred to the associated genuine spare parts. Whether it's a simple screw or a sophisticated control board, all genuine AL-KO and solo® by AL-KO parts are designed based on a wealth of expertise acquired through many decades of manufacturing prowess.

Our authorised service partners can also benefit from using AL-KO genuine spare parts and accessories. Components that always fit perfectly ensure short repair times and enable cost-effective repair jobs.

In brief: Safe, high-quality and always right – with AL-KO genuine spare parts and accessories, you'll always make the right choice for repairs or maintenance. That forms the basis for the lasting and reliable use of your machine.





AL-KO

QUALITY FOR LIFE



AL-KO GERÄTE GMBH
Ichenhauser Str. 14
89359 Kötz
Germany
Tel. +49 8221 203-0
gardentech@al-ko.com
www.alko-garden.de

AL-KO Gardentech
Austria GmbH
Hauptstraße 52c
8742 Obdach
Austria
Fon +43 35 78 25 15-0
office@al-ko.at
www.alko-garden.at

AL-KO KOBER Sp. z o.o.
Wysogotowo ul. Bukowska 10
62-081 Przeźmierowo
al-ko@al-ko.pl
www.alko-garden.pl

AL-KO Kober SIA
"Kalniņi B", Mārupes pag.,
Mārupes nov.,
LV-2167, Latvija
Fon +371 67627326
al-ko@al-ko.lv
www.alko-garden.com

AL-KO GARDENTECH d.o.o.
Obrtnička 3
10000 Zagreb
Hrvatska
Fon +385 1 2371 522
al-ko@al-ko.hr
www.alko-garden.hr

AL-KO Garden & Home S.r.l.
Via delle Industrie, 27
I-20883 Mezzago (MB)
Fon +39 039 93 29 311
info.garden@al-ko.it
www.alko-garden.it

Provided by your AL-KO partner:

MEMBER OF EGMF European Garden Machinery Federation

Subject to price changes and technical changes.
No liability accepted for mistakes
and printing errors.

Order no. 2301825 (EN) As of: 10-2025

QMF® Qualifizierter Motorgeräte-Fachhandel

Registration number for disposal of waste electrical and electronic equipment:
WEEE Reg. No. DE89889102